

A


anti-EGFR
Control
Risk Ratio
Risk Ratio
Study or Subgroup Events Total Events Total Weight M-H, Random, 95% CI
M-H, Random, 95% CI
4.1.1 EGFR+CT
Lorenzen 2009 11 32 9 30 2.7% 1.15 [0.55, 2.37]
Lu 2017 15 40 4 40 1.6% 3.75 [1.36, 10.32]
Xu 2013 8 23 5 23 1.8% 1.60 [0.61, 4.16]
Zeng 2014 14 26 9 26 3.3% 1.56 [0.82, 2.94]
Subtotal (95% CI) 121 119 9.4% 1.66 [1.07, 2.58]
Total events 48 27
Heterogeneity: Tau² = 0.04; Chi² = 3.64, df = 3 (P = 0.30); I² = 18%
Test for overall effect: Z = 2.24 (P = 0.02)
4.1.2 EGFR+CRT
Chen 2016a 60 68 50 68 10.0% 1.20 [1.02, 1.42]
Chen 2016b 30 32 23 32 8.7% 1.30 [1.03, 1.65]
Fu 2017 32 40 23 40 7.4% 1.39 [1.02, 1.89]
Luo 2015 22 28 19 27 7.3% 1.12 [0.82, 1.53]
Ramos-Suzarte 2012 11 23 4 26 1.6% 3.11 [1.15, 8.43]
Sun 2014 19 21 13 21 6.4% 1.46 [1.02, 2.10]
Wu 2014 16 16 16 16 10.8% 1.00 [0.89, 1.12]
Subtotal (95% CI) 228 230 52.2% 1.25 [1.04, 1.50]
Total events 190 148
Heterogeneity: Tau² = 0.04; Chi² = 22.69, df = 6 (P = 0.0009); I² = 74%
Test for overall effect: Z = 2.34 (P = 0.02)
4.1.3 EGFR+CT+S
Chen 2014b 45 60 33 60 8.0% 1.36 [1.04, 1.79]
Subtotal (95% CI) 60 60 8.0% 1.36 [1.04, 1.79]
Total events 45 33
Heterogeneity: Not applicable
Test for overall effect: Z = 2.24 (P = 0.03)
4.1.4 EGFR+RT
Shi 2014 22 32 16 32 5.6% 1.38 [0.91, 2.09]
Zhang 2014 34 42 21 42 6.9% 1.62 [1.16, 2.27]
Zhao 2016 33 38 21 38 7.3% 1.57 [1.15, 2.15]
Zhou 2015 38 40 35 40 10.5% 1.09 [0.95, 1.25]
Subtotal (95% CI) 152 152 30.3% 1.37 [1.03, 1.83]
Total events 127 93
Heterogeneity: Tau² = 0.06; Chi² = 12.53, df = 3 (P = 0.006); I² = 76%
Test for overall effect: Z = 2.13 (P = 0.03)
Total (95% CI) 561 561 100.0% 1.33 [1.16, 1.52]
Total events 410 301
Heterogeneity: Tau² = 0.04; Chi² = 49.64, df = 15 (P < 0.0001); I² = 70%
Test for overall effect: Z = 4.02 (P < 0.0001)
Test for subgroup differences: Chi² = 1.48, df = 3 (P = 0.69), I² = 0%
0.1 0.2 0.5 1 2 5 10
Favours [Control] Favours [anti-EGFR]

B


anti-EGFR
Control
Risk Ratio
Risk Ratio
Study or Subgroup Events Total Events Total Weight M-H, Random, 95% CI
M-H, Random, 95% CI
4.2.1 mAb
Chen 2016b 30 32 23 32 8.7% 1.30 [1.03, 1.65]
Fu 2017 32 40 23 40 7.4% 1.39 [1.02, 1.89]
Lorenzen 2009 11 32 9 30 2.7% 1.15 [0.55, 2.37]
Lu 2017 15 40 4 40 1.6% 3.75 [1.36, 10.32]
Luo 2015 22 28 19 27 7.3% 1.12 [0.82, 1.53]
Ramos-Suzarte 2012 11 23 4 26 1.6% 3.11 [1.15, 8.43]
Shi 2014 22 32 16 32 5.6% 1.38 [0.91, 2.09]
Sun 2014 19 21 13 21 6.4% 1.46 [1.02, 2.10]
Wu 2014 16 16 16 16 10.8% 1.00 [0.89, 1.12]
Xu 2013 8 23 5 23 1.8% 1.60 [0.61, 4.16]
Subtotal (95% CI) 287 287 54.0% 1.38 [1.07, 1.76]
Total events 186 132
Heterogeneity: Tau² = 0.10; Chi² = 41.06, df = 9 (P < 0.00001); I² = 78%
Test for overall effect: Z = 2.51 (P = 0.01)
4.2.2 TKI
Chen 2014b 45 60 33 60 8.0% 1.36 [1.04, 1.79]
Chen 2016a 60 68 50 68 10.0% 1.20 [1.02, 1.42]
Zeng 2014 14 26 9 26 3.3% 1.56 [0.82, 2.94]
Zhang 2014 34 42 21 42 6.9% 1.62 [1.16, 2.27]
Zhao 2016 33 38 21 38 7.3% 1.57 [1.15, 2.15]
Zhou 2015 38 40 35 40 10.5% 1.09 [0.95, 1.25]
Subtotal (95% CI) 274 274 46.0% 1.31 [1.12, 1.54]
Total events 224 169
Heterogeneity: Tau² = 0.02; Chi² = 12.30, df = 5 (P = 0.03); I² = 59%
Test for overall effect: Z = 3.28 (P = 0.001)
Total (95% CI) 561 561 100.0% 1.33 [1.16, 1.52]
Total events 410 301
Heterogeneity: Tau² = 0.04; Chi² = 49.64, df = 15 (P < 0.0001); I² = 70%
Test for overall effect: Z = 4.02 (P < 0.0001)
Test for subgroup differences: Chi² = 0.10, df = 1 (P = 0.76), I² = 0%
0.1 0.2 0.5 1 2 5 10
Favours [Control] Favours [anti-EGFR]

C




Figure S4 Subgroup analysis of the objective response rate (ORR) according to different treatment regimens: (A) different treatment modalities; (B) different anti-EGFR groups; (C) different anti-EGFR agents