Supplement 2. Search strategies

A. Ovid MEDLINE(R) and Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Daily and Versions(R) and Ovid EBM Reviews – Cochrane Central Register of Controlled Trials

1 exp Sepsis/ or Sepsis-Associated Encephalopathy/ or Systemic Inflammatory Response Syndrome/ or Vasoplegia/ or multiple organ failure/
2 (bacill?emia* or bacter* shock or bacter?emia* or (blood adj2 poison*) or candid?emia* or endotox?emia* or endotoxi* shock or fung?emia* or parasit?emia* or (py?emia* or pyohemia*) or sepsis or septic or septic?emia* or SIRS or systemic inflammatory response syndrome* or toxic shock or vasopl?egia*OR vir?emia*).mp.
3 or/1-2
4 exp Ascorbic Acid/
5 (ascor* or l-ascor* or acidylina* or adenex* or afj c or agrumina* or alle?corb* or antiscorb* or arcavit* c or arkovital* c or ascelat* or ascofar* or ascomed* or asconvita* or askorbin* or austrovit* c or bentavit* c or c crivit* or c ine or c level or c lisa or c long or c monovit* or c prana or c rivitin* or c sol or c tamin* or c tonic or c tron or c vescent or c vicotrat* or c?vimin* or c vit* or c-will or cantan or cantaxin or catavin c or ce arom or ce major or ce quin* or ce?vi?sol or ce vit* or cebetate or cebicure or cebion* or cecap or cecon* or cecorb* or cecrisina or cedon* or cedoxon* or cee-500 or ceevifil or cegiolan or celaskon* or celin* or cenetone or cenol* or cequinyl or cereon or cergona or cescorbat or cetami* or cetebe or ceterapion* or cetrinets or ceva?in* or cevex or cevibram or cevig* or cevilat or cevimin* or cevisol or cevit* or cewin or chewcee or chivibit c or ci drol or ciamin* or ciergin or cifilina or cipca or cisir or cital or citamino or cith or citoascorbina or citoxyl or citran or citravite or citritabs or citrovitamina or civigor or civitin* or co biagini or concemin or cortalex).mp.
6 (xylo?ascorb* or dagrascorb* or dagravit c or dancimin c or davitamon c or dayvital or delo c or difvitamin c or dumovit* c or erftamin* c or esuron or esurvit* or flavettes or godabion c or gregovite c or hicee or hybrin* or ido c or ikacee or inovitan c or irocevit or irocevite or jarexin* or keto hexuronic acid lactone or lacivit* or laroscorbine or leder?c or lemascorb or limcee or limo ce or liqui cee or magnorbin* or mega-c?a or myascorbin or natrascorb or nybadol or paa 500 or parkovit c or pharmascorb* or pharmatovit* c or planavit* c or plivit* c or pro-c or proscorbin* or redoxon or ribena or scorbacid* or scorbettes or scorbex or scorbin c or scorbitol or scorbumine or scottavit* c or secorbate or sevalin or sigmavit* c or sodascorb* or sweetcee or synum c or take-c or tanvimil-c or testascorb* or ucemine c or upsa?c or vi?ci sin or vi dom c or vi-c 500 or vicef or vicelat or vicetrin or vici monico or viciman or vicin or vicitina or vicon or viforcit* or viscorin* or vita-cedol orange or vitac or vitace or vitacee or vitaci* or vitamin* C or vitaplex c or vitapric or vitapur c or vitasan c or vitascorb* or vitelix c or vitocee or vorange or wandervit* c or witamina c or xitix or xon-ce).mp.
7 exp Thiamine/
8 (thiamin* or aneurin* or benerva* or beneur?n or betabion or betalin s or betaxin or bethiamin elixir or bevitine or bewon or biamine or bioden elixir or eskay's theranates or metabolin or pabiamine or sheramin elixir or vibex or (vitamin adj1 b1) or (vitamin adj1 B1)).mp.
9 exp Hydrocortisone/ or exp Adrenal Cortex Hormones/
10 (cortef or cortibel or corticorenol or cortifan or cortiphate or cortisol* or cortril or cotacort or covocort or h-cort or hebcort or hi-cor or hidrotisona or hycor or hycort or hydr?cort* or hydrasson or hydro ricortex or hydrokort* or hydro-rx or hydroxycorticosterone).mp.
11 ((adren* adj1 cort* adj1 (hormone* or steroid*)) or (adren* adj1 steroid*) or adrenocortic* or alclometasone or aldosterone or algestone or amcinonide or amelometasone or beclometasone or betamethasone or budesonide or butixocort or cloprednol or (cortic* adj1 steroid) or corticoid or corticostero* or cortisone or cortivazol or deflazacort or dehydrocorticosterone or deoxycorticosterone or dexamethasone or drocinonide or dutimelan or etiprednol dicloacetate or fluclorolone or fludrocortisone or flumoxonide or flunisolide or icometasone enbutate or indacaterol plus mometasone furoate or isoflupredone or itrocinonide or locicortolone or

mazipredone or meprednisone or methylprednisolone or mineralocortico* or minerocorticoid or nicocortonide or nivacortol or paramethasone or prednisolone or prednisone or pregnenolone or procinonide or resocortol or ticabesone or timobesone or tipredane or ulobetasol propionate or vamorolone or zoticasone).mp.
12 or/4-11
13 3 and 12
14 randomized controlled trial.pt.
15 controlled clinical trial.pt.
16 randomized.ab.
17 placebo.ab.
18 clinical trials as topic.sh.
19 randomly.ab.
20 trial.ti.
21 14 or 15 or 16 or 17 or 18 or 19 or 20
22 exp animals/ not humans.sh.
23 21 not 22
24 13 and 23

* The Ovid MEDLINE(R) search was last conducted on September 3rd, 2021. The update search retrieved the following systematic review on a similar topic. The current work had been registered in the PROSPERO, and the detailed protocol had been published one year prior to the following SR being registered in the PROSPERO.
Fong KM, Au SY, Ng GWY. Steroid, ascorbic acid, and thiamine in adults with sepsis and septic shock: a systematic review and component network meta-analysis Sci Rep. 2021 Aug 4;11(1):15777.

B. Embase Classic+Embase

1 exp sepsis/ or exp infection/ or exp systemic inflammatory response syndrome/ or exp bacteremia/ or exp fungemia/ or exp septic shock/ or exp septicemia/ or exp urosepsis/
2 exp sepsis associated encephalopathy/
3 (bacill?emia* or bacter* shock or bacter?emia* or (blood adj2 poison*) or candid?emia* or endotox?emia* or endotoxi* shock or fung?emia* or parasit?emia* or (py?emia* or pyohemia*) or sepsis or septic or septic?emia* or SIRS or systemic inflammatory response syndrome* or toxic shock or vasopl?egia*OR vir?emia*).mp.
4 1 or 2 or 3
5 exp ascorbic acid/
6 (ascor* or l-ascor* or acidylina* or adenex* or afj c or agrumina* or alle?corb* or antiscorb* or arcavit* c or arkovital* c or ascelat* or ascofar* or ascomed* or asconvita* or askorbin* or austrovit* c or bentavit* c or c crivit* or c ine or c level or c lisa or c long or c monovit* or c prana or c rivitin* or c sol or c tamin* or c tonic or c tron or c vescent or c vicotrat* or c?vimin* or c vit* or c-will or cantan or cantaxin or catavin c or ce arom or ce major or ce quin* or ce?vi?sol or ce vit* or cebetate or cebicure or cebion* or cecap or cecon* or cecorb* or cecrisina or cedon* or cedoxon* or cee-500 or ceevifil or cegiolan or celaskon* or celin* or cenetone or cenol* or cequinyl or cereon or cergona or cescorbat or cetami* or cetebe or ceterapion* or cetrinets or ceva?in* or cevex or cevibram or cevig* or cevilat or cevimin* or cevisol or cevit* or cewin or chewcee or chivibit c or ci drol or ciamin* or ciergin or cifilina or cipca or cisir or cital or citamino or cith or citoascorbina or citoxyl or citran or citravite or citritabs or citrovitamina or civigor or civitin* or co biagini or concemin or cortalex).mp.
7 (xylo?ascorb* or dagrascorb* or dagravit c or dancimin c or davitamon c or dayvital or delo c or difvitamin c or dumovit* c or erftamin* c or esuron or esurvit* or flavettes or godabion c or gregovite c or hicee or hybrin* or ido c or ikacee or inovitan c or irocevit or irocevite or jarexin* or keto hexuronic acid lactone or lacivit* or laroscorbine or leder?c or lemascorb or limcee or limo ce or liqui cee or magnorbin* or mega-c?a or myascorbin or natrascorb or nybadol or paa 500 or parkovit c or pharmascorb* or pharmatovit* c or planavit* c or plivit* c or pro-c or proscorbin* or redoxon or ribena or scorbacid* or scorbettes or scorbex or scorbin c or scorbitol or scorbumine

or scottavit* c or secorbate or sevalin or sigmavit* c or sodascorb* or sweetcee or synum c or take-c or tanvimil-c or testascorb* or ucemine c or upsa?c or vi?ci sin or vi dom c or vi-c 500 or vicef or vicelat or vicetrin or vici monico or viciman or vicin or vicitina or vicon or viforcit* or viscorin* or vita-cedol orange or vitac or vitace or vitacee or vitaci* or vitamin* C or vitaplex c or vitapric or vitapur c or vitasan c or vitascorb* or vitelix c or vitocee or vorange or wandervit* c or witamina c or xitix or xon-ce).mp.
8 exp thiamine/
9 (thiamin* or aneurin* or benerva* or beneur?n or betabion or betalin s or betaxin or bethiamin elixir or bevitine or bewon or biamine or bioden elixir or eskay's theranates or metabolin or pabiamine or sheramin elixir or vibex or (vitamin adj1 b1) or (vitamin adj1 B1)).mp.
10 exp hydrocortisone/
11 (cortef or cortibel or corticorenol or cortifan or cortiphate or cortisol* or cortril or cotacort or covocort or h-cort or hebcort or hi-cor or hidrotisona or hycor or hycort or hydr?cort* or hydrasson or hydro ricortex or hydrokort* or hydro-rx or hydroxycorticosterone).mp.
12 or/5-11
13 4 and 12
14 (exp animal/ or nonhuman/) not exp human/
15 clinical trial/ or randomized controlled trial/ or randomization/ or single blind procedure/ or double blind procedure/ or crossover procedure/ or placebo/ or prospective study/
16 (randomi?ed controlled or RCT or randomly allocated or allocated randomly or random allocation or (allocated adj2 random) or (single adj1 blind*) or (double adj1 blind*) or ((treble or triple) adj1 blind*) or placebo*).mp.
17 15 or 16
18 17 not 14
19 13 and 18
20 exp sepsis/ or exp systemic inflammatory response syndrome/ or exp bacteremia/ or exp fungemia/ or exp septic shock/ or exp septicemia/ or exp urosepsis/
21 exp sepsis associated encephalopathy/
22 (bacill?emia* or bacter* shock or bacter?emia* or (blood adj2 poison*) or candid?emia* or endotox?emia* or endotoxi* shock or fung?emia* or parasit?emia* or (py?emia* or pyohemia*) or sepsis or septic or septic?emia* or SIRS or systemic inflammatory response syndrome* or toxic shock or vasopl?egia*OR vir?emia*).mp.
23 20 or 21 or 22
24 exp ascorbic acid/
25 (ascor* or l-ascor* or acidylina* or adenex* or afj c or agrumina* or alle?corb* or antiscorb* or arcavit* c or arkovital* c or ascelat* or ascofar* or ascomed* or asconvita* or askorbin* or austrovit* c or bentavit* c or c crivit* or c ine or c level or c lisa or c long or c monovit* or c prana or c rivitin* or c sol or c tamin* or c tonic or c tron or c vescent or c vicotrat* or c?vimin* or c vit* or c-will or cantan or cantaxin or catavin c or ce arom or ce major or ce quin* or ce?vi?sol or ce vit* or cebetate or cebicure or cebion* or cecap or cecon* or cecorb* or cecrisina or cedon* or cedoxon* or cee-500 or ceevifil or cegiolan or celaskon* or celin* or cenetone or cenol* or cequinyl or cereon or cergona or cescorbat or cetami* or cetebe or ceterapion* or cetrinets or ceva?in* or cevex or cevibram or cevig* or cevilat or cevimin* or cevisol or cevit* or cewin or chewcee or chivibit c or ci drol or ciamin* or ciergin or cifilina or cipca or cisir or cital or citamino or cith or citoascorbina or citoxyl or citran or citravite or citritabs or citrovitamina or civigor or civitin* or co biagini or concemin or cortalex).mp.
26 (xylo?ascorb* or dagrascorb* or dagravit c or dancimin c or davitamon c or dayvital or delo c or difvitamin c or dumovit* c or erftamin* c or esuron or esurvit* or flavettes or godabion c or gregovite c or hicee or hybrin* or ido c or ikacee or inovitan c or irocevit or irocevite or jarexin* or keto hexuronic acid lactone or lacivit* or laroscorbine or leder?c or lemascorb or limcee or limo ce or liqui cee or magnorbin* or mega-c?a or myascorbin or natrascorb or nybadol or paa 500 or parkovit c or pharmascorb* or pharmatovit* c or planavit* c or plivit* c or pro-c or proscorbin* or redoxon or ribena or scorbacid* or scorbettes or scorbex or scorbin c or scorbitol or scorbumine or scottavit* c or secorbate or sevalin or sigmavit* c or sodascorb* or sweetcee or synum c or take-c or tanvimil-c or testascorb* or ucemine c or upsa?c or vi?ci sin or vi dom c or vi-c 500 or vicef or vicelat or vicetrin or vici monico or viciman or vicin or vicitina or vicon or viforcit* or viscorin* or vita-cedol orange or vitac or vitace or vitacee or vitaci* or vitamin* C or vitaplex c or

vitapric or vitapur c or vitasan c or vitascorb* or vitelix c or vitocee or vorange or wandervit* c or witamina c or xitix or xon-ce).mp.
27 exp thiamine/
28 (thiamin* or aneurin* or benerva* or beneur?n or betabion or betalin s or betaxin or bethiamin elixir or bevitine or bewon or biamine or bioden elixir or eskay's theranates or metabolin or pabiamine or sheramin elixir or vibex or (vitamin adj1 b1) or (vitamin adj1 B1)).mp.
29 exp hydrocortisone/ or corticosteroid/
30 (cortef or cortibel or corticorenol or cortifan or cortiphate or cortisol* or cortril or cotacort or covocort or h-cort or hebcort or hi-cor or hidrotisona or hycor or hycort or hydr?cort* or hydrasson or hydro ricortex or hydrokort* or hydro-rx or hydroxycorticosterone).mp.
31 ((adren* adj1 cort* adj1 (hormone* or steroid*)) or (adren* adj1 steroid*) or adrenocortic* or alclometasone or aldosterone or algestone or amcinonide or amelometasone or beclometasone or betamethasone or budesonide or butixocort or cloprednol or (cortic* adj1 steroid) or corticoid or corticostero* or cortisone or cortivazol or deflazacort or dehydrocorticosterone or deoxycorticosterone or dexamethasone or drocinonide or dutimelan or etiprednol dicloacetate or fluclorolone or fludrocortisone or flumoxonide or flunisolide or icometasone enbutate or indacaterol plus mometasone furoate or isoflupredone or itrocinonide or locicortolone or mazipredone or meprednisone or methylprednisolone or mineralocortico* or minerocorticoid or nicocortonide or nivacortol or paramethasone or prednisolone or prednisone or pregnenolone or procinonide or resocortol or ticabesone or timobesone or tipredane or ulobetasol propionate or vamorolone or zoticasone).mp.
32 or/24-31
33 23 and 32
34 (exp animal/ or nonhuman/) not exp human/
35 clinical trial/ or randomized controlled trial/ or randomization/ or single blind procedure/ or double blind procedure/ or crossover procedure/ or placebo/ or prospective study/
36 (randomi?ed controlled or RCT or randomly allocated or allocated randomly or random allocation or (allocated adj2 random) or (single adj1 blind*) or (double adj1 blind*) or ((treble or triple) adj1 blind*) or placebo*).mp.
37 35 or 36
38 37 not 34
39 33 and 38

C. Trial Registry: ClinicalTrials.gov

https://clinicaltrials.gov/
Advanced Search >
Conditions: Sepsis OR severe sepsis OR septic shock
Study Type: All Studies
Study Results: All Studies
Interventions: Vitamin C OR ascorbic acid OR ascorbate OR thiamine OR aneurin OR hydrocortisone OR steroid

D. Trial Registry: World Health Organization, International Clinical Trials Registry Platform

http://apps.who.int/trialsearch/AdvSearch.aspx
Advanced Search >
Condition: Sepsis OR severe sepsis OR septic shock
Intervention: Vitamin C OR ascorbic acid OR ascorbate OR thiamine OR aneurin OR hydrocortisone OR steroid
Recruitment status: ALL
Phases: All