Adverse perinatal outcomes associated with protease inhibitor-based antiretroviral therapy in pregnant women living with HIV: a systematic review and meta-analysis.

Appendices

APPENDIX 1: Literature search strategies **3**

APPENDIX 2: Quality assessment of studies **16**

Appendix 2.1: Adapted Newcastle-Ottawa quality assessment tool **16**

Appendix 2.2: Classification of studies according to quality assessment **18**

Appendix 2.3: Quality assessment of studies included in the systematic review and meta-analysis **19**

Appendix 2.4: Confounding factors adjusted for in included studies **23**

APPENDIX 3: Random-effects meta-analyses of risk of perinatal outcomes associated with pregnancies in women living with HIV receiving different ART regimens **27**

Appendix 3.1: Women living with HIV receiving PI-ART vs non-PI-ART **27**

Appendix 3.2: Women living with HIV receiving boosted-PI-ART vs non-boosted-PI-ART **33**

Appendix 3.3: Women living with HIV receiving LPV/r-ART vs ATV/r-ART **36**

Appendix 3.4: Women living with HIV receiving LPV/r-ART vs NFV-ART **40**

Appendix 3.5: Women living with HIV receiving LPV/r-ART vs DRV/r-ART **42**

Appendix 3.6: Women living with HIV receiving LPV/r-ART vs FPV/r-ART **43**

Appendix 3.7: Women living with HIV receiving LPV/r-ART vs IDV/r-ART **44**

Appendix 3.8: Women living with HIV receiving LPV/r-ART vs IDV-ART **45**

Appendix 3.9: Women living with HIV receiving LPV/r-ART vs SQV/r-ART **46**

Appendix 3.10: Women living with HIV receiving LPV/r-ART vs SQV-ART **47**

Appendix 3.11: Women living with HIV receiving LPV/r-ART vs TPV/r-ART **48**

Appendix 3.12: Women living with HIV receiving ATV/r-ART vs NFV-ART **49**

Appendix 3.13: Women living with HIV receiving ATV/r-ART vs DRV/r-ART **51**

Appendix 3.14: Women living with HIV receiving ATV/r-ART vs FPV/r-ART **55**

Appendix 3.15: Women living with HIV receiving ATV/r-ART vs IDV/r-ART **56**

Appendix 3.16: Women living with HIV receiving ATV/r-ART vs IDV-ART **57**

Appendix 3.17: Women living with HIV receiving ATV/r-ART vs SQV/r-ART **58**

Appendix 3.18: Women living with HIV receiving ATV/r-ART vs SQV-ART **59**

Appendix 3.19: Women living with HIV receiving ATV/r-ART vs TPV/r-ART **60**

Appendix 3.20: Women living with HIV receiving NFV-ART vs FPV/r-ART **61**

Appendix 3.21: Women living with HIV receiving NFV-ART vs IDV/r-ART **62**

Appendix 3.22: Women living with HIV receiving NFV-ART vs IDV-ART **63**

Appendix 3.23: Women living with HIV receiving NFV-ART vs SQV/r-ART **64**

Appendix 3.24: Women living with HIV receiving NFV-ART vs SQV-ART **65**

Appendix 3.25: Women living with HIV receiving NFV-ART vs TPV/r-ART **66**

Appendix 3.26: Women living with HIV receiving FPV/r-ART vs IDV/r-ART **67**

Appendix 3.27: Women living with HIV receiving FPV/r-ART vs IDV-ART **68**

Appendix 3.28: Women living with HIV receiving FPV/r-ART vs SQV/r-ART **69**

Appendix 3.29: Women living with HIV receiving FPV/r-ART vs SQV-ART **70**

Appendix 3.30: Women living with HIV receiving IDV/r-ART vs SQV/r-ART **71**

Appendix 3.31: Women living with HIV receiving IDV-ART vs SQV-ART **72**

Appendix 3.32: Women living with HIV receiving IDV-ART vs TPV/r-ART **73**

Appendix 3.33: Women living with HIV receiving SQV-ART vs TPV/r-ART **74**

APPENDIX 4: Subgroup analyses **75**

Appendix 4.1: Number of studies and women analysed: All studies **75**

Appendix 4.2: I^2 values: All studies **78**

Appendix 4.3: Subgroup analysis by country income status. **80**

Appendix 4.4: Number of studies and women analysed: country income status **81**

Appendix 4.5: I^2 values: country income status **82**

Appendix 4.6: Subgroup analysis by study quality **83**

Appendix 4.7: Number of studies and women analysed: quality of studies **84**

Appendix 4.8: I^2 values: quality of studies **85**

APPENDIX 5: Sensitivity analyses **86**

Appendix 5.1: Adjusting for confounders in individual studies comparing women living with HIV receiving PI-ART and non-PI ART for preterm birth, low birthweight, and small for gestational age. **86**

Appendix 5.2: Adjusting for confounders in individual studies comparing women living with HIV receiving boosted PI-ART and non-boosted PI-ART for preterm birth. **87**

Appendix 5.3: Adjusting for confounders in individual studies comparing women living with HIV receiving different PI ART regimens for preterm birth, very preterm birth, and low birthweight, small for gestational age, very small for gestational age, and neonatal death. **88**

Appendix 1
Literature search strategies

Search strategy for "pregnancy outcome AND HIV OR antiretroviral therapy"

Database and platform: Pubmed (via https://www.ncbi.nlm.nih.gov/pubmed/)

Latest search date: 20 April 2020.

1. Pregnancy Outcome [Mesh] OR Pregnancy Complications, Infectious [Mesh] OR "pregnancy outcome*" [tiab] OR "pregnancy complication*" [tiab] OR pregnancy consequence* [tiab] OR "pregnancy characteristic" [tiab] OR "pregnancy characteristics" [tiab] OR pregnancy event* [tiab] OR pregnancy result* [tiab] OR pregnancy problem* [tiab] OR pregnancy morbidit* [tiab] OR pregnancy sequelae [tiab]

2. gestational outcome* [tiab] OR gestational complication* [tiab] OR gestational consequence* [tiab] OR gestational characteristic* [tiab] OR gestational event* [tiab] OR gestational result* [tiab] OR gestational problem* [tiab] OR gestational morbidit* [tiab] OR gestational sequelae [tiab]

3. "fetal outcome" [tiab] OR "fetal outcomes" [tiab] OR "fetal complication" [tiab] OR "fetal complications" [tiab] OR fetal consequence* [tiab] OR fetal characteristic* [tiab] OR fetal event* [tiab] OR fetal result* [tiab] OR fetal problem* [tiab] OR fetal morbidit* [tiab] OR fetal sequelae [tiab]

4. foetal outcome* [tiab] OR foetal complication* [tiab] OR foetal consequence* [tiab] OR foetal characteristic* [tiab] OR foetal event* [tiab] OR foetal result* [tiab] OR foetal problem* [tiab] OR foetal morbidit* [tiab] OR foetal sequelae [tiab]

5. "obstetric outcome" [tiab] OR "obstetric outcomes" [tiab] OR "obstetric complication" [tiab] OR "obstetric complications" [tiab] OR obstetric consequence* [tiab] OR obstetric characteristic* [tiab] OR obstetric event* [tiab] OR obstetric result* [tiab] OR "obstetric problem" [tiab] OR "obstetric problems" [tiab] OR obstetric morbidit* [tiab] OR obstetric sequelae [tiab]

6. obstetrical outcome* [tiab] OR "obstetrical complication" [tiab] OR "obstetrical complications" [tiab] OR obstetrical consequence* [tiab] OR obstetrical characteristic* [tiab] OR obstetrical event* [tiab] OR obstetrical result* [tiab] OR "obstetrical problem" [tiab] OR "obstetrical problems" [tiab] OR obstetrical morbidit* [tiab] OR obstetrical sequelae [tiab]

7. "labor outcome" [tiab] OR "labor outcomes" [tiab] OR "labor complication" [tiab] OR "labor complications" [tiab] OR "labor consequence" [tiab] OR "labor consequences" [tiab] OR labor characteristic* [tiab] OR labor event* [tiab] OR labor result* [tiab] OR labor problem* [tiab] OR labor morbidit* [tiab] OR labor sequelae [tiab]

8. labour outcome* [tiab] OR labour complication* [tiab] OR "labour consequence" [tiab] OR "labour consequences" [tiab] OR labour characteristic* [tiab] OR labour event* [tiab] OR labour result* [tiab] OR labour problem* [tiab] OR labour morbidit* [tiab] OR labour sequelae [tiab]

9. "birth outcome" [tiab] OR "birth outcomes" [tiab] OR birth complication* [tiab] OR birth consequence* [tiab] OR birth characteristic* [tiab] OR birth event* [tiab] OR birth result* [tiab] OR birth problem* [tiab] OR birth morbidit* [tiab] OR birth sequelae [tiab]

10. delivery outcome* [tiab] OR delivery complication* [tiab] OR delivery consequence* [tiab] OR delivery characteristic* [tiab] OR delivery event* [tiab] OR delivery result* [tiab] OR delivery problem* [tiab] OR delivery morbidit* [tiab] OR delivery sequelae [tiab]

11. neonate outcome* [tiab] OR neonate complication* [tiab] OR neonate consequence* [tiab] OR neonate characteristic* [tiab] OR neonate event* [tiab] OR neonate result* [tiab] OR neonate problem* [tiab] OR neonate morbidit* [tiab] OR neonate sequelae [tiab]

12. newborn outcome* [tiab] OR newborn complication* [tiab] OR newborn consequence* [tiab] OR newborn characteristic* [tiab] OR newborn event* [tiab] OR newborn result* [tiab] OR newborn problem* [tiab] OR newborn morbidit* [tiab] OR newborn sequelae [tiab]

13. new-born outcome* [tiab] OR new-born complication* [tiab] OR new-born consequence* [tiab] OR new-born characteristic* [tiab] OR new-born event* [tiab] OR new-born result* [tiab] OR new-born problem* [tiab] OR new-born morbidit* [tiab] OR new-born sequelae [tiab]

14. new born outcome* [tiab] OR new born complication* [tiab] OR new born consequence* [tiab] OR new born characteristic* [tiab] OR new born event* [tiab] OR new born result* [tiab] OR new born problem* [tiab] OR new born morbidit* [tiab] OR new born sequelae [tiab]

15. infant outcome* [tiab] OR infant complication* [tiab] OR infant consequence* [tiab] OR infant characteristic* [tiab] OR infant event* [tiab] OR infant result* [tiab] OR infant problem* [tiab] OR infant morbidit* [tiab] OR infant sequelae [tiab]

16. reproductive outcome* [tiab] OR reproductive complication* [tiab] OR reproductive consequence* [tiab] OR reproductive characteristic* [tiab] OR reproductive event* [tiab] OR reproductive result* [tiab] OR reproductive problem* [tiab] OR reproductive morbidit* [tiab] OR reproductive sequelae [tiab]

17. prelabour outcome* [tiab] OR prelabour complication* [tiab] OR prelabour consequence* [tiab] OR prelabour characteristic* [tiab] OR prelabour event* [tiab] OR prelabour result* [tiab] OR prelabour problem* [tiab] OR prelabour morbidit* [tiab] OR prelabour sequelae [tiab]

18. prelabor outcome* [tiab] OR prelabor complication* [tiab] OR prelabor consequence* [tiab] OR prelabor characteristic* [tiab] OR prelabor event* [tiab] OR prelabor result* [tiab] OR prelabor problem* [tiab] OR prelabor morbidit* [tiab] OR prelabor sequelae [tiab]

19. pre-labour outcome* [tiab] OR pre-labour complication* [tiab] OR pre-labour consequence* [tiab] OR pre-labour characteristic* [tiab] OR pre-labour event* [tiab] OR pre-labour result* [tiab] OR pre-labour problem* [tiab] OR pre-labour morbidit* [tiab] OR pre-labour sequelae [tiab]

20. pre-labor outcome* [tiab] OR pre-labor complication* [tiab] OR pre-labor consequence* [tiab] OR pre-labor characteristic* [tiab] OR pre-labor event* [tiab] OR pre-labor result* [tiab] OR pre-labor problem* [tiab] OR pre-labor morbidit* [tiab] OR pre-labor sequelae [tiab]

21. intrauterine outcome* [tiab] OR intrauterine complication* [tiab] OR intrauterine consequence* [tiab] OR intrauterine characteristic* [tiab] OR intrauterine event* [tiab] OR intrauterine result* [tiab] OR intrauterine problem* [tiab] OR intrauterine morbidit* [tiab] OR intrauterine sequelae [tiab]

22. intra-uterine outcome* [tiab] OR intra-uterine complication* [tiab] OR intra-uterine consequence* [tiab] OR intra-uterine characteristic* [tiab] OR intra-uterine event* [tiab] OR intra-uterine result* [tiab] OR intra-uterine problem* [tiab] OR intra-uterine morbidit* [tiab] OR intra-uterine sequelae [tiab]

23. antenatal outcome* [tiab] OR antenatal complication* [tiab] OR antenatal consequence* [tiab] OR antenatal characteristic* [tiab] OR antenatal event* [tiab] OR antenatal result* [tiab] OR antenatal problem* [tiab] OR antenatal morbidit* [tiab] OR antenatal sequelae [tiab]

24. ante-natal outcome* [tiab] OR ante-natal complication* [tiab] OR ante-natal consequence* [tiab] OR ante-natal characteristic* [tiab] OR ante-natal event* [tiab] OR ante-natal result* [tiab] OR ante-natal problem* [tiab] OR ante-natal morbidit* [tiab] OR ante-natal sequelae [tiab]

25. prenatal outcome* [tiab] OR prenatal complication* [tiab] OR prenatal consequence* [tiab] OR prenatal characteristic* [tiab] OR prenatal event* [tiab] OR prenatal result* [tiab] OR prenatal problem* [tiab] OR prenatal morbidit* [tiab] OR prenatal sequelae [tiab]

26. pre-natal outcome* [tiab] OR pre-natal complication* [tiab] OR pre-natal consequence* [tiab] OR pre-natal characteristic* [tiab] OR pre-natal event* [tiab] OR pre-natal result* [tiab] OR pre-natal problem* [tiab] OR pre-natal morbidit* [tiab] OR pre-natal sequelae [tiab]

27. perinatal outcome* [tiab] OR perinatal complication* [tiab] OR perinatal consequence* [tiab] OR perinatal characteristic* [tiab] OR perinatal event* [tiab] OR perinatal result* [tiab] OR perinatal problem* [tiab] OR perinatal morbidit* [tiab] OR perinatal sequelae [tiab]

28. peri-natal outcome* [tiab] OR peri-natal complication* [tiab] OR peri-natal consequence* [tiab] OR peri-natal characteristic* [tiab] OR peri-natal event* [tiab] OR peri-natal result* [tiab] OR peri-natal problem* [tiab] OR peri-natal morbidit* [tiab] OR peri-natal sequelae [tiab]

29. neonatal outcome* [tiab] OR neonatal complication* [tiab] OR neonatal consequence* [tiab] OR neonatal characteristic* [tiab] OR neonatal event* [tiab] OR neonatal result* [tiab] OR neonatal problem* [tiab] OR neonatal morbidit* [tiab] OR neonatal sequelae [tiab]

30. neo-natal outcome* [tiab] OR neo-natal complication* [tiab] OR neo-natal consequence* [tiab] OR neo-natal characteristic* [tiab] OR neo-natal event* [tiab] OR neo-natal result* [tiab] OR neo-natal problem* [tiab] OR neo-natal morbidit* [tiab] OR neo-natal sequelae [tiab]

31. postnatal outcome* [tiab] OR postnatal complication* [tiab] OR postnatal consequence* [tiab] OR postnatal characteristic* [tiab] OR postnatal event* [tiab] OR postnatal result* [tiab] OR postnatal problem* [tiab] OR postnatal morbidit* [tiab] OR postnatal sequelae [tiab]

32. post-natal outcome* [tiab] OR post-natal complication* [tiab] OR post-natal consequence* [tiab] OR post-natal characteristic* [tiab] OR post-natal event* [tiab] OR post-natal result* [tiab] OR post-natal problem* [tiab] OR post-natal morbidit* [tiab] OR post-natal sequelae [tiab]

33. antepartum outcome* [tiab] OR antepartum complication* [tiab] OR antepartum consequence* [tiab] OR antepartum characteristic* [tiab] OR antepartum event* [tiab] OR antepartum result* [tiab] OR antepartum problem* [tiab] OR antepartum morbidit* [tiab] OR antepartum sequelae [tiab]

34. ante-partum outcome* [tiab] OR ante-partum complication* [tiab] OR ante-partum consequence* [tiab] OR ante-partum characteristic* [tiab] OR ante-partum event* [tiab] OR ante-partum result* [tiab] OR ante-partum problem* [tiab] OR ante-partum morbidit* [tiab] OR ante-partum sequelae [tiab]

35. intrapartum outcome* [tiab] OR intrapartum complication* [tiab] OR intrapartum consequence* [tiab] OR intrapartum characteristic* [tiab] OR intrapartum event* [tiab] OR intrapartum result* [tiab] OR intrapartum problem* [tiab] OR intrapartum morbidit* [tiab] OR intrapartum sequelae [tiab]

36. intra-partum outcome* [tiab] OR intra-partum complication* [tiab] OR intra-partum consequence* [tiab] OR intra-partum characteristic* [tiab] OR intra-partum event* [tiab] OR intra-partum result* [tiab] OR intra-partum problem* [tiab] OR intra-partum morbidit* [tiab] OR intra-partum sequelae [tiab]

37. peripartum outcome* [tiab] OR peripartum complication* [tiab] OR peripartum consequence* [tiab] OR peripartum characteristic* [tiab] OR peripartum event* [tiab] OR peripartum result* [tiab] OR peripartum problem* [tiab] OR peripartum morbidit* [tiab] OR peripartum sequelae [tiab]

38. peri-partum outcome* [tiab] OR peri-partum complication* [tiab] OR peri-partum consequence* [tiab] OR peri-partum characteristic* [tiab] OR peri-partum event* [tiab] OR peri-partum result* [tiab] OR peri-partum problem* [tiab] OR peri-partum morbidit* [tiab] OR peri-partum sequelae [tiab]

39. postpartum outcome* [tiab] OR postpartum complication* [tiab] OR postpartum consequence* [tiab] OR postpartum characteristic* [tiab] OR postpartum event* [tiab] OR postpartum result* [tiab] OR postpartum problem* [tiab] OR postpartum morbidit* [tiab] OR postpartum sequelae [tiab]

40. post-partum outcome* [tiab] OR post-partum complication* [tiab] OR post-partum consequence* [tiab] OR post-partum characteristic* [tiab] OR post-partum event* [tiab] OR post-partum result* [tiab] OR post-partum problem* [tiab] OR post-partum morbidit* [tiab] OR post-partum sequelae [tiab]

41. #1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12 or #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36 or #37 or #38 or #39 or #40

42. HIV [Mesh] OR HIV Seropositivity [Mesh] OR HIV Infections [Mesh] OR HIV-2 [Mesh] OR HIV-1 [Mesh] OR AIDS Serodiagnosis [Mesh] OR Acquired Immunodeficiency Syndrome [Mesh] OR AIDS Arteritis, Central Nervous System [Mesh] OR AIDS-Associated Nephropathy [Mesh] OR AIDS Dementia Complex [Mesh] OR AIDS-Related Opportunistic Infections [Mesh] OR Lymphoma, AIDS-Related [Mesh]

43. HIV [tiab] OR HIV-1 [tiab] OR HIV-type-1 [tiab] OR ìHTLV IIIî [tiab] OR HTLV-III [tiab] OR ìHTLV type IIIî [tiab] OR HTLV-type-III [tiab] OR LAV [tiab] OR HTLV-III-LAV [tiab] OR LAV-HTLV-III [tiab] OR HIV-2 [tiab] OR HIV-type-2 [tiab] OR HIV-II [tiab] OR HTLV-IV [tiab] OR LAV-2 [tiab]

44. HIV-positive [tiab] OR HIV-1-positive [tiab] OR HIV-2-positive [tiab] OR HIV-infected [tiab] OR HIV-1-infected [tiab] OR HIV-type-1-infected [tiab] OR ìHTLV III-infectedî [tiab] OR HTLV-III-infected [tiab] OR ìHTLV type III-infectedî [tiab] OR HTLV-type-III-infected [tiab] OR LAV-infected [tiab]

45. HTLV-III-LAV-infected [tiab] OR LAV-HTLV-III-infected [tiab] OR HIV-2-infected [tiab] OR HIV-type-2-infected [tiab] OR HIV-II-infected [tiab] OR HTLV-IV-infected [tiab] OR LAV-2-infected [tiab] OR HIV-infection* [tiab] OR HIV-1-infection* [tiab] OR HIV-type-1-infection* [tiab] OR ìHTLV III-infection*î [tiab] OR HTLV-III-infection* [tiab] OR HTLV type III-infection* [tiab] OR HTLV-type-III-infection* [tiab]

46. LAV-infection* [tiab] OR HTLV-III-LAV-infection* [tiab] OR LAV-HTLV-III-infection* [tiab] OR HIV-2-infection* [tiab] OR HIV-type-2-infection* [tiab] OR HIV-II-infection* [tiab] OR HTLV-IV-infection* [tiab] OR LAV-2-infection* [tiab] OR Human Immunodeficiency Virus* [tiab] OR ìHuman Immune Deficiency Virus*î [tiab]

47. ìHuman T Cell Lymphotropic Virus Type IIIî [tiab] OR ìHuman T-Cell Lymphotropic Virus Type IIIî [tiab] OR ìHuman T Lymphotropic Virus Type IIIî [tiab] OR ìHuman T-Lymphotropic Virus Type IIIî [tiab] OR ìHuman T Lymphotropic Virus Type IVî [tiab] OR ìHuman T-Lymphotropic Virus Type IVî [tiab] OR ìHuman T Cell Leukemia Virus Type IIIî [tiab] OR ìHuman T-Cell Leukemia Virus Type IIIî [tiab]

48. ìLymphadenopathy-Associated Virus*î [tiab] OR ìLymphadenopathy Associated Virus*î [tiab] OR AIDS [tiab] OR

ìAcquired Immune Deficiency Syndromeî [tiab] OR ìAcquired Immunodeficiency Syndromeî [tiab]

49. #42 or #43 or #44 or #45 or #46 or #47 or #48

50. Anti-HIV Agents [Mesh] OR HIV Fusion Inhibitors [Mesh] OR HIV Integrase Inhibitors [Mesh] OR HIV Protease Inhibitors [Mesh]

51. antiretrovirals [tiab] OR ìantiretroviral treatment*î [tiab] OR ìantiretroviral therapyî [tiab] OR ìantiretroviral therapiesî [tiab] OR ìantiretroviral regimen*î [tiab] OR ìantiretroviral drug*î [tiab] OR ìantiretroviral agent*î [tiab]

52. anti-retrovirals [tiab] OR ìanti-retroviral treatment*î [tiab] OR ìanti-retroviral therapyî [tiab] OR ìanti-retroviral therapiesî [tiab] OR ìanti-retroviral regimen*î [tiab] OR ìanti-retroviral drug*î [tiab] OR ìanti-retroviral agent*î [tiab]

53. antivirals [tiab] OR ìantiviral treatment*î [tiab] OR ìantiviral therapyî [tiab] OR ìantiviral therapiesî [tiab] OR ìantiviral regimen*î [tiab] OR ìantiviral drug*î [tiab] OR ìantiviral agent*î [tiab]

54. anti-virals [tiab] OR ìanti-viral treatment*î [tiab] OR ìanti-viral therapyî [tiab] OR ìanti-viral therapiesî [tiab] OR ìanti-viral regimen*î [tiab] OR ìanti-viral drug*î [tiab] OR ìanti-viral agent*î [tiab]

55. ìanti-HIV treatment*î [tiab] OR ìanti-HIV therapyî [tiab] OR ìanti-HIV therapiesî [tiab] OR ìanti-HIV regimen*î [tiab] OR ìanti-HIV drug*î [tiab] OR ìanti-HIV agent*î [tiab]

56. iHIV treatment*î [tiab] OR iHIV therapyî [tiab] OR iHIV therapiesî [tiab] OR iHIV regimenî [tiab] OR iHIV regimensî [tiab] OR iHIV drug*î [tiab] OR iHIV agent*î [tiab]

57. ìanti-HIV-1 treatment*î [tiab] OR ìanti-HIV-1 therapyî [tiab] OR ìanti-HIV-1 therapiesî [tiab] OR ìanti-HIV-1 regimenî [tiab] OR ìanti-HIV-1 regimensî [tiab] OR ìanti-HIV-1 drug*î [tiab] OR ìanti-HIV-1 agent*î [tiab]

58. iHIV-1 treatment*î [tiab] OR iHIV-1 therapyî [tiab] OR iHIV-1 therapiesî [tiab] OR iHIV-1 regimen*î [tiab] OR iHIV-1 drug*î [tiab] OR iHIV-1 agentî [tiab] OR iHIV-1 agentsî [tiab]

59. ìanti-HIV-2 treatment*î [tiab] OR ìanti-HIV-2 therapyî [tiab] OR ìanti-HIV-2 therapiesî [tiab] OR ìanti-HIV-2 regimen*î [tiab] OR ìanti-HIV-2 drug*î [tiab] OR ìanti-HIV-2 agent*î [tiab] OR iHIV-2 treatment*î [tiab] OR iHIV-2 therapyî [tiab] OR iHIV-2 therapiesî [tiab] OR HIV-2 regimen* [tiab] OR iHIV-2 drug*î [tiab] OR HIV-2 agent* [tiab]

60. anti-AIDS treatment* [tiab] OR ìanti-AIDS therapyî [tiab] OR ìanti-AIDS therapiesî [tiab] OR anti-AIDS regimen* [tiab] OR ìanti-AIDS drug*î [tiab] OR ìanti-AIDS agent*î [tiab]

61. iAIDS treatment*î [tiab] OR iAIDS therapyî [tiab] OR iAIDS therapiesî [tiab] OR iAIDS regimen*î [tiab] OR iAIDS drug*î [tiab] OR iAIDS agent*î [tiab] OR HAART [tiab] OR HAART-exposed [tiab] OR HAART-treated [tiab] OR Mega-HAART [tiab]

62. ARV [tiab] OR ARVs [tiab] OR cARV [tiab] OR cARVs [tiab] OR ARV-exposed [tiab] OR ARV-treated [tiab] OR combination-ARV [tiab] OR combination-ARVs [tiab] OR combined-ARV [tiab] OR combined-ARVs [tiab]

63. ART [tiab] OR Multi-ART [tiab] OR Triple-ART [tiab] OR cART [tiab] OR ART-exposed [tiab] OR ART-treated [tiab] OR combination-ART [tiab] OR combined-ART [tiab] OR sc-ART [tiab]

64. ìshort-course-antiretroviral therapyî [tiab] OR ìshort-course-antiretroviral therapiesî [tiab] OR ìshort-course-anti-retroviral therapyî [tiab] OR ìshort-course-anti-retroviral therapiesî [tiab]

65. ìcombination treatment*î [tiab] OR ìcombination therapyî [tiab] OR ìcombination therapiesî [tiab] OR ìcombination regimen*î [tiab] OR ìcombination drug*î [tiab] OR ìcombination agent*î [tiab]

66. ìcombined treatment*î [tiab] OR ìcombined therapyî [tiab] OR ìcombined therapiesî [tiab] OR ìcombined regimen*î [tiab] OR ìcombined drug*î [tiab] OR ìcombined agent*î [tiab]

67. monotherapy [tiab] OR monotherapies [tiab] OR mono-therapy [tiab] OR mono-therapies [tiab] OR ìdual therapyî [tiab] OR ìdual therapiesî [tiab] OR idual drug therapyî [tiab] OR idual drug therapiesî [tiab] OR bitherap* [tiab]

68. PI [tiab] OR PIs [tiab] OR PI-based [tiab] OR PI-boosted [tiab] OR PI-containing [tiab] OR PI-therap* [tiab] OR PI-treatment* [tiab] OR PI-regimen* [tiab] OR Ritonavir-boosted [tiab] OR ìprotease inhibitor*î [tiab] OR NRTI [tiab] OR NRTIs [tiab] OR NRTI-based [tiab]

69. NRTI-containing [tiab] OR NRTI-therap* [tiab] OR NRTI-treatment* [tiab] OR NRTI-regimen* [tiab] OR inucleoside reverse transcriptase inhibitor*î [tiab] OR ìnucleoside analog reverse transcriptase inhibitor*î [tiab]

70. NNRTI [tiab] OR NNRTIs [tiab] OR NNRTI-based [tiab] OR NNRTI-containing [tiab] OR NNRTI-therap* [tiab] OR NNRTI-treatment* [tiab] OR NNRTI-regimen* [tiab]

71. ìnon nucleoside reverse transcriptase inhibitor*î [tiab] OR ìnon-nucleoside reverse transcriptase inhibitor*î [tiab] OR ìnonnucleoside reverse transcriptase inhibitor*î [tiab]

72. ìnon nucleoside analog reverse transcriptase inhibitor*î [tiab] OR ìnon-nucleoside analog reverse transcriptase inhibitor*î [tiab] OR ìnonnucleoside analog reverse transcriptase inhibitor*î [tiab]

73. NtRTI [tiab] OR NtRTIs [tiab] OR NtRTI-based [tiab] OR NtRTI-containing [tiab] OR NtRTI-therap* [tiab] OR NtRTI-treatment* [tiab] OR NtRTI-regimen* [tiab] OR ìnucleotide reverse transcriptase inhibitor*î [tiab] OR ìnucleotide analog reverse transcriptase inhibitor*î [tiab]

74. ifusion inhibitor*î [tiab] OR iCCR5 receptor antagonist*î [tiab] OR iintegrase inhibitor*î [tiab] OR imaturation inhibitor*î [tiab] OR ientry inhibitor*î [tiab]

75. Abacavir [tiab] OR ABC [tiab] OR Didanosine [tiab] OR ddI [tiab] OR Emtricitabine [tiab] OR FTC [tiab] OR Lamivudine [tiab] OR 3TC [tiab] OR Stavudine [tiab] OR d4T [tiab] OR Tenofovir [tiab] OR TFV [tiab] OR TDF [tiab]

76. Zidovudine [tiab] OR AZT [tiab] OR ZDV [tiab] OR Delavirdine [tiab] OR DLV [tiab] OR Efavirenz [tiab] OR EFV [tiab] OR Etravirine [tiab] OR ETR [tiab] OR Nevirapine [tiab] OR NVP [tiab] OR Rilpivirine [tiab] OR RPV [tiab]

77. Atazanavir [tiab] OR ATV [tiab] OR Atazanavir/Ritonavir [tiab] OR ATV/r [tiab] OR Darunavir [tiab] OR DRV [tiab] OR Darunavir/Ritonavir [tiab] OR DRV/r [tiab] OR Fosamprenavir [tiab] OR FPV [tiab] OR Fosamprenavir/Ritonavir [tiab] OR FPV/r [tiab]

78. Indinavir [tiab] OR IDV [tiab] OR Indinavir/Ritonavir [tiab] OR IDV/r [tiab] OR Lopinavir [tiab] OR LPV [tiab] OR Lopinavir/Ritonavir [tiab] OR LPV/r [tiab] OR Nelfinavir [tiab] OR NFV [tiab] OR Nelfinavir/Ritonavir [tiab] OR NFV/r [tiab]

79. Ritonavir [tiab] OR RTV [tiab] OR Saquinavir [tiab] OR SQV [tiab] OR Saquinavir/Ritonavir [tiab] OR SQV/r [tiab] OR Tipranavir [tiab] OR TPV [tiab] OR Tipranavir/Ritonavir [tiab] OR TPV/r [tiab] OR Enfuvirtide [tiab] OR T-20 [tiab]

80. Maraviroc [tiab] OR MVC [tiab] OR Rategravir [tiab] OR RAL [tiab] OR Elvitegravir [tiab] OR EVG [tiab] OR Zalcitabine [tiab] OR ddC [tiab] OR Combivir [tiab] OR Trizivir [tiab] OR Kaletra [tiab] OR Epzicom [tiab] OR Kivexa [tiab] OR Truvada [tiab] OR Atripla [tiab]

81. #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64 or #65 or #66 or #67 or #68 or #69 or #70 or #71 or #72 or #73 or #74 or #75 or #76 or #77 or #78 or #79 or #80

82. #49 OR #81

83. #41 AND #82

84. 2018/04/29:2020/04/20 [dp]

85. #83 AND #84

Search strategy for "specific perinatal outcomes AND HIV OR antiretroviral therapy"

Database and platform: PubMed (via https://www.ncbi.nlm.nih.gov/pubmed)

Latest search date: 20 April 2020.

1. Premature Birth [Mesh] OR Fetal Membranes, Premature Rupture [Mesh] OR Obstetric Labor, Premature [Mesh] OR Infant, Extremely Premature [Mesh] OR Infant, Premature [Mesh]

2. prematurity [tiab] OR ìgestational age at birthî [tiab] OR ìgestational age at deliveryî [tiab] OR PTB [tiab] OR PTBs [tiab] OR VPTB [tiab] OR VPTBs [tiab]

3. pre-terms [tiab] OR preterms [tiab] OR pre-term birth* [tiab] OR ìpreterm birth*î [tiab] OR ìpremature birth*î [tiab] OR PTL [tiab] OR PTLs [tiab] OR VPTL [tiab] OR VPTLs [tiab]

4. ìpre-term labor*î [tiab] OR ìpre-term labour*î [tiab] OR ìpre-term obstetric labor*î [tiab] OR ìpre-term obstetric labour*î [tiab] OR ìpreterm labor*î [tiab] OR ìpreterm labour*î [tiab] OR preterm obstetric labor* [tiab] OR ìpreterm obstetric labour*î [tiab] OR ìpremature labor*î [tiab] OR ìpremature labour*î [tiab] OR premature obstetric labor* [tiab] OR ìpremature obstetric labour*î [tiab]

5. PTD [tiab] OR PTDs [tiab] OR VPTD [tiab] OR VPTDs [tiab] OR pre-term deliver* [tiab] OR preterm deliver* [tiab] OR ìpre-term infant*î [tiab] OR ìpreterm infant*î [tiab] OR premature deliver* [tiab] OR ìpremature infant*î [tiab] OR PROM [tiab] OR PPROM [tiab]

6. ìpreterm rupture of membranesî [tiab] OR preterm rupture of fetal membrane* [tiab] OR preterm rupture of foetal membrane* [tiab] OR pre-term rupture of membrane* [tiab] OR pre-term rupture of fetal membrane* [tiab] OR pre-term rupture of foetal membrane* [tiab] OR ìpremature rupture of membranesî [tiab] OR ìpremature rupture of fetal membranesî [tiab] OR ìpremature rupture of foetal membranesî [tiab]

7. #1 or #2 or #3 or #4 or #5 or #6

8. Fetal Growth Retardation [Mesh] OR Infant, Low Birth Weight [Mesh] OR Infant, Very Low Birth Weight [Mesh] OR Infant, Extremely Low Birth Weight [Mesh] OR Infant, Small for Gestational Age [Mesh]

9. IUGR [tiab] OR FGR [tiab] OR ìintrauterine growth restrictionî [tiab] OR ìintra-uterine growth restrictionî [tiab] OR ìintrauterine growth restrictedî [tiab] OR ìintra-uterine growth restrictedî [tiab] OR ìintrauterine growth retardationî [tiab] OR ìintra-uterine growth retardationî [tiab]

10. ìfetal growth restrictionî [tiab] OR ìfoetal growth restrictionî [tiab] OR ìfetal growth restrictedî [tiab] OR ìfoetal growth restrictedî [tiab] OR ìfetal growth retardationî [tiab] OR ìfoetal growth retardationî [tiab] OR SGA [tiab] OR SFGA [tiab] OR ìsmall for gestational ageî [tiab] OR ìsmall-for-gestational-ageî [tiab] OR ìsmall-for-gestational ageî [tiab] OR ìsmall for gestationî [tiab] OR ìsmall-for-gestationî [tiab]

11. VSGA [tiab] OR ìvery-small-for-gestational-ageî [tiab] OR ìvery-small-for-gestational ageî [tiab] OR SFD [tiab] OR ìsmall for datesî [tiab] OR ìsmall-for-datesî [tiab] OR ìweight for datesî [tiab] OR ìweight for gestational ageî [tiab] OR ìweight for age at deliveryî [tiab] OR ìweight at deliveryî [tiab]

12. ìbirthweight for datesî [tiab] OR ìbirthweight for gestational ageî [tiab] OR ìbirthweight for age at deliveryî [tiab] OR ìbirth weight for datesî [tiab] OR ibirth weight for gestational ageî [tiab] OR ìbirth weight for age at deliveryî [tiab] OR ìbirth-weight for datesî [tiab] OR ìbirth-weight for gestational ageî [tiab] OR ìbirth-weight for age at deliveryî [tiab]

13. LBW [tiab] OR ìlow BWî [tiab] OR ìlow birth weightî [tiab] OR ìlow birth-weightî [tiab] OR ìlow-birth weightî [tiab] OR ìlow-birth-weightî [tiab] OR ìlow birthweightî [tiab] OR ìlow-birthweightî [tiab] OR ìlower BWî [tiab] OR ìlower birth weightî [tiab] OR ìlower birth-weightî [tiab] OR ìlower-birth weightî [tiab] OR ìlower-birth-weightî [tiab] OR ìlower birthweightî [tiab] OR ìlower-birthweightî [tiab]

14. ìreduced birth weightî [tiab] OR ìreduced birthweightî [tiab] OR ìreduced birth-weightî [tiab] OR VLBW [tiab] OR ìvery-low birthweightî [tiab] OR ìvery-low birth weightî [tiab] OR ìvery-low birth-weightî [tiab] OR ìvery-low-birthweightî [tiab] OR ìvery-low-birth-weightî [tiab] OR ELBW [tiab] OR ìextremely-low birthweightî [tiab] OR ìextremely-low birth weightî [tiab] OR ìextremely-low birth-weightî [tiab] OR ìextremely-low-birthweightî [tiab] OR ìextremely-low-birth-weightî [tiab]

15. #8 or #9 or #10 or #11 or #12 or #13 or #14

16. Stillbirth [Mesh] OR stillbirth* [tiab] OR still birth* [tiab] OR stillborn* [tiab] OR still born* [tiab] OR abortion* [tiab] OR miscarriage* [tiab] OR pregnancy death* [tiab] OR pregnancy loss* [tiab] OR pregnancy demise* [tiab] OR pregnancy mortalit* [tiab] OR gestational death* [tiab] OR gestational loss* [tiab] OR gestational demise* [tiab] OR "gestational mortalit*" [tiab]

17. Fetal Death [Mesh] OR "fetal death*" [tiab] OR "fetal loss*" [tiab] OR fetal demise* [tiab] OR fetal mortalit* [tiab] OR "foetal death*" [tiab] OR "foetal loss*" [tiab] OR foetal demise* [tiab] OR foetal mortalit* [tiab] OR "obstetric death*" [tiab] OR obstetric loss* [tiab] OR obstetric demise* [tiab] OR obstetric mortalit* [tiab] OR obstetrical death* [tiab] OR obstetrical loss* [tiab] OR obstetrical demise* [tiab] OR obstetrical mortalit* [tiab]

18. "labor death*" [tiab] OR labor loss* [tiab] OR labor demise* [tiab] OR labor mortalit* [tiab] OR labour death* [tiab] OR labour loss* [tiab] OR labour demise* [tiab] OR labour mortalit* [tiab] OR birth death* [tiab] OR birth loss* [tiab] OR birth demise* [tiab] OR birth mortalit* [tiab]

19. delivery death* [tiab] OR delivery loss* [tiab] OR delivery demise* [tiab] OR delivery mortalit* [tiab] OR neonate death* [tiab] OR neonate loss* [tiab] OR neonate demise* [tiab] OR neonate mortalit* [tiab] OR "newborn death*" [tiab] OR "newborn loss*" [tiab] OR "newborn demise*" [tiab] OR newborn mortalit* [tiab]

20. new-born death* [tiab] OR new-born loss* [tiab] OR new-born demise* [tiab] OR new-born mortalit* [tiab] OR "new born death*" [tiab] OR "new born loss*" [tiab] OR "new born demise*" [tiab] OR "new born mortalit*" [tiab] OR "infant death*" [tiab] OR infant loss* [tiab] OR infant demise* [tiab] OR infant mortalit* [tiab] OR reproductive death* [tiab] OR "reproductive loss*" [tiab] OR reproductive demise* [tiab] OR reproductive mortalit* [tiab]

21. prelabour death* [tiab] OR prelabour loss* [tiab] OR prelabour demise* [tiab] OR prelabour mortalit* [tiab] OR prelabor death* [tiab] OR prelabor loss* [tiab] OR prelabor demise* [tiab] OR prelabor mortalit* [tiab] OR pre-labour death* [tiab] OR pre-labour loss* [tiab] OR pre-labour demise* [tiab] OR pre-labour mortalit* [tiab] OR pre-labor death* [tiab] OR pre-labor loss* [tiab] OR pre-labor demise* [tiab] OR pre-labor mortalit* [tiab]

22. "intrauterine death*" [tiab] OR intrauterine loss* [tiab] OR intrauterine demise* [tiab] OR intrauterine mortalit* [tiab] OR intra-uterine death* [tiab] OR intra-uterine loss* [tiab] OR intra-uterine demise* [tiab] OR intra-uterine mortalit* [tiab] OR antenatal death* [tiab] OR antenatal loss* [tiab] OR antenatal demise* [tiab] OR antenatal mortalit* [tiab] OR ante-natal death* [tiab] OR ante-natal loss* [tiab] OR ante-natal demise* [tiab] OR ante-natal mortalit* [tiab]

23. prenatal death* [tiab] OR prenatal loss* [tiab] OR prenatal demise* [tiab] OR prenatal mortalit* [tiab] OR pre-natal death* [tiab] OR pre-natal loss* [tiab] OR pre-natal demise* [tiab] OR pre-natal mortalit* [tiab] OR "perinatal death" [tiab] OR "perinatal deaths" [tiab] OR perinatal loss* [tiab] OR perinatal demise* [tiab] OR "perinatal mortality" [tiab] OR "perinatal mortalities" [tiab] OR peri-natal death* [tiab] OR peri-natal loss* [tiab] OR peri-natal demise* [tiab] OR peri-natal mortalit* [tiab]

24. "neonatal death" [tiab] OR "neonatal deaths" [tiab] OR neonatal loss* [tiab] OR neonatal demise* [tiab] OR "neonatal mortality" [tiab] OR "neonatal mortalities" [tiab] OR neo-natal death* [tiab] OR neo-natal loss* [tiab] OR neo-natal demise* [tiab] OR neo-natal mortalit* [tiab] OR postnatal death* [tiab] OR postnatal loss* [tiab] OR postnatal demise* [tiab] OR postnatal mortalit* [tiab] OR post-

natal death* [tiab] OR post-natal loss* [tiab] OR post-natal demise* [tiab] OR post-natal mortalit* [tiab]

25. antepartum death* [tiab] OR antepartum loss* [tiab] OR antepartum demise* [tiab] OR antepartum mortalit* [tiab] OR ante-partum death* [tiab] OR ante-partum loss* [tiab] OR ante-partum demise* [tiab] OR ante-partum mortalit* [tiab] OR intrapartum death* [tiab] OR intrapartum loss* [tiab] OR intrapartum demise* [tiab] OR intrapartum mortalit* [tiab] OR intra-partum death* [tiab] OR intra-partum loss* [tiab] OR intra-partum demise* [tiab] OR intra-partum mortalit* [tiab]

26. peripartum death* [tiab] OR peripartum loss* [tiab] OR peripartum demise* [tiab] OR peripartum mortalit* [tiab] OR peri-partum death* [tiab] OR peri-partum loss* [tiab] OR peri-partum demise* [tiab] OR peri-partum mortalit* [tiab] OR postpartum death* [tiab] OR postpartum loss* [tiab] OR postpartum demise* [tiab] OR postpartum mortalit* [tiab] OR post-partum death* [tiab] OR post-partum loss* [tiab] OR post-partum demise* [tiab] OR post-partum mortalit* [tiab]

27. #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26

28. HIV [Mesh] OR HIV Seropositivity [Mesh] OR HIV Infections [Mesh] OR HIV-2 [Mesh] OR HIV-1 [Mesh] OR AIDS Serodiagnosis [Mesh] OR Acquired Immunodeficiency Syndrome [Mesh] OR AIDS Arteritis, Central Nervous System [Mesh] OR AIDS-Associated Nephropathy [Mesh] OR AIDS Dementia Complex [Mesh] OR AIDS-Related Opportunistic Infections [Mesh] OR Lymphoma, AIDS-Related [Mesh]

29. HIV [tiab] OR HIV-1 [tiab] OR HIV-type-1 [tiab] OR ìHTLV IIIî [tiab] OR HTLV-III [tiab] OR ìHTLV type IIIî [tiab] OR HTLV-type-III [tiab] OR LAV [tiab] OR HTLV-III-LAV [tiab] OR LAV-HTLV-III [tiab] OR HIV-2 [tiab] OR HIV-type-2 [tiab] OR HIV-II [tiab] OR HTLV-IV [tiab] OR LAV-2 [tiab]

30. HIV-positive [tiab] OR HIV-1-positive [tiab] OR HIV-2-positive [tiab] OR HIV-infected [tiab] OR HIV-1-infected [tiab] OR HIV-type-1-infected [tiab] OR ìHTLV III-infectedî [tiab] OR HTLV-III-infected [tiab] OR ìHTLV type III-infectedî [tiab] OR HTLV-type-III-infected [tiab] OR LAV-infected [tiab]

31. HTLV-III-LAV-infected [tiab] OR LAV-HTLV-III-infected [tiab] OR HIV-2-infected [tiab] OR HIV-type-2-infected [tiab] OR HIV-II-infected [tiab] OR HTLV-IV-infected [tiab] OR LAV-2-infected [tiab] OR HIV-infection* [tiab] OR HIV-1-infection* [tiab] OR HIV-type-1-infection* [tiab] OR ìHTLV III-infection*î [tiab] OR HTLV-III-infection* [tiab] OR HTLV type III-infection* [tiab] OR HTLV-type-III-infection* [tiab]

32. LAV-infection* [tiab] OR HTLV-III-LAV-infection* [tiab] OR LAV-HTLV-III-infection* [tiab] OR HIV-2-infection* [tiab] OR HIV-type-2-infection* [tiab] OR HIV-II-infection* [tiab] OR HTLV-IV-infection* [tiab] OR LAV-2-infection* [tiab] OR Human Immunodeficiency Virus* [tiab] OR ìHuman Immune Deficiency Virus*î [tiab]

33. ìHuman T Cell Lymphotropic Virus Type IIIî [tiab] OR ìHuman T-Cell Lymphotropic Virus Type IIIî [tiab] OR ìHuman T Lymphotropic Virus Type IIIî [tiab] OR ìHuman T-Lymphotropic Virus Type IIIî [tiab] OR ìHuman T Lymphotropic Virus Type IVî [tiab] OR ìHuman T-Lymphotropic Virus Type IVî [tiab] OR ìHuman T Cell Leukemia Virus Type IIIî [tiab] OR ìHuman T-Cell Leukemia Virus Type IIIî [tiab]

34. ìLymphadenopathy-Associated Virus*î [tiab] OR ìLymphadenopathy Associated Virus*î [tiab] OR AIDS [tiab] OR ìAcquired Immune Deficiency Syndromeî [tiab] OR ìAcquired Immunodeficiency Syndromeî [tiab]

35. #28 or #29 or #30 or #31 or #32 or #33 or #34

36. Anti-HIV Agents [Mesh] OR HIV Fusion Inhibitors [Mesh] OR HIV Integrase Inhibitors [Mesh] OR HIV Protease Inhibitors [Mesh]

37. antiretrovirals [tiab] OR ìantiretroviral treatment*î [tiab] OR ìantiretroviral therapyî [tiab] OR ìantiretroviral therapiesî [tiab] OR ìantiretroviral regimen*î [tiab] OR ìantiretroviral drug*î [tiab] OR ìantiretroviral agent*î [tiab]

38. anti-retrovirals [tiab] OR ìanti-retroviral treatment*î [tiab] OR ìanti-retroviral therapyî [tiab] OR ìanti-retroviral therapiesî [tiab] OR ìanti-retroviral regimen*î [tiab] OR ìanti-retroviral drug*î [tiab] OR ìanti-retroviral agent*î [tiab]

39. antivirals [tiab] OR ìantiviral treatment*î [tiab] OR ìantiviral therapyî [tiab] OR ìantiviral therapiesî [tiab] OR ìantiviral regimen*î [tiab] OR ìantiviral drug*î [tiab] OR ìantiviral agent*î [tiab]

40. anti-virals [tiab] OR ìanti-viral treatment*î [tiab] OR ìanti-viral therapyî [tiab] OR ìanti-viral therapiesî [tiab] OR ìanti-viral regimen*î [tiab] OR ìanti-viral drug*î [tiab] OR ìanti-viral agent*î [tiab]

41. ìanti-HIV treatment*î [tiab] OR ìanti-HIV therapyî [tiab] OR ìanti-HIV therapiesî [tiab] OR ìanti-HIV regimen*î [tiab] OR ìanti-HIV drug*î [tiab] OR ìanti-HIV agent*î [tiab]

42. ìHIV treatment*î [tiab] OR ìHIV therapyî [tiab] OR ìHIV therapiesî [tiab] OR ìHIV regimenî [tiab] OR ìHIV regimensî [tiab] OR ìHIV drug*î [tiab] OR ìHIV agent*î [tiab]

43. ìanti-HIV-1 treatment*î [tiab] OR ìanti-HIV-1 therapyî [tiab] OR ìanti-HIV-1 therapiesî [tiab] OR ìanti-HIV-1 regimenî [tiab] OR ìanti-HIV-1 regimensî [tiab] OR ìanti-HIV-1 drug*î [tiab] OR ìanti-HIV-1 agent*î [tiab]

44. ìHIV-1 treatment*î [tiab] OR ìHIV-1 therapyî [tiab] OR ìHIV-1 therapiesî [tiab] OR ìHIV-1 regimen*î [tiab] OR ìHIV-1 drug*î [tiab] OR ìHIV-1 agentî [tiab] OR ìHIV-1 agentsî [tiab]

45. ìanti-HIV-2 treatment*î [tiab] OR ìanti-HIV-2 therapyî [tiab] OR ìanti-HIV-2 therapiesî [tiab] OR ìanti-HIV-2 regimen*î [tiab] OR ìanti-HIV-2 drug*î [tiab] OR ìanti-HIV-2 agent*î [tiab] OR ìHIV-2 treatment*î [tiab] OR ìHIV-2 therapyî [tiab] OR ìHIV-2 therapiesî [tiab] OR HIV-2 regimen* [tiab] OR ìHIV-2 drug*î [tiab] OR HIV-2 agent* [tiab]

46. anti-AIDS treatment* [tiab] OR ìanti-AIDS therapyî [tiab] OR ìanti-AIDS therapiesî [tiab] OR anti-AIDS regimen* [tiab] OR ìanti-AIDS drug*î [tiab] OR ìanti-AIDS agent*î [tiab]

47. ìAIDS treatment*î [tiab] OR ìAIDS therapyî [tiab] OR ìAIDS therapiesî [tiab] OR ìAIDS regimen*î [tiab] OR ìAIDS drug*î [tiab] OR ìAIDS agent*î [tiab] OR HAART [tiab] OR HAART-exposed [tiab] OR HAART-treated [tiab] OR Mega-HAART [tiab]

48. ARV [tiab] OR ARVs [tiab] OR cARV [tiab] OR cARVs [tiab] OR ARV-exposed [tiab] OR ARV-treated [tiab] OR combination-ARV [tiab] OR combination-ARVs [tiab] OR combined-ARV [tiab] OR combined-ARVs [tiab]

49. ART [tiab] OR Multi-ART [tiab] OR Triple-ART [tiab] OR cART [tiab] OR ART-exposed [tiab] OR ART-treated [tiab] OR combination-ART [tiab] OR combined-ART [tiab] OR sc-ART [tiab]

50. ìshort-course-antiretroviral therapyî [tiab] OR ìshort-course-antiretroviral therapiesî [tiab] OR ìshort-course-anti-retroviral therapyî [tiab] OR ìshort-course-anti-retroviral therapiesî [tiab]

51. ìcombination treatment*î [tiab] OR ìcombination therapyî [tiab] OR ìcombination therapiesî [tiab] OR ìcombination regimen*î [tiab] OR ìcombination drug*î [tiab] OR ìcombination agent*î [tiab]

52. ìcombined treatment*î [tiab] OR ìcombined therapyî [tiab] OR ìcombined therapiesî [tiab] OR ìcombined regimen*î [tiab] OR ìcombined drug*î [tiab] OR ìcombined agent*î [tiab]

53. monotherapy [tiab] OR monotherapies [tiab] OR mono-therapy [tiab] OR mono-therapies [tiab] OR ìdual therapyî [tiab] OR ìdual therapiesî [tiab] OR idual drug therapyî [tiab] OR idual drug therapiesî [tiab] OR bitherap* [tiab]

54. PI [tiab] OR PIs [tiab] OR PI-based [tiab] OR PI-boosted [tiab] OR PI-containing [tiab] OR PI-therap* [tiab] OR PI-treatment* [tiab] OR PI-regimen* [tiab] OR Ritonavir-boosted [tiab] OR ìprotease inhibitor*î [tiab] OR NRTI [tiab] OR NRTIs [tiab] OR NRTI-based [tiab]

55. NRTI-containing [tiab] OR NRTI-therap* [tiab] OR NRTI-treatment* [tiab] OR NRTI-regimen* [tiab] OR ìnucleoside reverse transcriptase inhibitor*î [tiab] OR ìnucleoside analog reverse transcriptase inhibitor*î [tiab]

56. NNRTI [tiab] OR NNRTIs [tiab] OR NNRTI-based [tiab] OR NNRTI-containing [tiab] OR NNRTI-therap* [tiab] OR NNRTI-treatment* [tiab] OR NNRTI-regimen* [tiab]

57. ìnon nucleoside reverse transcriptase inhibitor*î [tiab] OR ìnon-nucleoside reverse transcriptase inhibitor*î [tiab] OR ìnonnucleoside reverse transcriptase inhibitor*î [tiab]

58. ìnon nucleoside analog reverse transcriptase inhibitor*î [tiab] OR ìnon-nucleoside analog reverse transcriptase inhibitor*î [tiab] OR ìnonnucleoside analog reverse transcriptase inhibitor*î [tiab]

59. NtRTI [tiab] OR NtRTIs [tiab] OR NtRTI-based [tiab] OR NtRTI-containing [tiab] OR NtRTI-therap* [tiab] OR NtRTI-treatment* [tiab] OR NtRTI-regimen* [tiab] OR ìnucleotide reverse transcriptase inhibitor*î [tiab] OR ìnucleotide analog reverse transcriptase inhibitor*î [tiab]

60. ìfusion inhibitor*î [tiab] OR iCCR5 receptor antagonist*î [tiab] OR ìintegrase inhibitor*î [tiab] OR ìmaturation inhibitor*î [tiab] OR ìentry inhibitor*î [tiab]

61. Abacavir [tiab] OR ABC [tiab] OR Didanosine [tiab] OR ddI [tiab] OR Emtricitabine [tiab] OR FTC [tiab] OR Lamivudine [tiab] OR 3TC [tiab] OR Stavudine [tiab] OR d4T [tiab] OR Tenofovir [tiab] OR TFV [tiab] OR TDF [tiab]

62. Zidovudine [tiab] OR AZT [tiab] OR ZDV [tiab] OR Delavirdine [tiab] OR DLV [tiab] OR Efavirenz [tiab] OR EFV [tiab] OR Etravirine [tiab] OR ETR [tiab] OR Nevirapine [tiab] OR NVP [tiab] OR Rilpivirine [tiab] OR RPV [tiab]

63. Atazanavir [tiab] OR ATV [tiab] OR Atazanavir/Ritonavir [tiab] OR ATV/r [tiab] OR Darunavir [tiab] OR DRV [tiab] OR Darunavir/Ritonavir [tiab] OR DRV/r [tiab] OR Fosamprenavir [tiab] OR FPV [tiab] OR Fosamprenavir/Ritonavir [tiab] OR FPV/r [tiab]

64. Indinavir [tiab] OR IDV [tiab] OR Indinavir/Ritonavir [tiab] OR IDV/r [tiab] OR Lopinavir [tiab] OR LPV [tiab] OR Lopinavir/Ritonavir [tiab] OR LPV/r [tiab] OR Nelfinavir [tiab] OR NFV [tiab] OR Nelfinavir/Ritonavir [tiab] OR NFV/r [tiab]

65. Ritonavir [tiab] OR RTV [tiab] OR Saquinavir [tiab] OR SQV [tiab] OR Saquinavir/Ritonavir [tiab] OR SQV/r [tiab] OR Tipranavir [tiab] OR TPV [tiab] OR Tipranavir/Ritonavir [tiab] OR TPV/r [tiab] OR Enfuvirtide [tiab] OR T-20 [tiab]

66. Maraviroc [tiab] OR MVC [tiab] OR Raltegravir [tiab] OR RAL [tiab] OR Elvitegravir [tiab] OR EVG [tiab] OR Zalcitabine [tiab] OR ddC [tiab] OR Combivir [tiab] OR Trizivir [tiab] OR Kaletra [tiab] OR Epzicom [tiab] OR Kivexa [tiab] OR Truvada [tiab] OR Atripla [tiab]

67. #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44 or #45 or #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64 or #65 or #66

68. #7 OR #15 OR #27

69. #35 OR #67

70. #68 AND #69

71. 2018/04/29:2020/04/20 [dp]

72. #70 AND #71

Supplementary literature search for "pregnancy outcome OR specific perinatal outcomes AND new antiretroviral therapy"

Database and platform: Pubmed (via https://www.ncbi.nlm.nih.gov/pubmed/)

Latest search date: 20 April 2020.

1. Pregnancy Outcome [Mesh] OR Pregnancy Complications, Infectious [Mesh] OR "pregnancy outcome*" [tiab] OR "pregnancy complication*" [tiab] OR pregnancy consequence* [tiab] OR "pregnancy characteristic" [tiab] OR "pregnancy characteristics" [tiab] OR pregnancy event* [tiab] OR pregnancy result* [tiab] OR pregnancy problem* [tiab] OR pregnancy morbidit* [tiab] OR pregnancy sequelae [tiab]

2. gestational outcome* [tiab] OR gestational complication* [tiab] OR gestational consequence* [tiab] OR gestational characteristic* [tiab] OR gestational event* [tiab] OR gestational result* [tiab] OR gestational problem* [tiab] OR gestational morbidit* [tiab] OR gestational sequelae [tiab]

3. "fetal outcome" [tiab] OR "fetal outcomes" [tiab] OR "fetal complication" [tiab] OR "fetal complications" [tiab] OR fetal consequence* [tiab] OR fetal characteristic* [tiab] OR fetal event* [tiab] OR fetal result* [tiab] OR fetal problem* [tiab] OR fetal morbidit* [tiab] OR fetal sequelae [tiab]

4. foetal outcome* [tiab] OR foetal complication* [tiab] OR foetal consequence* [tiab] OR foetal characteristic* [tiab] OR foetal event* [tiab] OR foetal result* [tiab] OR foetal problem* [tiab] OR foetal morbidit* [tiab] OR foetal sequelae [tiab]

5. "obstetric outcome" [tiab] OR "obstetric outcomes" [tiab] OR "obstetric complication" [tiab] OR "obstetric complications" [tiab] OR obstetric consequence* [tiab] OR obstetric characteristic* [tiab] OR obstetric event* [tiab] OR obstetric result* [tiab] OR "obstetric problem" [tiab] OR "obstetric problems" [tiab] OR obstetric morbidit* [tiab] OR obstetric sequelae [tiab]

6. obstetrical outcome* [tiab] OR "obstetrical complication" [tiab] OR "obstetrical complications" [tiab] OR obstetrical consequence* [tiab] OR obstetrical characteristic* [tiab] OR obstetrical event* [tiab] OR obstetrical result* [tiab] OR "obstetrical problem" [tiab] OR "obstetrical problems" [tiab] OR obstetrical morbidit* [tiab] OR obstetrical sequelae [tiab]

7. "labor outcome" [tiab] OR "labor outcomes" [tiab] OR "labor complication" [tiab] OR "labor complications" [tiab] OR "labor consequence" [tiab] OR "labor consequences" [tiab] OR labor characteristic* [tiab] OR labor event* [tiab] OR labor result* [tiab] OR labor problem* [tiab] OR labor morbidit* [tiab] OR labor sequelae [tiab]

8. labour outcome* [tiab] OR labour complication* [tiab] OR "labour consequence" [tiab] OR "labour consequences" [tiab] OR labour characteristic* [tiab] OR labour event* [tiab] OR labour result* [tiab] OR labour problem* [tiab] OR labour morbidit* [tiab] OR labour sequelae [tiab]

9. "birth outcome" [tiab] OR "birth outcomes" [tiab] OR birth complication* [tiab] OR birth consequence* [tiab] OR birth characteristic* [tiab] OR birth event* [tiab] OR birth result* [tiab] OR birth problem* [tiab] OR birth morbidit* [tiab] OR birth sequelae [tiab]

10. delivery outcome* [tiab] OR delivery complication* [tiab] OR delivery consequence* [tiab] OR delivery characteristic* [tiab] OR delivery event* [tiab] OR delivery result* [tiab] OR delivery problem* [tiab] OR delivery morbidit* [tiab] OR delivery sequelae [tiab]

11. neonate outcome* [tiab] OR neonate complication* [tiab] OR neonate consequence* [tiab] OR neonate characteristic* [tiab] OR neonate event* [tiab] OR neonate result* [tiab] OR neonate problem* [tiab] OR neonate morbidit* [tiab] OR neonate sequelae [tiab]

12. newborn outcome* [tiab] OR newborn complication* [tiab] OR newborn consequence* [tiab] OR newborn characteristic* [tiab] OR newborn event* [tiab] OR newborn result* [tiab] OR newborn problem* [tiab] OR newborn morbidit* [tiab] OR newborn sequelae [tiab]

13. new-born outcome* [tiab] OR new-born complication* [tiab] OR new-born consequence* [tiab] OR new-born characteristic* [tiab] OR new-born event* [tiab] OR new-born result* [tiab] OR new-born problem* [tiab] OR new-born morbidit* [tiab] OR new-born sequelae [tiab]

14. new born outcome* [tiab] OR new born complication* [tiab] OR new born consequence* [tiab] OR new born characteristic* [tiab] OR new born event* [tiab] OR new born result* [tiab] OR new born problem* [tiab] OR new born morbidit* [tiab] OR new born sequelae [tiab]

15. infant outcome* [tiab] OR infant complication* [tiab] OR infant consequence* [tiab] OR infant characteristic* [tiab] OR infant event* [tiab] OR infant result* [tiab] OR infant problem* [tiab] OR infant morbidit* [tiab] OR infant sequelae [tiab]

16. reproductive outcome* [tiab] OR reproductive complication* [tiab] OR reproductive consequence* [tiab] OR reproductive characteristic* [tiab] OR reproductive event* [tiab] OR reproductive result* [tiab] OR reproductive problem* [tiab] OR reproductive morbidit* [tiab] OR reproductive sequelae [tiab]

17. prelabour outcome* [tiab] OR prelabour complication* [tiab] OR prelabour consequence* [tiab] OR prelabour characteristic* [tiab] OR prelabour event* [tiab] OR prelabour result* [tiab] OR prelabour problem* [tiab] OR prelabour morbidit* [tiab] OR prelabour sequelae [tiab]

18. prelabor outcome* [tiab] OR prelabor complication* [tiab] OR prelabor consequence* [tiab] OR prelabor characteristic* [tiab] OR prelabor event* [tiab] OR prelabor result* [tiab] OR prelabor problem* [tiab] OR prelabor morbidit* [tiab] OR prelabor sequelae [tiab]

19. pre-labour outcome* [tiab] OR pre-labour complication* [tiab] OR pre-labour consequence* [tiab] OR pre-labour characteristic* [tiab] OR pre-labour event* [tiab] OR pre-labour result* [tiab] OR pre-labour problem* [tiab] OR pre-labour morbidit* [tiab] OR pre-labour sequelae [tiab]

20. pre-labor outcome* [tiab] OR pre-labor complication* [tiab] OR pre-labor consequence* [tiab] OR pre-labor characteristic* [tiab] OR pre-labor event* [tiab] OR pre-labor result* [tiab] OR pre-labor problem* [tiab] OR pre-labor morbidit* [tiab] OR pre-labor sequelae [tiab]

21. intrauterine outcome* [tiab] OR intrauterine complication* [tiab] OR intrauterine consequence* [tiab] OR intrauterine characteristic* [tiab] OR intrauterine event* [tiab] OR intrauterine result* [tiab] OR intrauterine problem* [tiab] OR intrauterine morbidit* [tiab] OR intrauterine sequelae [tiab]

22. intra-uterine outcome* [tiab] OR intra-uterine complication* [tiab] OR intra-uterine consequence* [tiab] OR intra-uterine characteristic* [tiab] OR intra-uterine event* [tiab] OR intra-uterine result* [tiab] OR intra-uterine problem* [tiab] OR intra-uterine morbidit* [tiab] OR intra-uterine sequelae [tiab]

23. antenatal outcome* [tiab] OR antenatal complication* [tiab] OR antenatal consequence* [tiab] OR antenatal characteristic* [tiab] OR antenatal event* [tiab] OR antenatal result* [tiab] OR antenatal problem* [tiab] OR antenatal morbidit* [tiab] OR antenatal sequelae [tiab]

24. ante-natal outcome* [tiab] OR ante-natal complication* [tiab] OR ante-natal consequence* [tiab] OR ante-natal characteristic* [tiab] OR ante-natal event* [tiab] OR ante-natal result* [tiab] OR

ante-natal problem* [tiab] OR ante-natal morbidit* [tiab] OR ante-natal sequelae [tiab]

25. prenatal outcome* [tiab] OR prenatal complication* [tiab] OR prenatal consequence* [tiab] OR prenatal characteristic* [tiab] OR prenatal event* [tiab] OR prenatal result* [tiab] OR prenatal problem* [tiab] OR prenatal morbidit* [tiab] OR prenatal sequelae [tiab]

26. pre-natal outcome* [tiab] OR pre-natal complication* [tiab] OR pre-natal consequence* [tiab] OR pre-natal characteristic* [tiab] OR pre-natal event* [tiab] OR pre-natal result* [tiab] OR pre-natal problem* [tiab] OR pre-natal morbidit* [tiab] OR pre-natal sequelae [tiab]

27. perinatal outcome* [tiab] OR perinatal complication* [tiab] OR perinatal consequence* [tiab] OR perinatal characteristic* [tiab] OR perinatal event* [tiab] OR perinatal result* [tiab] OR perinatal problem* [tiab] OR perinatal morbidit* [tiab] OR perinatal sequelae [tiab]

28. peri-natal outcome* [tiab] OR peri-natal complication* [tiab] OR peri-natal consequence* [tiab] OR peri-natal characteristic* [tiab] OR peri-natal event* [tiab] OR peri-natal result* [tiab] OR peri-natal problem* [tiab] OR peri-natal morbidit* [tiab] OR peri-natal sequelae [tiab]

29. neonatal outcome* [tiab] OR neonatal complication* [tiab] OR neonatal consequence* [tiab] OR neonatal characteristic* [tiab] OR neonatal event* [tiab] OR neonatal result* [tiab] OR neonatal problem* [tiab] OR neonatal morbidit* [tiab] OR neonatal sequelae [tiab]

30. neo-natal outcome* [tiab] OR neo-natal complication* [tiab] OR neo-natal consequence* [tiab] OR neo-natal characteristic* [tiab] OR neo-natal event* [tiab] OR neo-natal result* [tiab] OR neo-natal problem* [tiab] OR neo-natal morbidit* [tiab] OR neo-natal sequelae [tiab]

31. postnatal outcome* [tiab] OR postnatal complication* [tiab] OR postnatal consequence* [tiab] OR postnatal characteristic* [tiab] OR postnatal event* [tiab] OR postnatal result* [tiab] OR postnatal problem* [tiab] OR postnatal morbidit* [tiab] OR postnatal sequelae [tiab]

32. post-natal outcome* [tiab] OR post-natal complication* [tiab] OR post-natal consequence* [tiab] OR post-natal characteristic* [tiab] OR post-natal event* [tiab] OR post-natal result* [tiab] OR post-natal problem* [tiab] OR post-natal morbidit* [tiab] OR post-natal sequelae [tiab]

33. antepartum outcome* [tiab] OR antepartum complication* [tiab] OR antepartum consequence* [tiab] OR antepartum characteristic* [tiab] OR antepartum event* [tiab] OR antepartum result* [tiab] OR antepartum problem* [tiab] OR antepartum morbidit* [tiab] OR antepartum sequelae [tiab]

34. ante-partum outcome* [tiab] OR ante-partum complication* [tiab] OR ante-partum consequence* [tiab] OR ante-partum characteristic* [tiab] OR ante-partum event* [tiab] OR ante-partum result* [tiab] OR ante-partum problem* [tiab] OR ante-partum morbidit* [tiab] OR ante-partum sequelae [tiab]

35. intrapartum outcome* [tiab] OR intrapartum complication* [tiab] OR intrapartum consequence* [tiab] OR intrapartum characteristic* [tiab] OR intrapartum event* [tiab] OR intrapartum result* [tiab] OR intrapartum problem* [tiab] OR intrapartum morbidit* [tiab] OR intrapartum sequelae [tiab]

36. intra-partum outcome* [tiab] OR intra-partum complication* [tiab] OR intra-partum consequence* [tiab] OR intra-partum characteristic* [tiab] OR intra-partum event* [tiab] OR intra-partum result* [tiab] OR intra-partum problem* [tiab] OR intra-partum morbidit* [tiab] OR intra-partum sequelae [tiab]

37. peripartum outcome* [tiab] OR peripartum complication* [tiab] OR peripartum consequence* [tiab] OR peripartum characteristic* [tiab] OR peripartum event* [tiab] OR peripartum result* [tiab] OR peripartum problem* [tiab] OR peripartum morbidit* [tiab] OR peripartum sequelae [tiab]

38. peri-partum outcome* [tiab] OR peri-partum complication* [tiab] OR peri-partum consequence* [tiab] OR peri-partum characteristic* [tiab] OR peri-partum event* [tiab] OR peri-partum result* [tiab] OR peri-partum problem* [tiab] OR peri-partum morbidit* [tiab] OR peri-partum sequelae [tiab]

39. postpartum outcome* [tiab] OR postpartum complication* [tiab] OR postpartum consequence* [tiab] OR postpartum characteristic* [tiab] OR postpartum event* [tiab] OR postpartum result* [tiab] OR postpartum problem* [tiab] OR postpartum morbidit* [tiab] OR postpartum sequelae [tiab]

40. post-partum outcome* [tiab] OR post-partum complication* [tiab] OR post-partum consequence* [tiab] OR post-partum characteristic* [tiab] OR post-partum event* [tiab] OR post-partum result* [tiab] OR post-partum problem* [tiab] OR post-partum morbidit* [tiab] OR post-partum sequelae [tiab]

41. Premature Birth [Mesh] OR Fetal Membranes, Premature Rupture [Mesh] OR Obstetric Labor, Premature [Mesh] OR Infant, Extremely Premature [Mesh] OR Infant, Premature [Mesh]

42. prematurity [tiab] OR ìgestational age at birthî [tiab] OR ìgestational age at deliveryî [tiab] OR PTB [tiab] OR PTBs [tiab] OR VPTB [tiab] OR VPTBs [tiab]

43. pre-terms [tiab] OR preterms [tiab] OR pre-term birth* [tiab] OR ìpreterm birth*î [tiab] OR ìpremature birth*î [tiab] OR PTL [tiab] OR PTLs [tiab] OR VPTL [tiab] OR VPTLs [tiab]

44. ìpre-term labor*î [tiab] OR ìpre-term labour*î [tiab] OR ìpre-term obstetric labor*î [tiab] OR ìpre-term obstetric labour*î [tiab] OR ìpreterm labor*î [tiab] OR ìpreterm labour*î [tiab] OR preterm obstetric labor* [tiab] OR ìpreterm obstetric labour*î [tiab] OR ìpremature labor*î [tiab] OR ìpremature labour*î [tiab] OR premature obstetric labor* [tiab] OR ìpremature obstetric labour*î [tiab]

45. PTD [tiab] OR PTDs [tiab] OR VPTD [tiab] OR VPTDs [tiab] OR pre-term deliver* [tiab] OR preterm deliver* [tiab] OR ìpre-term infant*î [tiab] OR ìpreterm infant*î [tiab] OR premature deliver* [tiab] OR ìpremature infant*î [tiab] OR PROM [tiab] OR PPROM [tiab]

46. ìpreterm rupture of membranesî [tiab] OR preterm rupture of fetal membrane* [tiab] OR preterm rupture of foetal membrane* [tiab] OR pre-term rupture of membrane* [tiab] OR pre-term rupture of fetal membrane* [tiab] OR pre-term rupture of foetal membrane* [tiab] OR ìpremature rupture of membranesî [tiab] OR ìpremature rupture of fetal membranesî [tiab] OR ìpremature rupture of foetal membranesî [tiab]

47. Fetal Growth Retardation [Mesh] OR Infant, Low Birth Weight [Mesh] OR Infant, Very Low Birth Weight [Mesh] OR Infant, Extremely Low Birth Weight [Mesh] OR Infant, Small for Gestational Age [Mesh]

48. IUGR [tiab] OR FGR [tiab] OR ìintrauterine growth restrictionî [tiab] OR ìintra-uterine growth restrictionî [tiab] OR ìintrauterine growth restrictedî [tiab] OR ìintra-uterine growth restrictedî [tiab] OR iintrauterine growth retardationî [tiab] OR ìintra-uterine growth retardationî [tiab]

49. ìfetal growth restrictionî [tiab] OR ìfoetal growth restrictionî [tiab] OR ìfetal growth restrictedî [tiab] OR ìfoetal growth restrictedî [tiab] OR ìfetal growth retardationî [tiab] OR ifoetal growth retardationî [tiab] OR SGA [tiab] OR SFGA [tiab] OR ìsmall for gestational ageî [tiab] OR ìsmall-for-gestational-ageî [tiab] OR ìsmall-for-gestational ageî [tiab] OR ìsmall for gestationî [tiab] OR ìsmall-for-gestationî [tiab]

50. VSGA [tiab] OR ìvery-small-for-gestational-ageî [tiab] OR ìvery-small-for-gestational ageî [tiab] OR SFD [tiab] OR ìsmall for datesî [tiab] OR ìsmall-for-datesî [tiab] OR ìweight for datesî [tiab] OR ìweight for gestational ageî [tiab] OR ìweight for age at deliveryî [tiab] OR ìweight at deliveryî [tiab]

51. ìbirthweight for datesî [tiab] OR ìbirthweight for gestational ageî [tiab] OR ìbirthweight for age at deliveryî [tiab] OR ìbirth weight for datesî [tiab] OR ìbirth weight for gestational ageî [tiab] OR ibirth

weight for age at deliveryî [tiab] OR ìbirth-weight for datesî [tiab] OR ìbirth-weight for gestational ageî [tiab] OR ibirth-weight for age at deliveryî [tiab]

52. LBW [tiab] OR ìlow BWî [tiab] OR ìlow birth weightî [tiab] OR ìlow birth-weightî [tiab] OR ìlow-birth weightî [tiab] OR ìlow-birth-weightî [tiab] OR ìlow birthweightî [tiab] OR ìlow-birthweightî [tiab] OR ìlower BWî [tiab] OR ìlower birth weightî [tiab] OR ìlower birth-weightî [tiab] OR ìlower-birth weightî [tiab] OR ìlower-birth-weightî [tiab] OR ìlower birthweightî [tiab] OR ìlower-birthweightî [tiab]

53. ìreduced birth weightî [tiab] OR ìreduced birthweightî [tiab] OR ìreduced birth-weightî [tiab] OR VLBW [tiab] OR ìvery-low birthweightî [tiab] OR ìvery-low birth weightî [tiab] OR ìvery-low birth-weightî [tiab] OR ìvery-low-birthweightî [tiab] OR ìvery-low-birth-weightî [tiab] OR ELBW [tiab] OR ìextremely-low birthweightî [tiab] OR ìextremely-low birth weightî [tiab] OR ìextremely-low birth-weightî [tiab] OR ìextremely-low-birthweightî [tiab] OR ìextremely-low-birth-weightî [tiab]

54. Stillbirth [Mesh] OR stillbirth* [tiab] OR still birth* [tiab] OR stillborn* [tiab] OR still born* [tiab] OR abortion* [tiab] OR miscarriage* [tiab] OR pregnancy death* [tiab] OR pregnancy loss* [tiab] OR pregnancy demise* [tiab] OR pregnancy mortalit* [tiab] OR gestational death* [tiab] OR gestational loss* [tiab] OR gestational demise* [tiab] OR "gestational mortalit*" [tiab]

55. Fetal Death [Mesh] OR "fetal death*" [tiab] OR "fetal loss*" [tiab] OR fetal demise* [tiab] OR fetal mortalit* [tiab] OR "foetal death*" [tiab] OR "foetal loss*" [tiab] OR foetal demise* [tiab] OR foetal mortalit* [tiab] OR "obstetric death*" [tiab] OR obstetric loss* [tiab] OR obstetric demise* [tiab] OR obstetric mortalit* [tiab] OR obstetrical death* [tiab] OR obstetrical loss* [tiab] OR obstetrical demise* [tiab] OR obstetrical mortalit* [tiab]

56. "labor death*" [tiab] OR labor loss* [tiab] OR labor demise* [tiab] OR labor mortalit* [tiab] OR labour death* [tiab] OR labour loss* [tiab] OR labour demise* [tiab] OR labour mortalit* [tiab] OR birth death* [tiab] OR birth loss* [tiab] OR birth demise* [tiab] OR birth mortalit* [tiab]

57. delivery death* [tiab] OR delivery loss* [tiab] OR delivery demise* [tiab] OR delivery mortalit* [tiab] OR neonate death* [tiab] OR neonate loss* [tiab] OR neonate demise* [tiab] OR neonate mortalit* [tiab] OR "newborn death*" [tiab] OR "newborn loss*" [tiab] OR "newborn demise*" [tiab] OR newborn mortalit* [tiab]

58. new-born death* [tiab] OR new-born loss* [tiab] OR new-born demise* [tiab] OR new-born mortalit* [tiab] OR "new born death*" [tiab] OR "new born loss*" [tiab] OR "new born demise*" [tiab] OR "new born mortalit*" [tiab] OR "infant death*" [tiab] OR infant loss* [tiab] OR infant demise* [tiab] OR infant mortalit* [tiab] OR reproductive death* [tiab] OR "reproductive loss*" [tiab] OR reproductive demise* [tiab] OR reproductive mortalit* [tiab]

59. prelabour death* [tiab] OR prelabour loss* [tiab] OR prelabour demise* [tiab] OR prelabour mortalit* [tiab] OR prelabor death* [tiab] OR prelabor loss* [tiab] OR prelabor demise* [tiab] OR prelabor mortalit* [tiab] OR pre-labour death* [tiab] OR pre-labour loss* [tiab] OR pre-labour demise* [tiab] OR pre-labour mortalit* [tiab] OR pre-labor death* [tiab] OR pre-labor loss* [tiab] OR pre-labor demise* [tiab] OR pre-labor mortalit* [tiab]

60. "intrauterine death*" [tiab] OR intrauterine loss* [tiab] OR intrauterine demise* [tiab] OR intrauterine mortalit* [tiab] OR intra-uterine death* [tiab] OR intra-uterine loss* [tiab] OR intra-uterine demise* [tiab] OR intra-uterine mortalit* [tiab] OR antenatal death* [tiab] OR antenatal loss* [tiab] OR antenatal demise* [tiab] OR antenatal mortalit* [tiab] OR ante-natal death* [tiab] OR ante-natal loss* [tiab] OR ante-natal demise* [tiab] OR ante-natal mortalit* [tiab]

61. prenatal death* [tiab] OR prenatal loss* [tiab] OR prenatal demise* [tiab] OR prenatal mortalit* [tiab] OR pre-natal death* [tiab] OR pre-natal loss* [tiab] OR pre-natal demise* [tiab] OR pre-natal mortalit* [tiab] OR "perinatal death" [tiab] OR "perinatal deaths" [tiab] OR perinatal loss* [tiab] OR perinatal demise* [tiab] OR "perinatal mortality" [tiab] OR "perinatal mortalities" [tiab] OR peri-natal death* [tiab] OR peri-natal loss* [tiab] OR peri-natal demise* [tiab] OR peri-natal mortalit* [tiab]

62. "neonatal death" [tiab] OR "neonatal deaths" [tiab] OR neonatal loss* [tiab] OR neonatal demise* [tiab] OR "neonatal mortality" [tiab] OR "neonatal mortalities" [tiab] OR neo-natal death* [tiab] OR neo-natal loss* [tiab] OR neo-natal demise* [tiab] OR neo-natal mortalit* [tiab] OR postnatal death* [tiab] OR postnatal loss* [tiab] OR postnatal demise* [tiab] OR postnatal mortalit* [tiab] OR post-natal death* [tiab] OR post-natal loss* [tiab] OR post-natal demise* [tiab] OR post-natal mortalit* [tiab]

63. antepartum death* [tiab] OR antepartum loss* [tiab] OR antepartum demise* [tiab] OR antepartum mortalit* [tiab] OR ante-partum death* [tiab] OR ante-partum loss* [tiab] OR ante-partum demise* [tiab] OR ante-partum mortalit* [tiab] OR intrapartum death* [tiab] OR intrapartum loss* [tiab] OR intrapartum demise* [tiab] OR intrapartum mortalit* [tiab] OR intra-partum death* [tiab] OR intra-partum loss* [tiab] OR intra-partum demise* [tiab] OR intra-partum mortalit* [tiab]

64. peripartum death* [tiab] OR peripartum loss* [tiab] OR peripartum demise* [tiab] OR peripartum mortalit* [tiab] OR peri-partum death* [tiab] OR peri-partum loss* [tiab] OR peri-partum demise* [tiab] OR peri-partum mortalit* [tiab] OR postpartum death* [tiab] OR postpartum loss* [tiab] OR postpartum demise* [tiab] OR postpartum mortalit* [tiab] OR post-partum death* [tiab] OR post-partum loss* [tiab] OR post-partum demise* [tiab] OR post-partum mortalit* [tiab]

65. #1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12 or #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44 or #45 or #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64

66. "Integrase strand transfer inhibitor" [tiab] OR INSTI [tiab] OR Dolutegravir [tiab] OR DTG [tiab] OR Tivicay [tiab] OR Isentress [tiab] OR Vitekta [tiab]

67. "Formyl peptide receptor 1" [tiab] OR Fuzeon [tiab] OR FPR1 [tiab] OR ENF [tiab] OR Seizentry [tiab] OR Celsentri [tiab]

68. Ziagen [tiab] OR Videx [tiab] OR Emtriva [tiab] OR Coviracil [tiab] OR Zerit [tiab] OR Viread [tiab] OR Vemlidy [tiab] OR Retrovir [tiab] OR Azidothymidine [tiab]

69. "Diarylpyrimidine analogue" [tiab] OR Rescriptor [tiab] OR Sustiva [tiab] OR Intelence [tiab] OR TMC125 [tiab] OR DAPY [tiab] OR Viramune [tiab] OR Edurant [tiab] OR TMC278 [tiab]

70. Reyataz [tiab] OR APV [tiab] OR Agenerase [tiab] OR Prezista [tiab] OR Lexiva [tiab] OR Telzir [tiab] OR Crixivan [tiab] OR LPV/r [tiab] OR ABT-378 [tiab] OR Kaletra [tiab] OR Norvir [tiab] OR Viracept [tiab] OR AG1343 [tiab] OR Invirase [tiab] OR Fortovase [tiab] OR Aptivus [tiab]

71. "Rilpivirine plus dolutegravir" [tiab] OR "Raltegravir plus lamivudine" [tiab] OR "Abacavir plus lamivudine plus dolutegravir" [tiab] OR "Emtricitabine plus tenofovir alafenamide" [tiab] OR "Emtricitabine plus rilpivirine plus tenofovir alafenamide" [tiab] OR "Atazanavir plus cobicistat" [tiab] OR "Darunavir plus cobicistat" [tiab]

72. Juluca [tiab] OR Dutrebis [tiab] OR Stribild [tiab] OR Triumeq [tiab] OR Odefsey [tiab] OR Complera [tiab] OR Descovy [tiab] OR Genvoya [tiab] OR Evotaz [tiab] OR Prezcobix [tiab]

73. "Elvitegravir, Cobicistat, Emtricitabine, Tenofovir Disoproxil Fumarate Drug Combination" [mh] OR "Raltegravir Potassium" [mh] OR Zidovudine [mh] OR Delavirdine [mh] OR "Atazanavir Sulfate" [mh] OR "Emtricitabine, Rilpivirine, Tenofovir Drug Combination" [mh]

74. #66 or #67 or #68 or #69 or #70 or #71 or #72 or #73

75. #65 AND #74

76. 2018/04:2020/04 [dp]

77. #75 AND #76

Supplementary literature search for "pregnancy outcome OR specific perinatal outcomes AND new new antiretroviral therapy"

Database and platform: Pubmed (via https://www.ncbi.nlm.nih.gov/pubmed/)

Latest search date: 30 June 2020

1. Pregnancy Outcome [Mesh] OR Pregnancy Complications, Infectious [Mesh] OR "pregnancy outcome*" [tiab] OR "pregnancy complication*" [tiab] OR pregnancy consequence* [tiab] OR "pregnancy characteristic" [tiab] OR "pregnancy characteristics" [tiab] OR pregnancy event* [tiab] OR pregnancy result* [tiab] OR pregnancy problem* [tiab] OR pregnancy morbidit* [tiab] OR pregnancy sequelae [tiab]

2. gestational outcome* [tiab] OR gestational complication* [tiab] OR gestational consequence* [tiab] OR gestational characteristic* [tiab] OR gestational event* [tiab] OR gestational result* [tiab] OR gestational problem* [tiab] OR gestational morbidit* [tiab] OR gestational sequelae [tiab]

3. "fetal outcome" [tiab] OR "fetal outcomes" [tiab] OR "fetal complication" [tiab] OR "fetal complications" [tiab] OR fetal consequence* [tiab] OR fetal characteristic* [tiab] OR fetal event* [tiab] OR fetal result* [tiab] OR fetal problem* [tiab] OR fetal morbidit* [tiab] OR fetal sequelae [tiab]

4. foetal outcome* [tiab] OR foetal complication* [tiab] OR foetal consequence* [tiab] OR foetal characteristic* [tiab] OR foetal event* [tiab] OR foetal result* [tiab] OR foetal problem* [tiab] OR foetal morbidit* [tiab] OR foetal sequelae [tiab]

5. "obstetric outcome" [tiab] OR "obstetric outcomes" [tiab] OR "obstetric complication" [tiab] OR "obstetric complications" [tiab] OR obstetric consequence* [tiab] OR obstetric characteristic* [tiab] OR obstetric event* [tiab] OR obstetric result* [tiab] OR "obstetric problem" [tiab] OR "obstetric problems" [tiab] OR obstetric morbidit* [tiab] OR obstetric sequelae [tiab]

6. obstetrical outcome* [tiab] OR "obstetrical complication" [tiab] OR "obstetrical complications" [tiab] OR obstetrical consequence* [tiab] OR obstetrical characteristic* [tiab] OR obstetrical event* [tiab] OR obstetrical result* [tiab] OR "obstetrical problem" [tiab] OR "obstetrical problems" [tiab] OR obstetrical morbidit* [tiab] OR obstetrical sequelae [tiab]

7. "labor outcome" [tiab] OR "labor outcomes" [tiab] OR "labor complication" [tiab] OR "labor complications" [tiab] OR "labor consequence" [tiab] OR "labor consequences" [tiab] OR labor characteristic* [tiab] OR labor event* [tiab] OR labor result* [tiab] OR labor problem* [tiab] OR labor morbidit* [tiab] OR labor sequelae [tiab]

8. labour outcome* [tiab] OR labour complication* [tiab] OR "labour consequence" [tiab] OR "labour consequences" [tiab] OR labour characteristic* [tiab] OR labour event* [tiab] OR labour result* [tiab] OR labour problem* [tiab] OR labour morbidit* [tiab] OR labour sequelae [tiab]

9. "birth outcome" [tiab] OR "birth outcomes" [tiab] OR birth complication* [tiab] OR birth consequence* [tiab] OR birth characteristic* [tiab] OR birth event* [tiab] OR birth result* [tiab] OR birth problem* [tiab] OR birth morbidit* [tiab] OR birth sequelae [tiab]

10. delivery outcome* [tiab] OR delivery complication* [tiab] OR delivery consequence* [tiab] OR delivery characteristic* [tiab] OR delivery event* [tiab] OR delivery result* [tiab] OR delivery problem* [tiab] OR delivery morbidit* [tiab] OR delivery sequelae [tiab]

11. neonate outcome* [tiab] OR neonate complication* [tiab] OR neonate consequence* [tiab] OR neonate characteristic* [tiab] OR neonate event* [tiab] OR neonate result* [tiab] OR neonate problem* [tiab] OR neonate morbidit* [tiab] OR neonate sequelae [tiab]

12. newborn outcome* [tiab] OR newborn complication* [tiab] OR newborn consequence* [tiab] OR newborn characteristic* [tiab] OR newborn event* [tiab] OR newborn result* [tiab] OR newborn problem* [tiab] OR newborn morbidit* [tiab] OR newborn sequelae [tiab]

13. new-born outcome* [tiab] OR new-born complication* [tiab] OR new-born consequence* [tiab] OR new-born characteristic* [tiab] OR new-born event* [tiab] OR new-born result* [tiab] OR new-born problem* [tiab] OR new-born morbidit* [tiab] OR new-born sequelae [tiab]

14. new born outcome* [tiab] OR new born complication* [tiab] OR new born consequence* [tiab] OR new born characteristic* [tiab] OR new born event* [tiab] OR new born result* [tiab] OR new born problem* [tiab] OR new born morbidit* [tiab] OR new born sequelae [tiab]

15. infant outcome* [tiab] OR infant complication* [tiab] OR infant consequence* [tiab] OR infant characteristic* [tiab] OR infant event* [tiab] OR infant result* [tiab] OR infant problem* [tiab] OR infant morbidit* [tiab] OR infant sequelae [tiab]

16. reproductive outcome* [tiab] OR reproductive complication* [tiab] OR reproductive consequence* [tiab] OR reproductive characteristic* [tiab] OR reproductive event* [tiab] OR reproductive result* [tiab] OR reproductive problem* [tiab] OR reproductive morbidit* [tiab] OR reproductive sequelae [tiab]

17. prelabour outcome* [tiab] OR prelabour complication* [tiab] OR prelabour consequence* [tiab] OR prelabour characteristic* [tiab] OR prelabour event* [tiab] OR prelabour result* [tiab] OR prelabour problem* [tiab] OR prelabour morbidit* [tiab] OR prelabour sequelae [tiab]

18. prelabor outcome* [tiab] OR prelabor complication* [tiab] OR prelabor consequence* [tiab] OR prelabor characteristic* [tiab] OR prelabor event* [tiab] OR prelabor result* [tiab] OR prelabor problem* [tiab] OR prelabor morbidit* [tiab] OR prelabor sequelae [tiab]

19. pre-labour outcome* [tiab] OR pre-labour complication* [tiab] OR pre-labour consequence* [tiab] OR pre-labour characteristic* [tiab] OR pre-labour event* [tiab] OR pre-labour result* [tiab] OR pre-labour problem* [tiab] OR pre-labour morbidit* [tiab] OR pre-labour sequelae [tiab]

20. pre-labor outcome* [tiab] OR pre-labor complication* [tiab] OR pre-labor consequence* [tiab] OR pre-labor characteristic* [tiab] OR pre-labor event* [tiab] OR pre-labor result* [tiab] OR pre-labor problem* [tiab] OR pre-labor morbidit* [tiab] OR pre-labor sequelae [tiab]

21. intrauterine outcome* [tiab] OR intrauterine complication* [tiab] OR intrauterine consequence* [tiab] OR intrauterine characteristic* [tiab] OR intrauterine event* [tiab] OR intrauterine result* [tiab] OR intrauterine problem* [tiab] OR intrauterine morbidit* [tiab] OR intrauterine sequelae [tiab]

22. intra-uterine outcome* [tiab] OR intra-uterine complication* [tiab] OR intra-uterine consequence* [tiab] OR intra-uterine characteristic* [tiab] OR intra-uterine event* [tiab] OR intra-uterine result* [tiab] OR intra-uterine problem* [tiab] OR intra-uterine morbidit* [tiab] OR intra-uterine sequelae [tiab]

23. antenatal outcome* [tiab] OR antenatal complication* [tiab] OR antenatal consequence* [tiab] OR antenatal characteristic* [tiab] OR antenatal event* [tiab] OR antenatal result* [tiab] OR antenatal problem* [tiab] OR antenatal morbidit* [tiab] OR antenatal sequelae [tiab]

24. ante-natal outcome* [tiab] OR ante-natal complication* [tiab] OR ante-natal consequence* [tiab] OR ante-natal characteristic* [tiab] OR ante-natal event* [tiab] OR ante-natal result* [tiab] OR

ante-natal problem* [tiab] OR ante-natal morbidit* [tiab] OR ante-natal sequelae [tiab]

25. prenatal outcome* [tiab] OR prenatal complication* [tiab] OR prenatal consequence* [tiab] OR prenatal characteristic* [tiab] OR prenatal event* [tiab] OR prenatal result* [tiab] OR prenatal problem* [tiab] OR prenatal morbidit* [tiab] OR prenatal sequelae [tiab]

26. pre-natal outcome* [tiab] OR pre-natal complication* [tiab] OR pre-natal consequence* [tiab] OR pre-natal characteristic* [tiab] OR pre-natal event* [tiab] OR pre-natal result* [tiab] OR pre-natal problem* [tiab] OR pre-natal morbidit* [tiab] OR pre-natal sequelae [tiab]

27. perinatal outcome* [tiab] OR perinatal complication* [tiab] OR perinatal consequence* [tiab] OR perinatal characteristic* [tiab] OR perinatal event* [tiab] OR perinatal result* [tiab] OR perinatal problem* [tiab] OR perinatal morbidit* [tiab] OR perinatal sequelae [tiab]

28. peri-natal outcome* [tiab] OR peri-natal complication* [tiab] OR peri-natal consequence* [tiab] OR peri-natal characteristic* [tiab] OR peri-natal event* [tiab] OR peri-natal result* [tiab] OR peri-natal problem* [tiab] OR peri-natal morbidit* [tiab] OR peri-natal sequelae [tiab]

29. neonatal outcome* [tiab] OR neonatal complication* [tiab] OR neonatal consequence* [tiab] OR neonatal characteristic* [tiab] OR neonatal event* [tiab] OR neonatal result* [tiab] OR neonatal problem* [tiab] OR neonatal morbidit* [tiab] OR neonatal sequelae [tiab]

30. neo-natal outcome* [tiab] OR neo-natal complication* [tiab] OR neo-natal consequence* [tiab] OR neo-natal characteristic* [tiab] OR neo-natal event* [tiab] OR neo-natal result* [tiab] OR neo-natal problem* [tiab] OR neo-natal morbidit* [tiab] OR neo-natal sequelae [tiab]

31. postnatal outcome* [tiab] OR postnatal complication* [tiab] OR postnatal consequence* [tiab] OR postnatal characteristic* [tiab] OR postnatal event* [tiab] OR postnatal result* [tiab] OR postnatal problem* [tiab] OR postnatal morbidit* [tiab] OR postnatal sequelae [tiab]

32. post-natal outcome* [tiab] OR post-natal complication* [tiab] OR post-natal consequence* [tiab] OR post-natal characteristic* [tiab] OR post-natal event* [tiab] OR post-natal result* [tiab] OR post-natal problem* [tiab] OR post-natal morbidit* [tiab] OR post-natal sequelae [tiab]

33. antepartum outcome* [tiab] OR antepartum complication* [tiab] OR antepartum consequence* [tiab] OR antepartum characteristic* [tiab] OR antepartum event* [tiab] OR antepartum result* [tiab] OR antepartum problem* [tiab] OR antepartum morbidit* [tiab] OR antepartum sequelae [tiab]

34. ante-partum outcome* [tiab] OR ante-partum complication* [tiab] OR ante-partum consequence* [tiab] OR ante-partum characteristic* [tiab] OR ante-partum event* [tiab] OR ante-partum result* [tiab] OR ante-partum problem* [tiab] OR ante-partum morbidit* [tiab] OR ante-partum sequelae [tiab]

35. intrapartum outcome* [tiab] OR intrapartum complication* [tiab] OR intrapartum consequence* [tiab] OR intrapartum characteristic* [tiab] OR intrapartum event* [tiab] OR intrapartum result* [tiab] OR intrapartum problem* [tiab] OR intrapartum morbidit* [tiab] OR intrapartum sequelae [tiab]

36. intra-partum outcome* [tiab] OR intra-partum complication* [tiab] OR intra-partum consequence* [tiab] OR intra-partum characteristic* [tiab] OR intra-partum event* [tiab] OR intra-partum result* [tiab] OR intra-partum problem* [tiab] OR intra-partum morbidit* [tiab] OR intra-partum sequelae [tiab]

37. peripartum outcome* [tiab] OR peripartum complication* [tiab] OR peripartum consequence* [tiab] OR peripartum characteristic* [tiab] OR peripartum event* [tiab] OR peripartum result* [tiab] OR peripartum problem* [tiab] OR peripartum morbidit* [tiab] OR peripartum sequelae [tiab]

38. peri-partum outcome* [tiab] OR peri-partum complication* [tiab] OR peri-partum consequence* [tiab] OR peri-partum characteristic* [tiab] OR peri-partum event* [tiab] OR peri-partum result* [tiab] OR peri-partum problem* [tiab] OR peri-partum morbidit* [tiab] OR peri-partum sequelae [tiab]

39. postpartum outcome* [tiab] OR postpartum complication* [tiab] OR postpartum consequence* [tiab] OR postpartum characteristic* [tiab] OR postpartum event* [tiab] OR postpartum result* [tiab] OR postpartum problem* [tiab] OR postpartum morbidit* [tiab] OR postpartum sequelae [tiab]

40. post-partum outcome* [tiab] OR post-partum complication* [tiab] OR post-partum consequence* [tiab] OR post-partum characteristic* [tiab] OR post-partum event* [tiab] OR post-partum result* [tiab] OR post-partum problem* [tiab] OR post-partum morbidit* [tiab] OR post-partum sequelae [tiab]

41. Premature Birth [Mesh] OR Fetal Membranes, Premature Rupture [Mesh] OR Obstetric Labor, Premature [Mesh] OR Infant, Extremely Premature [Mesh] OR Infant, Premature [Mesh]

42. prematurity [tiab] OR ìgestational age at birthî [tiab] OR ìgestational age at deliveryî [tiab] OR PTB [tiab] OR PTBs [tiab] OR VPTB [tiab] OR VPTBs [tiab]

43. pre-terms [tiab] OR preterms [tiab] OR pre-term birth* [tiab] OR ìpreterm birth*î [tiab] OR ìpremature birth*î [tiab] OR PTL [tiab] OR PTLs [tiab] OR VPTL [tiab] OR VPTLs [tiab]

44. ìpre-term labor*î [tiab] OR ìpre-term labour*î [tiab] OR ìpre-term obstetric labor*î [tiab] OR ìpre-term obstetric labour*î [tiab] OR ìpreterm labor*î [tiab] OR ìpreterm labour*î [tiab] OR preterm obstetric labor* [tiab] OR ìpreterm obstetric labour*î [tiab] OR ìpremature labor*î [tiab] OR ìpremature labour*î [tiab] OR premature obstetric labor* [tiab] OR ìpremature obstetric labour*î [tiab]

45. PTD [tiab] OR PTDs [tiab] OR VPTD [tiab] OR VPTDs [tiab] OR pre-term deliver* [tiab] OR preterm deliver* [tiab] OR ìpre-term infant*î [tiab] OR ìpreterm infant*î [tiab] OR premature deliver* [tiab] OR ìpremature infant*î [tiab] OR PROM [tiab] OR PPROM [tiab]

46. ìpreterm rupture of membranesî [tiab] OR preterm rupture of fetal membrane* [tiab] OR preterm rupture of foetal membrane* [tiab] OR pre-term rupture of membrane* [tiab] OR pre-term rupture of fetal membrane* [tiab] OR pre-term rupture of foetal membrane* [tiab] OR ìpremature rupture of membranesî [tiab] OR ìpremature rupture of fetal membranesî [tiab] OR ìpremature rupture of foetal membranesî [tiab]

47. Fetal Growth Retardation [Mesh] OR Infant, Low Birth Weight [Mesh] OR Infant, Very Low Birth Weight [Mesh] OR Infant, Extremely Low Birth Weight [Mesh] OR Infant, Small for Gestational Age [Mesh]

48. IUGR [tiab] OR FGR [tiab] OR ìintrauterine growth restrictionî [tiab] OR ìintra-uterine growth restrictionî [tiab] OR ìintrauterine growth restrictedî [tiab] OR ìintra-uterine growth restrictedî [tiab] OR iintrauterine growth retardationî [tiab] OR ìintra-uterine growth retardationî [tiab]

49. ìfetal growth restrictionî [tiab] OR ìfoetal growth restrictionî [tiab] OR ìfetal growth restrictedî [tiab] OR ìfoetal growth restrictedî [tiab] OR ìfetal growth retardationî [tiab] OR ifoetal growth retardationî [tiab] OR SGA [tiab] OR SFGA [tiab] OR ìsmall for gestational ageî [tiab] OR ìsmall-for-gestational-ageî [tiab] OR ìsmall-for-gestational ageî [tiab] OR ìsmall for gestationî [tiab] OR ìsmall-for-gestationî [tiab]

50. VSGA [tiab] OR ìvery-small-for-gestational-ageî [tiab] OR ìvery-small-for-gestational ageî [tiab] OR SFD [tiab] OR ìsmall for datesî [tiab] OR ìsmall-for-datesî [tiab] OR ìweight for datesî [tiab] OR ìweight for gestational ageî [tiab] OR ìweight for age at deliveryî [tiab] OR ìweight at deliveryî [tiab]

51. ìbirthweight for datesî [tiab] OR ìbirthweight for gestational ageî [tiab] OR ìbirthweight for age at deliveryî [tiab] OR ìbirth weight for datesî [tiab] OR ìbirth weight for gestational ageî [tiab] OR ibirth

weight for age at deliveryî [tiab] OR ìbirth-weight for datesî [tiab] OR ìbirth-weight for gestational ageî [tiab] OR ibirth-weight for age at deliveryî [tiab]

52. LBW [tiab] OR ìlow BWî [tiab] OR ìlow birth weightî [tiab] OR ìlow birth-weightî [tiab] OR ilow-birth weightî [tiab] OR ìlow-birth-weightî [tiab] OR ìlow birthweightî [tiab] OR ìlow-birthweightî [tiab] OR ìlower BWî [tiab] OR ìlower birth weightî [tiab] OR ìlower birth-weightî [tiab] OR ìlower-birth weightî [tiab] OR ìlower-birth-weightî [tiab] OR ilower birthweightî [tiab] OR ìlower-birthweightî [tiab]

53. ìreduced birth weightî [tiab] OR ìreduced birthweightî [tiab] OR ìreduced birth-weightî [tiab] OR VLBW [tiab] OR ìvery-low birthweightî [tiab] OR ìvery-low birth weightî [tiab] OR ìvery-low birth-weightî [tiab] OR ìvery-low-birthweightî [tiab] OR ìvery-low-birth-weightî [tiab] OR ELBW [tiab] OR ìextremely-low birthweightî [tiab] OR ìextremely-low birth weightî [tiab] OR ìextremely-low birth-weightî [tiab] OR ìextremely-low-birthweightî [tiab] OR ìextremely-low-birth-weightî [tiab]

54. Stillbirth [Mesh] OR stillbirth* [tiab] OR still birth* [tiab] OR stillborn* [tiab] OR still born* [tiab] OR abortion* [tiab] OR miscarriage* [tiab] OR pregnancy death* [tiab] OR pregnancy loss* [tiab] OR pregnancy demise* [tiab] OR pregnancy mortalit* [tiab] OR gestational death* [tiab] OR gestational loss* [tiab] OR gestational demise* [tiab] OR "gestational mortalit*" [tiab]

55. Fetal Death [Mesh] OR "fetal death*" [tiab] OR "fetal loss*" [tiab] OR fetal demise* [tiab] OR fetal mortalit* [tiab] OR "foetal death*" [tiab] OR "foetal loss*" [tiab] OR foetal demise* [tiab] OR foetal mortalit* [tiab] OR "obstetric death*" [tiab] OR obstetric loss* [tiab] OR obstetric demise* [tiab] OR obstetric mortalit* [tiab] OR obstetrical death* [tiab] OR obstetrical loss* [tiab] OR obstetrical demise* [tiab] OR obstetrical mortalit* [tiab]

56. "labor death*" [tiab] OR labor loss* [tiab] OR labor demise* [tiab] OR labor mortalit* [tiab] OR labour death* [tiab] OR labour loss* [tiab] OR labour demise* [tiab] OR labour mortalit* [tiab] OR birth death* [tiab] OR birth loss* [tiab] OR birth demise* [tiab] OR birth mortalit* [tiab]

57. delivery death* [tiab] OR delivery loss* [tiab] OR delivery demise* [tiab] OR delivery mortalit* [tiab] OR neonate death* [tiab] OR neonate loss* [tiab] OR neonate demise* [tiab] OR neonate mortalit* [tiab] OR "newborn death*" [tiab] OR "newborn loss*" [tiab] OR "newborn demise*" [tiab] OR newborn mortalit* [tiab]

58. new-born death* [tiab] OR new-born loss* [tiab] OR new-born demise* [tiab] OR new-born mortalit* [tiab] OR "new born death*" [tiab] OR "new born loss*" [tiab] OR "new born demise*" [tiab] OR "new born mortalit*" [tiab] OR "infant death*" [tiab] OR infant loss* [tiab] OR infant demise* [tiab] OR infant mortalit* [tiab] OR reproductive death* [tiab] OR "reproductive loss*" [tiab] OR reproductive demise* [tiab] OR reproductive mortalit* [tiab]

59. prelabour death* [tiab] OR prelabour loss* [tiab] OR prelabour demise* [tiab] OR prelabour mortalit* [tiab] OR prelabor death* [tiab] OR prelabor loss* [tiab] OR prelabor demise* [tiab] OR prelabor mortalit* [tiab] OR pre-labour death* [tiab] OR pre-labour loss* [tiab] OR pre-labour demise* [tiab] OR pre-labour mortalit* [tiab] OR pre-labor death* [tiab] OR pre-labor loss* [tiab] OR pre-labor demise* [tiab] OR pre-labor mortalit* [tiab]

60. "intrauterine death*" [tiab] OR intrauterine loss* [tiab] OR intrauterine demise* [tiab] OR intrauterine mortalit* [tiab] OR intra-uterine death* [tiab] OR intra-uterine loss* [tiab] OR intra-uterine demise* [tiab] OR intra-uterine mortalit* [tiab] OR antenatal death* [tiab] OR antenatal loss* [tiab] OR antenatal demise* [tiab] OR antenatal mortalit* [tiab] OR ante-natal death* [tiab] OR ante-natal loss* [tiab] OR ante-natal demise* [tiab] OR ante-natal mortalit* [tiab]

61. prenatal death* [tiab] OR prenatal loss* [tiab] OR prenatal demise* [tiab] OR prenatal mortalit* [tiab] OR pre-natal death* [tiab] OR pre-natal loss* [tiab] OR pre-natal demise* [tiab] OR pre-natal mortalit* [tiab] OR "perinatal death" [tiab] OR "perinatal deaths" [tiab] OR perinatal loss* [tiab] OR perinatal demise* [tiab] OR "perinatal mortality" [tiab] OR "perinatal mortalities" [tiab] OR peri-natal death* [tiab] OR peri-natal loss* [tiab] OR peri-natal demise* [tiab] OR peri-natal mortalit* [tiab]

62. "neonatal death" [tiab] OR "neonatal deaths" [tiab] OR neonatal loss* [tiab] OR neonatal demise* [tiab] OR "neonatal mortality" [tiab] OR "neonatal mortalities" [tiab] OR neo-natal death* [tiab] OR neo-natal loss* [tiab] OR neo-natal demise* [tiab] OR neo-natal mortalit* [tiab] OR postnatal death* [tiab] OR postnatal loss* [tiab] OR postnatal demise* [tiab] OR postnatal mortalit* [tiab] OR post-natal death* [tiab] OR post-natal loss* [tiab] OR post-natal demise* [tiab] OR post-natal mortalit* [tiab]

63. antepartum death* [tiab] OR antepartum loss* [tiab] OR antepartum demise* [tiab] OR antepartum mortalit* [tiab] OR ante-partum death* [tiab] OR ante-partum loss* [tiab] OR ante-partum demise* [tiab] OR ante-partum mortalit* [tiab] OR intrapartum death* [tiab] OR intrapartum loss* [tiab] OR intrapartum demise* [tiab] OR intrapartum mortalit* [tiab] OR intra-partum death* [tiab] OR intra-partum loss* [tiab] OR intra-partum demise* [tiab] OR intra-partum mortalit* [tiab]

64. peripartum death* [tiab] OR peripartum loss* [tiab] OR peripartum demise* [tiab] OR peripartum mortalit* [tiab] OR peri-partum death* [tiab] OR peri-partum loss* [tiab] OR peri-partum demise* [tiab] OR peri-partum mortalit* [tiab] OR postpartum death* [tiab] OR postpartum loss* [tiab] OR postpartum demise* [tiab] OR postpartum mortalit* [tiab] OR post-partum death* [tiab] OR post-partum loss* [tiab] OR post-partum demise* [tiab] OR post-partum mortalit* [tiab]

65. #1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11 or #12 or #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44 or #45 or #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64

66. Cobicistat [tiab] OR Tubost [tiab] OR COBI [tiab] OR Rezolsta [tiab] OR QUAD [tiab] OR Epivir [tiab] OR Temixys [tiab] OR Cimduo [tiab] OR Selzentry [tiab] OR Doravirine [tiab] OR DOR [tiab] OR Pifeltro [tiab] OR Ibalizumab-uiyk [tiab] OR Hu5A8 [tiab] OR IBA [tiab] OR Ibalizumab [tiab] OR "TMB-355" [tiab] OR "TNX-355" [tiab] OR Trogarzo [tiab]

67. Bictegravir [tiab] OR BIC [tiab] OR "Bictegravir, emtricitabine, and tenofovir alafenamide fumarate" [tiab] OR "bictegravir sodium/emtricitabine/tenofovir alafenamide fumarate" [tiab] OR "BIC/FTC/TAF" [tiab] OR Biktarvy [tiab] OR Darunavir [tiab] OR Emtricitabine [tiab] OR "tenofovir alafenamide fumarate" [tiab] OR "darunavir ethanolate, cobicistat, emtricitabine, tenofovir alafenamide fumarate" [tiab] OR "DRV/COBI/FTC/TAF" [tiab]

68. Symtuza [tiab] OR "Dolutegravir and lamivudine" [tiab] OR "dolutegravir sodium/lamivudine" [tiab] OR "DTG/3TC" [tiab] OR Dovato [tiab] OR "Doravirine, lamivudine, and tenofovir disoproxil fumarate" [tiab] OR "doravirine/lamivudine/tenofovir disoproxil fumarate" [tiab] OR "DOR/3TC/TDF" [tiab] OR Delstrigo [tiab] OR "Efavirenz, lamivudine, and tenofovir disoproxil fumarate" [tiab] OR "EFV/3TC/TDF" [tiab]

69. Symfi [tiab] OR "Symfi Lo" [tiab] OR "Elvitegravir, cobicistat, emtricitabine, and tenofovir alafenamide fumarate" [tiab] OR "elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide fumarate" [tiab] OR "EVG/COBI/FTC/TAF" [tiab] OR Genvoya [tiab] OR "TMC-114" [tiab] OR "TMC114" [tiab] OR Dideoxyinosine [tiab] OR Racivir [tiab] OR Heptovir [tiab] OR Hepitec [tiab]

70. Zerut [tiab] OR Estavudina [tiab] OR Sanilvudine [tiab] OR Stavudine [tiab] OR Apropovir [tiab] OR Stocrin [tiab] OR Zrivada [tiab] OR Aluvia [tiab] OR Aluviran [tiab] OR Koletra [tiab] OR Pentafuside [tiab] OR Didanosine [tiab] OR Lamivudine [tiab] OR Enfuvirtide [tiab] OR Maraviroc [tiab]

71. Cobicistat [mh] OR Darunavir [mh] OR Emtricitabine [mh] OR "Elvitegravir, Cobicistat, Emtricitabine, Tenofovir Disoproxil Fumarate Drug Combination" [mh] OR Didanosine [mh] OR Lamivudine [mh] OR Stavudine [mh] OR Enfuvirtide [mh] OR Maraviroc [mh]

72. Doravirine [nm] OR Ibalizumab [nm] OR Bictegravir [nm] OR "Bictegravir, Embitcitabine, Tenofovir Alafenamide" [nm] OR Symtuza [nm]

73. "Efavirenz, Lamivudine, Tenofovir Disoproxil Fumarate drug combination" [nm] OR Genvoya [nm] OR Racivir [nm] OR "Lopinavir-Ritonavir drug combination" [nm]

74. #66 or #67 or #68 or #69 or #70 or #71 or #72 or #73

75. #65 AND #74

76. 1980:2020 [dp]

77. #75 AND #76

Appendix 2
Quality assessment of studies

Appendix 2.1
Adapted Newcastle-Ottawa quality assessment tool

A study can be awarded a maximum of one point (for items indicated with an asterisk) for each numbered criterion within the "Selection" and "Outcome" categories.

Selection (maximum 4 points)

1) Representativeness of the exposed cohort.

a) Truly representative of the pregnant population in the community. *

b) Somewhat representative of the pregnant population in the community.

c) Selected group of users, e.g. nurses, volunteers, teenage mothers.

d) No description of the derivation of the cohort.

2) Selection of the comparator cohort.

a) The comparator cohort is drawn from the same community as the exposed cohort. *

b) The comparator cohort is drawn from a different source than the exposed cohort.

c) No description of the derivation of the comparator cohort.

3) Ascertainment of exposure.

a) ART intake monitored as part of study. *

b) ART intake confirmed from secure medical records (e.g. hospital records). *

c) Structured interview-participant reported ART intake.

d) Written self-report.

e) No description.

4) Demonstration that outcome of interest was not present at start of study.

a) Yes. *

b) No.

Comparability (maximum 2 points)

1) Comparability of cohorts on the basis of the analysis. In the analysis:

a) Study controls for BMI, smoking, parity, and maternal age. *

b) Study controls for one or more additional factors: e.g. prior history of adverse pregnancy outcome, maternal hypertension, anaemia, illicit drug or alcohol use in pregnancy. *

c) Confounding factors not controlled for.

Outcome (maximum 3 points)

1) Ascertainment of outcome.

a) Outcome was confirmed following clinical observation of outcome by clinician, midwife or trained birth attendant. *

b) Medical records. *

c) Self-report.

d) No description.

2) Method used to assess gestational age.

a) Gestational age was determined according to early ultrasound (<14 weeks). *

b) Gestational age was determined by: late ultrasound (≥14 weeks' gestation) or last normal menstrual period or neonatal assessment, e.g. Ballard score, or a combination of these methods.

c) No description.

3) Follow up of cohorts

a) Complete follow up - all subjects accounted for. *

b) Subjects lost to follow up unlikely to introduce bias, i.e. < 20 % lost to follow up. *

c) Follow up rate < 80% (lost to follow-up > 20%).

d) No description.

Appendix 2.2
Classification of studies according to quality assessment

Good Quality	9 points – all requirements met
Average Quality	3 points in "Selection" and 3 points in "Outcome" sections
	≥2 points in the "Selection" and "Outcome" sections, as well as ≥1 point in the "Comparability" section.
Poor Quality	< 2 points in the "Selection" and/or "Outcome" sections.
	2 points in the "Selection" and "Outcome" sections, but no points in the "Comparability" section.

Appendix 2.3
Quality assessment of studies included in the systematic review and meta-analysis

Study	Representativeness of the exposed cohort	Selection of comparator cohort	Ascertainment of exposure	Demonstration that outcome of interest was not present at start of study	Comparability of cohorts on the basis of analysis	Ascertainment of outcome	Method used to assess gestational age	Follow up of cohorts	Total quality assessment
Aaron (2012)	Truly representative*	Same community as exposed cohort*	Medical records*	Yes*	Study controls for one or more additional confounding factors*	Medical records*	LNMP confirmed by 2nd trimester ultrasound	<20% lost to follow up*	Average
Albert (2020)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	Ultrasound in first and/or second trimester	Complete follow up*	Average
Bailey et al (2019)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Clinical observation*	Ultrasound (unspecified)	Complete follow up*	Average
Boer (2006)	Truly representative*	Different source than the exposed cohort	No description	No	Study controls for one or more additional confounding factors*	No description	LNMP confirmed by first trimester ultrasound	Complete follow up*	Poor
Carceller (2009)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Confounding factors not controlled for	Medical records*	No description	<20% lost to follow up*	Poor
Chen (2012)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	LNMP, symphysis-fundal height, or ultrasound (unspecified)	<20% lost to follow up*	Average
Delicio (2018)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	No description	Complete follow up*	Average
Ejigu (2019)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	LNMP, symphysis-fundal height, or ultrasound (unspecified)	Complete follow up*	Average
Ezechi (2012)	Somewhat representative	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	LNMP	<20% lost to follow up*	Average

Favarato (2018)	Truly representative*	Same community as exposed cohort*	No description	Yes*	Study controls for one or more additional confounding factors*	No description	No description	Complete follow up*	Poor
Favarato (2019)	Truly representative*	Same community as exposed cohort*	Medical records*	Yes*	Study controls for one or more additional confounding factors*	No description	No description	Complete follow up*	Poor
Floridia (2014)	Somewhat representative	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	Other method: LNMP and ultrasound (unspecified)	<20% lost to follow up*	Average
Floridia (2018a)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	LNMP, ultrasound biometry or both.	<20% lost to follow up*	Average
Floridia (2020)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	Ultrasound, LNMP or both	Complete follow up*	Average
Kakkar (2015)	Truly representative*	Same community as exposed cohort*	Medical records*	Yes*	Study controls for one or more additional confounding factors*	Medical records*	Other method: LNMP and ultrasound (unspecified)	<20% lost to follow up*	Average
Kowalska (2003)	No description	Same community as exposed cohort*	ART intake monitored as part of study*	Yes*	Study controls for one or more additional confounding factors*	No description	LNMP	Complete follow up*	Poor
Lopez (2015)	Truly representative*	Same community as exposed cohort*	No description	Yes*	Study controls for one or more additional confounding factors*	No description	First trimester ultrasound and earliest available ultrasound in late gestation	Complete follow up*	Average
Machado (2009)	Somewhat representative	Same community as exposed cohort*	ART intake monitored as part of study*	Yes*	Study controls for one or more additional confounding factors*	No description	LNMP or ultrasound	Complete follow up*	Poor
Montgomery-Taylor (2015)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	No description	<20% lost to follow up*	Average
Perry (2016)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Confounding factors not controlled for	Medical records*	LNMP	Complete follow up*	Poor

Rough (2018)	Truly representative*	Same community as exposed cohort*	Medical records*	Yes*	Study controls for one or more additional confounding factors*	Medical records*	Ultrasound (unspecified), physical examination or LNMP	Complete follow up*	Average
Schulte (2007)	Somewhat representative	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	LNMP, ultrasound (unspecified), neonatal assessment (unspecified)	>20% lost to follow up	Poor
Shapiro (2010)	Truly representative*	Same community as exposed cohort*	ART intake monitored as part of study*	Yes*	Confounding factors not controlled for	Clinical observation*	LNMP, ultrasound (in 1st, 2nd, 3rd trimester)	Complete follow up*	Poor
Short (2014)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Confounding factors not controlled for	Medical records*	No description	Complete follow up*	Poor
Sibiude (2012)	Truly representative*	Same community as exposed cohort*	ART intake monitored as part of study*	Yes*	Study controls for one or more additional confounding factors*	Unspecified	LNMP confirmed by ultrasound (unspecified)	Complete follow up*	Average
Sibiude (2018)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Unspecified	No description	Complete follow up*	Poor
Smith (2016)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Confounding factors not controlled for	Medical records*	No description	Complete follow up*	Poor
Snijdewind (2018)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	Early ultrasound or LNMP	Complete follow up*	Average
Szyld (2006)	Truly representative*	community as exposed cohort*	ART intake monitored as part of study*	Yes*	Study controls for one or more additional confounding factors*	Clinical observation*	Other method: LNMP with/without ultrasound, neonatal assessment (unspecified)	Complete follow up*	Average
Townsend (2007)	Truly representative*	Same community as exposed cohort*	No description	Yes*	Study controls for one or more additional confounding factors*	No description	No description	<20% lost to follow up*	Poor

Van der Merwe (2011)	Somewhat representative	Different source than the exposed cohort	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	LNMP, ultrasound (unspecified), symphysis-fundal height, neonatal assessment (unspecified)	Complete follow up*	Poor
Watts (2013)	No description	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	Clinical method (unspecified) and ultrasound (unspecified)	<20% lost to follow up*	Average
Williams (2013)	Somewhat representative	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	No description	Complete follow up*	Average
Zash (2017)	Truly representative*	Same community as exposed cohort*	Medical records*	No	Study controls for one or more additional confounding factors*	Medical records*	LNMP confirmed by ultrasound where possible	Complete follow up*	Average

Abbreviations: ART= antiretroviral therapy, BMI= body mass index, LNMP= last normal menstrual period.

Appendix 2.4
Confounding factors adjusted for in included studies

Study	Methods to correct for confounding factors	Regression analysis Confounders corrected for:	Risk factor analysis Risk factors not significantly different between groups:	Matching
Aaron (2012)	Regression analysis	Race, Smoking, Education, first viral load > 1000, First CD4 > 200, NNRTI	Not conducted for ART initiation groups analysed	-
Albert (2020)	Risk factor analysis	-	Maternal age, gravidity, previous PTB, time since HIV diagnosis	-
Bailey et al (2019)	Regression analysis	Adjusted a priori for potential confounders (for PTD models: calendar year and country of delivery, parity, maternal IDU history, CD4þ cell count, maternal age, third agent in the ART regimen; for SGA model: all variables included in the PTD models and infant sex and ART duration).	No p values reported	-
Boer (2006)	Regression analysis, matching	Maternal age, mode of delivery, parity, HAART use in first trimester, maternal CD4 count nadir only	-	Matching HIV- to HIV+: date of expected delivery within 0.5 year, maternal age (±3 years, in most cases ±1 year), parity (nulliparous or multiparous), ethnicity (black, including creole, white or other), singleton or twin
Carceller (2009)	-	-	-	-
Chen (2012)	Regression analysis, risk factor analysis	CD4 count in pregnancy, advanced maternal age, nulliparity, maternal hypertension in pregnancy and anaemia	Nationality, education, parity, antenatal care received, syphilis, alcohol, smoking, CD4 count	-
Delicio (2018)	Risk factor analysis	-	Maternal age, co-infection, smoking, substance abuse, alcohol, CDC classification, ART start before or during pregnancy, duration of ART use, mode of delivery	-
Ejigu (2019)	Regression analysis, risk factor analysis	Maternal age, weight, marital status, education, parity, CD4 cell count during pregnancy, WHO clinical stage during pregnancy and timing of treatment initiation.	Marital status, CD4 count, haemoglobin	-
Ezechi (2012)	Regression analysis, risk factor analysis	Low birthweight, stage of HIV disease, reproductive tract infection and medical disorder.	Maternal age, parity, working status, social class, viral load, BMI, induced abortion history, spontaneous abortion, history of	-

			preterm delivery, history operative delivery, medical disorders	
Favarato (2018)	Regression analysis	ART class in pregnancy, delivery year, maternal age at delivery, maternal origin, parity, history of IDU, first antenatal CD4+ cell count	Not conducted for ART initiation groups analysed	-
Favarato (2019)	Risk factor analysis	-	Year of delivery, country of delivery, maternal age, maternal origin, timing of first antenatal appointment, history of IVDU, ART at conception,	-
Floridia (2014)	Risk factor analysis	-	BMI, twin pregnancy, atleast one previous pregnancy, African ethnicity, history of intravenous drug use, smoking >10 cigarettes/day, recent substance use, HBV coinfection, HCV coinfection, CD4< 200 cells/mm3, history of AIDS-defining events	-
Floridia (2018a)	Risk factor analysis	-	CD4 count, plasma triglycerides, total cholesterol, total cholesterol/HDL cholesterol ratio and ALT, history of drug use, HCV seropositivity, diagnosis of HIV in pregnancy, history of hypertension, nephropathy and diabetes, and parity.	-
Floridia (2020)	Risk factor analysis	-	CD4 count, BMI, origin, sexual route of infection, nulligravida, HCV antbody, HBV coinfected, history of STDs, smoking, total cholesterol, LDL and HDL cholesterol, ALT, hemoglobin, vaginal infections, anaemia	-
Kakkar (2015)	Regression analysis, risk factor analysis	Maternal age, CD4 count, parity, HCV infection, race	CD4 count	-
Kowalska (2003)	Risk factor analysis	-	Maternal age, CD4 count, viral load, hard drug use	-
Lopez (2015)	Risk factor analysis	-	Maternal age, black ethnicity, low educational level, smoking during pregnancy, drug use during pregnancy, nulliparity, chronic hypertension, assisted reproduction technique, 1st trimester mean pulsatility inded of the uterine arteries, HIV diagnosis in pregnancy, HIV transmission - blood transfusion, months of HIV infection, previous opportunistic infection, CD4 cell count <200 cells/uL at 1st trimester, CD4 cell count at 1st trimester, CD4 cell count at delivery, viral load <50 copies/ml	-

			at 1st trimester, viral load <50 copies/ml at delivery.	
Machado (2009)	Regression analysis and risk factor analysis	Median age, year of delivery, indication of ARV, viral load at entry, Viral load at deliver (copies/ml), multiparity, alcohol use, STD, symptomatic disease	CD4 cell count, previous preterm delivery or miscarriage, mode of delivery, hepatitis B co-infection, hepatitis C co- infection, tobacco use, illicit drugs, hypertension	-
Montgomery-Taylor (2015)	-	-	No p values reported	-
Perry (2016)	-	-	-	-
Rough (2018)	Regression analysis	Race or ethnic group, smoking status, diabetes, sexually transmitted infection and timing of ART initiation (before conception vs. first trimester vs. second or third trimester).	No p values reported	-
Schulte (2007)	Regression analysis	IDU, unknown HIV/AIDS before delivery, symptomatic HIV, no treatment, race, infant gender, gestational age, HIV-status of infant	-	-
Shapiro (2010)	-	-	No P-value reported	-
Short (2014)	-	-	Not conducted for ART initiation groups analysed	-
Sibiude (2012)	Regression, risk factor analysis	Maternal age, parity, BMI, smoking*. Controls for additional factor: geographic origin, marital status, HCV coinfection, ARV as PMTCT in previous pregnancy, pretherapeutic CD4+ cell count, pretherapeutic viral load, time of first-line initiation of ARV, maternal diseases before ARV during current pregnancy, assisted conception, gestational age at first visit, highest CDC category, ritonavir-boosted PI*	-	-
Sibiude (2018)	Regression, risk factor analysis	NRTIs (Zidovudine, abacavir, tenofovir), maternal age, and geographical origin	CD4 count at delivery, Viral load at delivery, Hospitalisation, pre-eclampsia, gestational diabetes	-
Smith (2016)	-	-	-	-
Snijdewind (2018)	Risk factor analysis	-	Region of origin, smoking, alcohol, IDU, mode of delivery	-
Syzld (2006)	Regression, risk factor analysis	Most complex ART regimen received during pregnancy, hypertension, mode of delivery, diabetes, adjusted BMI	Country of residence, ART regimen complexity, maternal age, viral load, CD4 count, alcohol, tobacco, marijuana, cocaine,	-

			indication for ART, STIs, history of preterm birth, renl disease, diabetes, anaemia, BMI	
Townsend (2007)	Regression analysis	Repeat pregnancies, IDU, ethnic origin, maternal age at delivery, clinical status, +/- CD4 count	Not conducted for ART initiation groups analysed	-
Van der Merwe (2011)	Regression analysis, risk factor analysis	CD4 cell count, maternal age, hypertension, infant PCR	Race, smoking, alcohol, WHO stage, hypertension, diabetes, syphilis, gravidity, previous miscarriage, mode of delivery, infant gender	-
Watts (2013)	Regression analysis	Black or African American race, annual household income <$20 000/year, cigarette smoking, maternal CD4+ T-cell count of <200 cells/mm^3 at delivery	-	-
Williams (2013)	Regression analysis, risk factor analysis	Initial CD4 cell count, illicit drug use, history of preterm delivery	Maternal age, parity, years with HIV, sexually transmitted disease (gonorrhea, chlamydia, hepatitis C), tabacco use, cocaine use, history of preterm delivery, cesarean delivery	-
Zash (2017)	Regression analysis	Maternal age, gravidity, low educational attainment	-	-

Abbreviations: AIDS= acquired immunodeficiency syndrome, ANC=antenatal clinic, ALT = alanine transaminase, ART= antiretroviral therapy, ARV = anti-retroviral drugs, BMI= body mass index, CDC= Centers for Disease Control and Prevention, GBS= group B streptococcus, HAART= highly active antiretroviral therapy, HBV= hepatitis B virus, HCV= hepatitis C virus, HDL = high density lipoprotein, HIV= human immunodeficiency virus, IDU= illicit drug use, IVDU = intravenous drug use, MIP=malaria in pregnancy, MUAC=mid-upper arm circumference, NNRTI = non-nucleoside reverse transcriptase inhibitor , LDL = low density lipoprotein, PTB=preterm birth, PTD = preterm delivery, SGA = small for gestatuonal age, STD= sexually transmitted disease, UTI= urinary tract infection.

Appendix 3

Random-effects meta-analyses of risk of perinatal outcomes associated with pregnancies in women living with HIV receiving different ART regimens.

Forest plots showing random-effects meta-analyses of risk of perinatal outcomes associated with pregnancies in women living with HIV receiving PI-ART vs non-PI ART, boosted-PI ART vs non-boosted-PI ART, and comparing different PI-ART regimens. Relative risk (RR) and 95% confidence intervals (CIs).

Appendix 3.1

Women living with HIV receiving PI-ART vs non-PI-ART




Figure 3.1.1 Preterm birth in women living with HIV receiving PI-ART vs non-PI-ART

Peters test for small-study effects: p = 0.761




Figure 3.1.2 Very preterm birth in women living with HIV receiving PI-ART vs non-PI-ART




Figure 3.1.3 Spontaneous preterm birth in women living with HIV receiving PI-ART vs non-PI-ART




Figure 3.1.4 Low birthweight in women living with HIV receiving PI-ART vs non-PI-ART

Peters test for small-study effects: p = 0.465




Figure 3.1.5 Very low birthweight in women living with HIV receiving PI-ART vs non-PI-ART




Figure 3.1.6 Term low birthweight in women living with HIV receiving PI-ART vs non-PI-ART




Figure 3.1.7 Small for gestational age in women living with HIV receiving PI-ART vs non-PI-ART

Peters test for small-study effects: p = 0.435




Figure 3.1.8 Very small for gestational age in women living with HIV receiving PI-ART vs non-PI-ART




Figure 3.1.9 Stillbirth in women living with HIV receiving PI-ART vs non-PI-ART




Figure 3.1.10 Neonatal death in women living with HIV receiving PI-ART vs non-PI-ART

Abbreviations: PTB = preterm birth, sPTB = spontaneous preterm birth, VPTB = very preterm birth, LBW = low birth weight, VLBW = very low birth weight, termLBW = term low birth weight, SGA = small for gestational age, VSGA = very small for gestational age, SB = stillbirth, NND = neonatal death, PI = protease inhibitor, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), RR = risk ratio, CI = confidence interval

Appendix 3.2
Women living with HIV receiving boosted-PI-ART vs non-boosted-PI-ART




Figure 3.2.1 Preterm birth in women living with HIV receiving boosted-PI-ART vs non-boosted-PI-ART.




Figure 3.2.2 Very preterm birth in women living with HIV receiving boosted-PI-ART vs non-boosted-PI-ART.




Figure 3.2.3 Spontaneous preterm birth in women living with HIV receiving boosted-PI-ART vs non-boosted-PI-ART.




Figure 3.2.4 Low birthweight in women living with HIV receiving boosted-PI-ART vs non-boosted-PI-ART.




Figure 3.2.5 Very small for gestational age in women living with HIV receiving boosted-PI-ART vs non-boosted-PI-ART.

Abbreviations: PTB = preterm birth, VPTB =very preterm birth, sPTB = spontaneous preterm birth, LBW = low birth weight, VSGA = very small for gestational age, PI = protease inhibitor, HAART = highly active antiretroval therapy (>= 3 antiretroviral drugs), RR = risk ratio, CI = confidence interval

Appendix 3.3
Women living with HIV receiving LPV/r-ART vs ATV/r-ART




Figure 3.3.1 Preterm birth in women living with HIV receiving LPV/r-ART vs ATV/r-ART




Figure 3.2.2 Very preterm birth in women living with HIV receiving LPV/r-ART vs ATV/r-ART




Figure 3.3.3 Low birthweight in women living with HIV receiving LPV/r-ART vs ATV/r-ART




Figure 3.3.4 Very low birthweight in women living with HIV receiving LPV/r-ART vs ATV/r-ART




Figure 3.3.5 Small for gestational age in women living with HIV receiving LPV/r-ART vs ATV/r-ART




Figure 3.3.6 Very small for gestational age in women living with HIV receiving LPV/r-ART vs ATV/r-ART




Figure 3.3.7 Stillbirth in women living with HIV receiving LPV/r-ART vs ATV/r-ART

Abbreviations: PTB = preterm birth, VPTB = very preterm birth, LBW – low birth weight, VLBW = very low birth weight, SGA = small for gestational age, VSGA = very small for gestational age, SB = still birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, ATV/r = atazanavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.4
Women living with HIV receiving LPV/r-ART vs NFV-ART




Figure 3.4.1 Preterm birth in women living with HIV receiving LPV/r-ART vs NFV-ART




Figure 3.4.2 Low birthweight in women living with HIV receiving LPV/r-ART vs NFV-ART




Figure 3.4.3 Very small for gestational age in women living with HIV receiving LPV/r-ART vs NFV-ART

Abbreviations: PTB = preterm birth, LBW = low birth weight, VSGA = very small for gestational age, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, NFV = nelfinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.5
Women living with HIV receiving LPV/r-ART vs DRV/r-ART




Figure 3.5.1 Very small for gestational age in women living with HIV receiving LPV/r-ART vs DRV/r-ART




Figure 3.5.2 Stillbirth in women living with HIV receiving LPV/r-ART vs DRV/r-ART

Abbreviations: VSGA = very small for gestational age, SB = stillbirth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, DRV/r = darunavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.6

Women living with HIV receiving LPV/r-ART vs FPV/r-ART




Figure 3.6.1 Preterm birth in women living with HIV receiving LPV/r-ART vs FPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, FPV/r = Fosamprenavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.7
Women living with HIV receiving LPV/r-ART vs IDV/r-ART




Figure 3.7.1 Preterm birth in women living with HIV receiving LPV/r-ART vs IDV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, IDV/r = indinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.8
Women living with HIV receiving LPV/r-ART vs IDV-ART




Figure 3.8.1 Preterm birth in women living with HIV receiving LPV/r-ART vs IDV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, IDV = indinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.9
Women living with HIV receiving LPV/r-ART vs SQV/r-ART




Figure 3.9.1 Preterm birth in women living with HIV receiving LPV/r-ART vs SQV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, SQV/r = saquinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.10
Women living with HIV receiving LPV/r-ART vs SQV-ART




Figure 3.10.1 Preterm birth in women living with HIV receiving LPV/r-ART vs SQV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, SQV= saquinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.11
Women living with HIV receiving LPV/r-ART vs TPV/r-ART




Figure 3.11.1 Preterm birth in women living with HIV receiving LPV/r-ART vs TPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), LPV/r = lopinavir/ritonavir, TPV/r = tipranavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.12
Women living with HIV receiving ATV/r-ART vs NFV-ART




Figure 3.12.1 Preterm birth in women living with HIV receiving ATV/r-ART vs NFV-ART




Figure 3.12.2 Low birthweight in women living with HIV receiving ATV/r-ART vs NFV-ART




Figure 3.12.3 Very small for gestational age in women living with HIV receiving ATV/r-ART vs NFV-ART

Abbreviations: PTB = preterm birth, LBW = low birth weight, VSGA = very small for gestational age, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, NFV = nelfinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.13
Women living with HIV receiving ATV/r-ART vs DRV/r-ART




Figure 3.13.1 Preterm birth in women living with HIV receiving ATV/r-ART vs DRV/r-ART




Figure 3.13.2 Very preterm birth in women living with HIV receiving ATV/r-ART vs DRV/r-ART




Figure 3.13.3 Low birthweight in women living with HIV receiving ATV/r-ART vs DRV/r-ART




Figure 3.13.4 Very low birthweight in women living with HIV receiving ATV/r-ART vs DRV/r-ART




Figure 3.13.5 Small for gestational age in women living with HIV receiving ATV/r-ART vs DRV/r-ART




Figure 3.13.6 Very small for gestational age in women living with HIV receiving ATV/r-ART vs DRV/r-ART




Figure 3.13.7 Stillbirth in women living with HIV receiving ATV/r-ART vs DRV/r-ART

Abbreviations: PTB = preterm birth, VPTB = preterm birth, LBW = low birth weight, VLBW = very low birth weight, SGA = small for gestational age, VSGA = very small for gestational age, SB = stillbirth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, DRV/r = darunavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.14
Women living with HIV receiving ATV/r-ART vs FPV/r-ART




Figure 3.14.1 Preterm birth in women living with HIV receiving ATV/r-ART vs FPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, FPV/r = fosamprenavir/ritonavir, RR = risk ratio, CI = confidence interval

Appendix 3.15
Women living with HIV receiving ATV/r-ART vs IDV/r-ART




Figure 3.15.1 Preterm birth in women living with HIV receiving ATV/r-ART vs IDV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, IDV/r = indinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.16
Women living with HIV receiving ATV/r-ART vs IDV-ART




Figure 3.16.1 Preterm birth in women living with HIV receiving ATV/r-ART vs IDV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, IDV= indinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.17
Women living with HIV receiving ATV/r-ART vs SQV/r-ART




Figure 3.17.1 Preterm birth in women living with HIV receiving ATV/r-ART vs SQV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, SQV/r = saquinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.18
Women living with HIV receiving ATV/r-ART vs SQV-ART




Figure 3.18.1 Preterm birth in women living with HIV receiving ATV/r-ART vs SQV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, SQV= saquinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.19
Women living with HIV receiving ATV/r-ART vs TPV/r-ART




Figure 3.19.1 Preterm birth in women living with HIV receiving ATV/r-ART vs TPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), ATV/r = atazanavir/ritonavir, TPV/r = tipranavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.20
Women living with HIV receiving NFV-ART vs FPV/r-ART




Figure 3.20.1 Preterm birth in women living with HIV receiving NFV-ART vs FPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), NFV = nelfinavir, FPV/r = fosamprenavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.21
Women living with HIV receiving NFV-ART vs IDV/r-ART




Figure 3.21.1 Preterm birth in women living with HIV receiving NFV-ART vs IDV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), NFV = nelfinavir, IDV/r = indinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.22
Women living with HIV receiving NFV-ART vs IDV-ART




Figure 3.22.1 Preterm birth in women living with HIV receiving NFV-ART vs IDV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), NFV = nelfinavir, IDV = indinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.23
Women living with HIV receiving NFV-ART vs SQV/r-ART




Figure 3.23.1 Preterm birth in women living with HIV receiving NFV-ART vs SQV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), NFV = nelfinavir, SQV/r = saquinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.24
Women living with HIV receiving NFV-ART vs SQV-ART




Figure 3.24.1 Preterm birth in women living with HIV receiving NFV-ART vs SQV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), NFV = nelfinavir, SQV= saquinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.25
Women living with HIV receiving NFV-ART vs TPV/r-ART




Figure 3.25.1 Preterm birth in women living with HIV receiving NFV-ART vs TPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), NFV = nelfinavir, TPV/r = tipranavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.26
Women living with HIV receiving FPV/r-ART vs IDV/r-ART




Figure 3.26.1 Preterm birth in women living with HIV receiving FPV/r-ART vs IDV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), FPV/r = fosamprenavir/ritonavir, IDV/r = indinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.27
Women living with HIV receiving FPV/r-ART vs IDV-ART




Figure 3.27.1 Preterm birth in women living with HIV receiving FPV/r-ART vs IDV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), FPV/r = fosamprenavir/ritonavir, IDV= indinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.28
Women living with HIV receiving FPV/r-ART vs SQV/r-ART




Figure 3.28.1 Preterm birth in women living with HIV receiving FPV/r-ART vs SQV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), FPV/r = fosamprenavir/ritonavir, SQV/r = saquinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.29
Women living with HIV receiving FPV/r-ART vs SQV-ART




Figure 3.29.1 Preterm birth in women living with HIV receiving FPV/r-ART vs SQV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), FPV/r = fosamprenavir/ritonavir, SQV = saquinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.30
Women living with HIV receiving IDV/r-ART vs SQV/r-ART




Figure 3.30.1 Preterm birth in women living with HIV receiving IDV/r-ART vs SQV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), IDV/r = indinavir/ritonavir, SQV/r = saquinavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.31
Women living with HIV receiving IDV-ART vs SQV-ART




Figure 3.30.1 Preterm birth in women living with HIV receiving IDV-ART vs SQV-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), IDV= indinavir, SQV= saquinavir, RR = risk ratio, CI = confidence interval.

Appendix 3.32
Women living with HIV receiving IDV-ART vs TPV/r-ART




Figure 3.32.1 Preterm birth in women living with HIV receiving IDV-ART vs TPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), IDV = indinavir, TPV/r = tipranavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 3.33
Women living with HIV receiving SQV-ART vs TPV/r-ART




Figure 3.33.1 Preterm birth in women living with HIV receiving SQV-ART vs TPV/r-ART

Abbreviations: PTB = preterm birth, HAART = highly active antiretroviral therapy (>= 3 antiretroviral drugs), SQV = saquinavir, TPV/r = tipranavir/ritonavir, RR = risk ratio, CI = confidence interval.

Appendix 4
Subgroup analyses

Appendix 4.1
Number of studies and women analysed: All studies

Table 4.1.1. Number of studies and women analysed in comparisons PI-ART vs non-PI-ART, boosted PI-ART vs non-boosted PI-ART, LPV/r-ART vs ATV/r-ART, LPV/r-ART vs NFV-ART, LPV/r-ART vs DRV/r-ART, ATV/r-ART vs NFV-ART and ATV/r-ART vs DRV/r-ART.

Perinatal outcomes										
All Studies	**PTB**	**VPTB**	**sPTB**	**LBW**	**VLBW**	**Term LBW**	**SGA**	**VSGA**	**Stillbirth**	**NND**
	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)
HIV+ PI-ART vs HIV+ non-PI-ART	20 (35921)	4 (7862)	3 (2940)	10 (9323)	4 (3634)	1 (203)	11 (25893)	3 (6765)	1 (6952)	1 (4995)
Boosted-PI ART vs non-boosted PI-ART	5 (3333)	2 (2347)	2 (1578)	1 (580)				1 (111)		
LPV/r-ART vs ATV/r-ART	7 (3987)	1 (426)		4 (2904)	3 (2520)		1 (391)	2 (1323)	1 (4251)	
LPV/r-ART vs NFV-ART	4 (1937)			1 (554)				1 (91)		

LPV/r-ART vs DRV/r-ART								1 (1003)	1 (3432)	
ATV/r-ART vs NFV-ART	4 (575)			1 (158)				1 (51)		
ATV/r-ART vs DRV/r-ART	1 (436)	1 (436)		1 (414)	1 (414)		1 (397)	1 (824)	2 (2015)	

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir, NFV= nelfinavir, DRV/r= darunavir/ritonavir.

Table 4.1.2. Number of studies and women analysed in comparisons between different PI-based ART regimens.

PTB	ATV/r-ART	NFV-ART	DRV/r-ART	FPV/r-ART	IDV/r-ART	IDV-ART	SQV/r-ART	SQV-ART	TPV/r-ART
	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)
LPV/r-ART	7 (3987)	4 (1937)		2 (982)	1 (919)	1 (109)	1 (972)	1 (107)	1 (95)
ATV/r-ART		4 (575)	1 (436)	2 (59)	1 (67)	1 (38)	1 (120)	1 (36)	1 (24)
NFV-ART				2 (358)	1 (225)	1 (179)	1 (278)	1 (177)	1 (165)
DRV/r-ART									
FPV/r-ART					1 (74)	1 (22)	1 (126)	1 (20)	
IDV/r-ART							1 (158)		
IDV-ART								1 (34)	1 (22)
SQV/r-ART									
SQV-ART									1 (20)

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, PTB= preterm birth, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir, NFV= nelfinavir, DRV/r= darunavir/ritonavir, FPV/r= fosamprenavir/ritonavir, IDV/r= indinavir/ritonavir, IDV= indinavir, SQV/r= saquinavir/ritonavir, SQV= saquinavir, TPV/r= tipranavir/ritonavir

Appendix 4.2
I^2 values: All studies

Table 4.2.1. I^2 values in comparisons of PI-ART vs non-PI-ART, boosted PI-ART vs non-boosted PI-ART, LPV/r-ART vs ATV/r-ART, LPV/r-ART vs NFV-ART, LPV/r-ART vs DRV/r-ART, ATV/r-ART vs NFV-ART and ATV/r-ART vs DRV/r-ART.

All studies	Perinatal outcomes									
	PTB	VPTB	sPTB	LBW	VLBW	Term LBW	SGA	VSGA	Stillbirth	NND
	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)
HIV+ PI-ART vs HIV+ non-PI-ART	68.3 (0.000)	43 (0.153)	95.7 (0.000)	63.9 (0.003)	37.9 (0.184)	N/A	66.7 (0.001)	0.0 (0.899)	N/A	N/A
Boosted PI-ART vs non-boosted PI-ART	0.0 (0.637)	76.0 (0.041)	0.0 (0.689)	N/A				0.0 (0.813)		
LPV/r-ART vs ATV/r-ART	33.0 (0.176)	N/A		0.0 (0.613)	49.1 (0.140)		N/A	0.0 (0.669)	N/A	
LPV/r-ART vs NFVART	0.0 (0.604)			N/A				N/A		
LPV/r-ART vs DRV/r-ART								N/A	N/A	
ATV/r-ART vs NFV-ART	22.9 (0.274)			N/A				N/A		
ATV/r-ART vs DRV/r-ART	N/A	N/A		N/A	N/A		N/A	N/A	0.0 (0.600)	

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir, NFV= nelfinavir, DRV/r= darunavir/ritonavir.

Table 4.2.2. I^2 values in comparisons between individual protease inhibitors.

PTB	ATV/r-ART	NFV-ART	DRV/r-ART	FPV/r-ART	IDV/r-ART	IDV-ART	SQV/r-ART	SQV-ART	TPV/r-ART
	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)
LPV/r-ART	8.3 (0.365)	0.0 (0.604)		0.0 (0.512)	N/A	N/A	N/A	N/A	N/A
ATV/r-ART		56.7 (0.074)	N/A	32.7 (0.223)	N/A	N/A	N/A	N/A	N/A
NFV-ART				0.0 (0.499)	N/A	N/A	N/A	N/A	N/A
DRV/r-ART									
FPV/r-ART					N/A	N/A	N/A	N/A	
IDV/r-ART							N/A		
IDV-ART								N/A	N/A
SQV/r-ART									
SQV-ART									N/A

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), LBW= low birthweight, NND= neonatal death, PTB= preterm birth, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir, NFV= nelfinavir, DRV/r= darunavir/ritonavir, FPV/r= fosamprenavir/ritonavir, IDV/r= indinavir/ritonavir, IDV= indinavir, SQV/r= saquinavir/ritonavir, SQV= saquinavir, TPV/r= tipranavir/ritonavir

Appendix 4.3
Subgroup analysis by country income status.

Subgroup analyses by income status	Perinatal outcomes									
	PTB	VPTB	sPTB	LBW	VLBW	Term LBW	SGA	VSGA	Stillbirth	NND
	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)
PI-ART vs non-PI-ART										
High income countries	1.06 (0.94, 1.19)	1.20 (0.27, 5.33)	1.18 (0.86, 1.62)	0.87 (0.72, 1.06)	0.59 (0.36, 0.98)	0.94 (0.30, 3.02)	1.20 (1.04, 1.37)	1.65 (0.74, 3.68)	1.04 (0.60, 1.79)	
Low- and Middle-income countries	1.10 (0.83, 1.46)	1.49 (1.04, 2.14)	5.02 (3.62, 6.98)	1.11 (0.78, 1.58)	0.81 (0.09, 7.05)		1.30 (0.94, 1.78)	1.37 (1.05, 1.80)		1.82 (0.97, 3.40)
Boosted PI-ART vs non-boosted PI-ART										
High income countries	1.47 (1.17, 1.84)	1.85 (1.02, 3.37)	1.31 (0.87, 1.97)					1.09 (0.35, 3.47)		
Low- and Middle-income countries	1.12 (0.78, 1.62)			1.34 (0.90, 1.99)						
LPV/r ART vs ATV/r ART										
High income countries	0.91 (0.70, 1.17)	1.04 (0.42, 2.59)		0.92 (0.73, 1.17)	0.86 (0.16, 4.75)		0.95 (0.53, 1.72)	1.00 (0.23, 4.35)	1.87 (0.82, 4.23)	
Low- and Middle-income countries	1.22 (0.55, 2.72)			1.28 (0.57, 2.87)						

A RR > 1 indicates increased risk of a perinatal outcome associated with PI-ART, boosted PI-ART, or LPV/r. For example, PI-ART is associated with an increased risk of SGA compared to non-PI-ART (RR 1.20, 95% CI 1.04-1.37). Abbreviations: ART = antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age.

Appendix 4.4
Number of studies and women analysed: Country income status

	Perinatal outcomes									
	PTB	**VPTB**	**sPTB**	**LBW**	**VLBW**	**Term LBW**	**SGA**	**VSGA**	**Stillbirth**	**NND**
	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)
PI-ART vs non-PI-ART										
High income countries	11 (23,399)	2 (2,158)	2 (2,093)	4 (5,488)	2 (2,130)	1 (203)	8 (17,123)	2 (1,770)	1 (6,952)	
Low- and Middle- income countries	9 (12,522)	2 (5,704)	1 (847)	7 (4,630)	2 (1,504)		3 (8,770)	1 (4,995)		1 (4995)
Boosted PI-ART vs non-boosted PI-ART										
High income countries	4 (2756)	2 (2347)	2 (1578)					1 (111)		
Low- and Middle- income countries	1 (577)			1 (580)						
LPV/r ART vs ATV/r ART										
High income countries	6 (3129)	1 (426)		3 (2045)	3 (2109)		1 (391)	1 (72)	1 (4251)	
Low- and Middle- income countries	1 (447)			1 (448)						

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), HIV= human immunodeficiency virus, PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir.

Appendix 4.5
I^2 values: Country income status

	Perinatal outcomes									
	PTB	**VPTB**	**sPTB**	**LBW**	**VLBW**	**Term LBW**	**SGA**	**VSGA**	**Stillbirth**	**NND**
	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)
PI-ART vs non-PI-ART										
High income countries	43.0 (0.063)	55.8 (0.133)	0.0 (0.744)	54.9 (0.084)	0.0 (0.348)	N/A	26.6 (0.216)	0.0 (0.861)	N/A	
Low- and Middle- income countries	80.7 (0.000)	0.0 (0.455)	N/A	72.7 (0.001)	67.7 (0.078)		90.0 (0.000)	N/A		N/A
Boosted PI-ART vs non-boosted PI-ART										
High income countries	0.0 (0.809)	76.0 (0.041)	0.0 (0.689)					0.0 (0.813)		
Low- and Middle- income countries	49.0 (0.161)			N/A						
LPV/r ART vs ATV/r ART										
High income countries	14.0 (0.325)	N/A		0.0 (0.548)	57.3 (0.096)		N/A	N/A	N/A	
Low- and Middle- income countries	N/A			N/A						

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir.

Appendix 4.6
Subgroup analysis by study quality

Subgroup analyses by income status	Perinatal outcomes									
	PTB	VPTB	sPTB	LBW	VLBW	Term LBW	SGA	VSGA	Stillbirth	NND
	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)
PI-ART vs non-PI-ART										
Average quality studies	1.09 (0.98, 1.22)	1.18 (0.64, 2.17)	1.91 (0.61, 5.99)	1.04 (0.83, 1.30)	0.59 (0.36, 0.98)		1.13 (1.01, 1.27)	1.39 (1.08, 1.80)		1.82 (0.97, 3.40)
Poor quality studies	1.08 (0.83, 1.41)	2.17 (0.76, 6.18)		0.94 (0.74, 1.20)	0.81 (0.09, 7.05)	0.94 (0.30, 3.02)	1.51 (0.91, 2.49)	1.93 (0.27, 13.66)	1.04 (0.60, 1.79)	
Boosted PI-ART vs non-boosted PI-ART										
Average quality studies	1.37 (1.13, 1.67)	1.85 (1.02, 3.37)	1.31 (0.87, 1.97)	1.34 (0.90, 1.99)						
Poor quality studies	1.15 (0.42, 3.16)							1.09 (0.35, 3.47)		
LPV/r ART vs ATV/r ART										
Average quality studies	1.06 (0.82, 1.36)			0.91 (0.71, 1.17)	0.53 (0.03, 10.06)		0.95 (0.53, 1.72)		1.87 (0.82, 4.23)	
Poor quality studies	0.67 (0.44, 1.02)	1.04 (0.42, 2.59)		1.10 (0.66, 1.83)	1.77 (0.36, 8.67)			1.35 (0.79, 2.31)		

A RR > 1 indicates increased risk of a perinatal outcome associated with PI-ART, boosted PI-ART or LPV/r ART. For example, PI-ART is associated with an increased risk of SGA compared to non-PI-ART (RR 1.20, 95% CI 1.04-1.37). Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age, LPV/r = lopinavir/ritonavir, ATV/r = atazanavir/ritonavir.

Appendix 4.7
Number of studies and women analysed: quality of studies

	Perinatal outcomes									
	PTB	**VPTB**	**sPTB**	**LBW**	**VLBW**	**Term LBW**	**SGA**	**VSGA**	**Stillbirth**	**NND**
	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)	Number of studies (number of women analysed)
PI-ART vs non-PI-ART										
Average quality studies	10 (21,665)	3 (7153)	3 (2940)	5 (4899)	2 (2130)		9 (19,108)	2 (5178)		1 (4995)
Poor quality studies	10 (14256)	1 (709)		5 (4424)	2 (1504)	1 (203)	2 (6785)	1 (1587)	1 (6952)	
Boosted PI-ART vs non-boosted PI-ART										
Average quality studies	4 (3238)	2 (2347)	2 (1578)	1 (580)						
Poor quality studies	1 (95)							1 (111)		
LPV/r ART vs ATV/r ART										
Average quality studies	5 (3076)			3 (2063)	2 (1615)		1 (391)		1 (4251)	
Poor quality studies	2 (500)			1 (430)	1 (415)			2 (1323)		

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir.

Appendix 4.8
I^2 values: quality of studies

	Perinatal outcomes									
	PTB	**VPTB**	**sPTB**	**LBW**	**VLBW**	**Term LBW**	**SGA**	**VSGA**	**Stillbirth**	**NND**
	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)	I^2 (p value)
PI-ART vs non-PI-ART										
Average quality studies	20.8 (0.252)	52.4 (0.122)	95.7 (0.000)	31.5 (0.211)	0.0 (0.348)		31.6 (0.166)	0.0 (0.747)		N/A
Poor quality studies	81.2 (0.000)	N/A		53.9 (0.070)	67.7 (0.078)	N/A	91.3 (0.001)	N/A	N/A	
Boosted PI-ART vs non-boosted PI-ART										
Average quality studies	0.0 (0.509)	76.0 (0.041)	0.0 (0.689)	N/A						
Poor quality studies	0.0 (0.447)							0.0 (0.813)		
LPV/r ART vs ATV/r ART										
Average quality studies	0.0 (0.663)			0.0 (0.501)	73.9 (0.051)		N/A		N/A	
Poor quality studies	0.0 (0.488)			N/A	N/A			0.0 (0.669)		

Abbreviations: ART= antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, LBW= low birthweight, NND= neonatal death, PTB= preterm birth, SGA= small for gestational age, sPTB= spontaneous preterm birth, VLBW= very low birthweight, VPTB= very preterm birth, VSGA= very small for gestational age, LPV/r= lopinavir/ritonavir, ATV/r= atazanavir/ritonavir.

Appendix 5
Sensitivity analyses

Appendix 5.1
Adjusting for confounders in individual studies comparing women living with HIV receiving PI-ART and non-PI ART for preterm birth, low birthweight, and small for gestational age.

Study	ART exposure	Perinatal outcome					
		PTB		LBW		SGA	
		OR/RR (95% CI)	aOR/aRR (95% CI)	OR/RR (95% CI)	aOR/aRR (95% CI)	OR/RR (95% CI)	aOR/aRR (95% CI)
Bailey et al (2019)**	Third agent: Other PI	ref	ref			ref	ref
	Third agent: NNRTI	1.13 (0.89-1.60)	1.17 (0.81-1.68)			0.98 (0.66-1.45)	0.85 (0.65-1.29)
Ejigu et al (2019)	EFV-based ART	ref	ref	ref	ref	ref	ref
	PI-based ART	1.75 (0.77-3.98)	1.81 (0.78-4.18)	0.64 (0.18-2.26)	0.62 (1.17-2.28)	0.65 (0.26-1.62)	0.66 (0.25-1.75)
Favarato et al (2018)	NNRTI + 2NRTI	ref	ref				
	LPV/r + 2NRTI	1.39 (1.13-1.70)	1.56 (1.19-2.04)				
	Other PI/r + 2NRTI	1.09 (0.88-1.36)	1.10 (0.84-1.45)				

Odds ratio (OR) adjusted odds ratio (aOR), and 95% confidence intervals (95% CIs) of perinatal outcomes in women living with HIV receiving PI-ART and non-PI-ART reported by studies included in the meta-analysis. Red indicates a statistically significant association and black a non-significant association.
Abbreviations: ART = antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, NNRTI = non-nucleoside reverse transcriptase inhibitor, EFV = efavirenz, LPV/r = lopinavir/ritonavir, PI/r = protease inhibitor/ritonavir, PTB = preterm birth, LBW = low birthweight, SGA = small for gestational age, ref = reference.
**Indicates PR (prevelance ratio) and aPR (adjusted prevelance ratio) reported instead of OR/aOR.

Appendix 5.2
Adjusting for confounders in individual studies comparing women living with HIV receiving boosted PI-ART and non-boosted PI-ART for preterm birth.

Study	ART exposure	Perinatal outcomes	
		PTB	
		OR/RR (95% CI)	aOR/aRR (95% CI)
Kakkar et al (2015)	Non-boosted PI ART	ref	ref
	Boosted PI ART	2.01 (1.02-2.97)	2.17 (1.05-4.51)
Sibiude et al (2012)	Non-boosted PI ART	ref	ref
	Boosted PI ART	1.78 (1.03-3.09)	2.03 (1.06-3.89)

Odds ratio (OR) adjusted odds ratio (aOR), and 95% confidence intervals (95% CIs) of perinatal outcomes in women living with HIV receiving boosted PI-ART and non-boosted PI-ART reported by studies included in the meta-analysis. Red indicates a statistically significant association and black a non-significant association.
Abbreviations: ART = antiretroviral therapy (>= 3 antiretroviral drugs), PI = protease inhibitor, PTB = preterm birth, ref = reference.

Appendix 5.3
Adjusting for confounders in individual studies comparing women living with HIV receiving different PI-ART regimens for preterm birth, very preterm birth, and low birthweight, small for gestational age, very small for gestational age, and neonatal death.

Study	ART exposure	Perinatal outcomes											
		PTB		VPTB		LBW		SGA		VSGA		NND	
		OR/RR (95% CI)	aOR/aRR (95% CI)	OR/RR (95% CI)	aOR/aRR (95% CI)	OR/RR (95% CI)	aOR/aRR (95% CI)	OR/RR (95% CI)	aOR/aRR (95% CI)	OR/RR (95% CI)	aOR/aRR (95% CI)	OR/RR (95% CI)	aOR/aRR (95% CI)
Rough et al (2015)*	ZDV-3TC-LPV/r	ref	ref			ref	ref						
	TDF-FTC-ATV/r	0.76 (0.59-0.99)	0.69 (0.51-0.94)			0.80 (0.62-1.04)	0.80 (0.60-1.09)						
Rough et al (2015)*	TDF-FTC-ATV/r	ref	ref			ref	ref						
	TDF-FTC-LPV/r	1.20 (0.80-1.78)	1.14 (0.75-1.72)			1.47 (0.98-2.22)	1.45 (0.96-2.17)						
Zash et al (2017)*	TDF-FTC-EFV	ref	ref	ref	ref			ref	ref	ref	ref	ref	ref
	TDF-FTC-LPV-R	1.11 (0.87-1.41)	1.12 (0.88-1.43)	1.26 (0.71-2.27)	1.36 (0.76-2.45)			1.62 (1.29-2.03)	1.56 (1.25-1.97)	1.87 (1.31-2.67)	1.81 (1.26-2.59)	1.50 (0.53-4.24)	1.60 (0.56-4.56)
	ZDV-3TC-LPV-R	1.36 (1.07-1.74)	1.36 (1.06-1.75)	2.19 (1.30-3.67)	2.21 (1.29-3.79)			1.19 (0.87-1.63)	1.13 (0.82-1.56)	1.75 (1.15-2.67)	1.70 (1.10-2.62)	3.64 (1.62-8.17)	4.01 (1.78-9.11)

Odds ratio (OR) adjusted odds ratio (aOR), and 95% confidence intervals (95% CIs) of perinatal outcomes in women living with HIV receiving different PI-ART regimens reported by studies included in the meta-analysis. Red indicates a statistically significant association and black a non-significant association.
Abbreviations: ART = antiretroviral therapy (>= 3 antiretroviral drugs), NND = neonatal death, PI = protease inhibitor, ZDV = zidovudine, 3TC = lamivudine, LPV/r = lopinavir/ritonavir, TDF = tenofovir, FTC = emtricitabine, ATV/r = atazanavir/ritonavir, EFV =efavirenz, PTB = preterm birth, LBW = low birthweight, SGA = small for gestational age, VLBW = very low birthweight, VPTB = very preterm birth, VSGA = very small for gestational age. *Indicates RR (risk ratio) and aRR (adjusted risk ratio) reported instead of OR/aOR.