**JBI Critical Appraisal Checklist for Cohort Studies (A) (n= 9 studies; 7 retrospective and 2 prospective cohorts)**

| | Chowdhary et al. (2020) | Ramadan et al. (2020) | Amarsy et al. (2020) | Perez et al. (2020) | Cataldo et al. (2020) | Nori et al. (2020) | Sharifipour et al. (2020) | Razazi et al. (2020) | Tiri et al. (2020) |
|---|---|---|---|---|---|---|---|---|---|
| 1. Were the two groups similar and recruited from the same population? | N/A | N/A | Yes | Yes | Unclear | Unclear | No | Yes | N/A |
| 2. Were the exposures measured similarly to assign people to both exposed and unexposed groups? | Yes | Yes | Yes | Yes | Unclear | Unclear | Yes | Yes | Yes |
| 3. Was the exposure measured in a valid and reliable way? | Yes | Yes | Yes | Yes | Unclear | Yes | Yes | Yes | Yes |
| 4. Were confounding factors identified? | Yes | Yes | Unclear | Yes | No | No | No | No | Yes |
| 5. Were strategies to deal with confounding factors stated? | N/A | Yes | Unclear | No | No | No | Yes | No | Yes |
| 6. Were the groups/participants free of the outcome at the start of the study (or at the moment of exposure)? | Yes | Yes | Yes | Yes | Unclear | Unclear | Yes | Yes | Yes |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 7. Were the outcomes measured in a valid and reliable way? | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 8. Was the follow up time reported and sufficient to be long enough for outcomes to occur? | Yes | Yes | Yes | Yes | Unclear | Yes | No | Yes | Yes |
| 9. Was follow up complete, and if not, were the reasons to loss to follow up described and explored? | Yes | Yes | N/A | N/A | No | Yes | No | No | Yes |
| 10. Were strategies to address incomplete follow up utilized? | N/A | N/A | N/A | N/A | No | N/A | No | N/A | N/A |
| 11. Was appropriate statistical analysis used? | Yes | Yes | Unclear | Unclear | Unclear | Unclear | Unclear | Yes | Yes |

**JBI Critical Appraisal Checklist for Cohort Studies (B) (n= 9 studies; 6 retrospective and 3 prospective cohorts)**

| | Moretti et al. (2021) | Posterero et al. (2021) | Grasselli et al. (2021) | Baskaran et al. (2021) | Gomez-Simmonds et al. (2021) | Karruli et al. (2021) | Khurana et al. (2021) | Kokkoris et al. (2021) | Martinez-Guerra et al. (2021) |
|---|---|---|---|---|---|---|---|---|---|
| 1. Were the two groups similar and recruited from the same population? | Yes | Yes | Yes | Yes | No | No | Yes | Yes | No |
| 2. Were the exposures measured similarly to assign people to both exposed and unexposed groups? | Yes | Yes | Yes | Yes | Unclear | Unclear | Yes | Yes | Yes |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 3. Was the exposure measured in a valid and reliable way? | Yes | Yes | Unclear | Unclear | Yes | Yes | Yes | Yes | Yes |
| 4. Were confounding factors identified? | Yes | Yes | Yes | Yes | No | No | No | No | No |
| 5. Were strategies to deal with confounding factors stated? | Yes | Yes | Yes | Yes | No | No | No | No | No |
| 6. Were the groups/participants free of the outcome at the start of the study (or at the moment of exposure)? | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 7. Were the outcomes measured in a valid and reliable way? | Yes | Yes | Unclear | Unclear | Yes | Yes | Yes | Yes | Yes |
| 8. Was the follow up time reported and sufficient to be long enough for outcomes to occur? | Yes | Yes | Yes | Yes | Unclear | Unclear | Unclear | Unclear | Yes |
| 9. Was follow up complete, and if not, were the reasons to loss to follow up described and explored? | N/A | N/A | Yes | N/A | No | No | Yes | No | No |
| 10. Were strategies to address incomplete follow up utilized? | N/A | N/A | N/A | N/A | No | No | No | No | No |
| 11. Was appropriate statistical analysis used? | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |

**JBI Critical Appraisal Checklist for Cohort Studies (C) (n= 3 studies; 2 retrospective and 1 prospective cohort)**

| | Suarez-de-la-Rica et al. (2021) | Llopis-Pastor et al. (2021) | Cultrera et al. (2021) |
|---|---|---|---|
| 1. Were the two groups similar and recruited from the same population? | Yes | N/A | Yes |
| 2. Were the exposures measured similarly to assign people to both exposed and unexposed groups? | Yes | N/A | Yes |
| 3. Was the exposure measured in a valid and reliable way? | Yes | Yes | Yes |
| 4. Were confounding factors identified? | No | Yes | Unclear |
| 5. Were strategies to deal with confounding factors stated? | No | Unclear | Unclear |
| 6. Were the groups/participants free of the outcome at the start of the study (or at the moment of exposure)? | Yes | Yes | Yes |
| 7. Were the outcomes measured in a valid and reliable way? | Yes | Yes | Yes |

| | | | |
|---|---|---|---|
| 8. Was the follow up time reported and sufficient to be long enough for outcomes to occur? | Unclear | Yes | Yes |
| 9. Was follow up complete, and if not, were the reasons to loss to follow up described and explored? | No | Yes | N/A |
| 10. Were strategies to address incomplete follow up utilized? | No | N/A | N/A |
| 11. Was appropriate statistical analysis used? | Yes | Yes | Yes |

**JBI Critical Appraisal Checklist for Case Control Studies (n= 3 studies; 3 retrospective case control)**

| | Bogossian et al. (2020) | Baiou et al. (2021) | Bentivegna et al. (2021) |
|---|---|---|---|
| 1. Were the groups comparable other than the presence of disease in cases or the absence of disease in controls? | Unclear | Yes | Yes |
| 2. Were cases and controls matched appropriately? | Yes | Yes | Unclear |
| 3. Was the same criteria used for identification of cases and controls? | Yes | Yes | Yes |
| 4. Was exposure measured in a standard, valid and reliable way? | Yes | Yes | Yes |
| 5. Was exposure measured in the same way for cases and controls? | Yes | Yes | Yes |
| 6. Were confounding factors identified? | Yes | Yes | Yes |
| 7. Were strategies to deal with confounding factors stated? | Yes | Yes | Yes |
| 8. Were outcomes assessed in a standard, valid and reliable way for cases and controls? | Yes | Yes | Yes |
| 9. Was the exposure period of interest long enough to be meaningful? | Yes | Yes | Yes |
| 10. Was appropriate statistical analysis used? | Yes | Yes | Yes |

**JBI Critical Appraisal Checklist for Quasi-Experimental Studies (n= 1 study; retrospective cohort)**

| | Guisado-Gil et al. (2020) |
|---|---|
| 1. Is it clear in the study what is the 'cause' and what is the 'effect' (i.e. there is no confusion about which variable comes first)? | Yes |
| 2. Were the participants included in any comparisons similar? | Yes |
| 3. Were the participants included in any comparisons receiving similar treatment/care, other than the exposure or intervention of interest? | Yes |
| 4. Was there a control group? | Yes |
| 5. Were there multiple measurements of the outcome both pre and post the intervention/exposure? | Yes |
| 6. Was follow up complete and if not, were differences between groups in terms of their follow up adequately described and analyzed? | Yes |
| 7. Were the outcomes of participants included in any comparisons measured in the same way? | Yes |
| 8. Were outcomes measured in a reliable way? | Yes |
| 9. Was appropriate statistical analysis used? | Yes |

**JBI Critical Appraisal Checklist for Case Series (n= 4 studies; retrospective observational studies)**

| | Mo et al. (2021) | Garcia-Meniño et al. (2020) | Montrucchio et al. (2020) | Mady et al. (2020) |
|---|---|---|---|---|
| 1. Were there clear criteria for inclusion in the case series? | Yes | No | Yes | Yes |
| 2. Was the condition measured in a standard, reliable way for all participants included in the case series? | Unclear | Yes | Yes | Yes |
| 3. Were valid methods used for identification of the condition for all participants included in the case series? | Yes | Yes | Yes | Yes |
| 4. Did the case series have consecutive inclusion of participants? | Yes | Yes | Yes | Yes |
| 5. Did the case series have complete inclusion of participants? | Yes | Yes | Yes | No |
| 6. Was there clear reporting of the demographics of the participants in the study? | Yes | Yes | Yes | Yes |
| 7. Was there clear reporting of clinical information of the participants? | Yes | Yes | Yes | Yes |
| 8. Were the outcomes or follow up results of cases clearly reported? | Yes | Yes | Yes | Yes |
| 9. Was there clear reporting of the presenting site(s)/clinic(s) demographic information? | Yes | Yes | Yes | Yes |
| 10. Was statistical analysis appropriate? | Yes | N/A | Yes | Yes |

**JBI Critical Appraisal Checklist for Case Reports (n= 3 studies)**

| | Posteraro et al. (2020) | Walpole et al. (2020) | Perrotta et al. (2021) |
|---|---|---|---|
| 1. Were patient's demographic characteristics clearly described? | Yes | Yes | Yes |
| 2. Was the patient's history clearly described and presented as a timeline? | Yes | N/A | No |
| 3. Was the current clinical condition of the patient on presentation clearly described? | Yes | Yes | Yes |
| 4. Were diagnostic tests or assessment methods and the results clearly described? | Yes | Yes | Yes |
| 5. Was the intervention(s) or treatment procedure(s) clearly described? | Yes | Yes | Yes |
| 6. Was the post-intervention clinical condition clearly described? | Yes | Yes | Yes |
| 7. Were adverse events (harms) or unanticipated events identified and described? | Yes | Yes | Unclear |
| 8. Does the case report provide takeaway lessons? | Yes | Yes | Yes |

**JBI Critical Appraisal Checklist for Cross Sectional Studies (n= 6 studies; 3 cross sectional studies and 3retrospective studies)**

| | Salehi et al. (2020) | Mahmoudi et al. (2020) | Li et al. (2020) | Contou et al. (2020) | Magnasco et al. (2021) | Pascale et al. (2021) |
|---|---|---|---|---|---|---|
| 1. Were the criteria for inclusion in the sample clearly defined? | Yes | Yes | Yes | Yes | Yes | Yes |
| 2. Were the study subjects and the setting described in detail? | Yes | No | Yes | Yes | Yes | Yes |
| 3. Was the exposure measured in a valid and reliable way? | Yes | Yes | Yes | Yes | Yes | Yes |
| 4. Were objective, standard criteria used for measurement of the condition? | Yes | Yes | Yes | Yes | Yes | Yes |
| 5. Were confounding factors identified? | Yes | Unclear | Yes | Yes | Yes | Unclear |
| 6. Were strategies to deal with confounding factors stated? | Yes | Unclear | Yes | Yes | Yes | Unclear |
| 7. Were the outcomes measured in a valid and reliable way? | Yes | Yes | Yes | Yes | Yes | Yes |
| 8. Was appropriate statistical analysis used? | Yes | Unclear | Yes | Unclear | Unclear | Yes |