Supplementary File 1:

Intrinsic risk factors for ankle sprain differ between male and female athletes: a systematic review and meta-analysis

Sports Medicine Open

Joel Mason[1], Christoph Kniewasser[1], Karsten Hollander[2] & Astrid Zech[1]

[1]Department of Human Movement Science and Exercise Physiology, Friedrich Schiller University Jena, Jena 07749, Germany

[2]Institute of Interdisciplinary Exercise Science and Sports Medicine, Medical School Hamburg, Hamburg, Germany

Corresponding author contact details:

Joel Mason, PhD

Seidelstraße 20, 07749 Jena, Germany

Joel.Mason@uni-jena.de



Supp Fig 1. Forest plot depicting the meta-analytical results for *age* as a risk factor for ankle sprain injury in males and females



Supp Fig 2. Forest plot depicting the meta-analytical results for *weight* as a risk factor for ankle sprain injury in males and females



Supp Fig 3. Forest plot depicting the meta-analytical results for *height* as a risk factor for ankle sprain injury in males and females



Supp Fig 4. Forest plot depicting the meta-analytical results for *body mass index* as a risk factor for ankle sprain injury in males and females



Supp Fig 5. Forest plot depicting the meta-analytical results for *previous ankle injury* as a risk factor for ankle sprain injury in males and females



Supp Fig 6. Forest plot depicting the meta-analytical results for *concentric plantarflexion strength* as a risk factor for ankle sprain injury in males and females



Supp Fig 7. Forest plot depicting the meta-analytical results for *concentric dorsiflexion strength* as a risk factor for ankle sprain injury in males and females



Supp Fig 8. Forest plot depicting the meta-analytical results for *concentric inversion strength* as a risk factor for ankle sprain injury in males and females



Supp Fig 9. Forest plot depicting the meta-analytical results for *concentric eversion strength* as a risk factor for ankle sprain injury in males and females



Supp Fig 10. Forest plot depicting the meta-analytical results for *eccentric inversion strength* as a risk factor for ankle sprain injury in males and females



Supp Fig 11. Forest plot depicting the meta-analytical results for *eccentric eversion strength* as a risk factor for ankle sprain injury in males and females



Supp Fig 12. Forest plot depicting the meta-analytical results for *isometric hip abduction strength* as a risk factor for ankle sprain injury in males.



Supp Fig 13. Forest plot depicting the meta-analytical results for *ankle anterior drawer test (joint laxity)* as a risk factor for ankle sprain injury in males and females



Supp Fig 14. Forest plot depicting the meta-analytical results for *anterior dynamic balance* as a risk factor for ankle sprain injury in males and females



Supp Fig 15. Forest plot depicting the meta-analytical results for *posterior dynamic balance* as a risk factor for ankle sprain injury in males and females



Supp Fig 16. Forest plot depicting the meta-analytical results for *posterior medial dynamic balance* as a risk factor for ankle sprain injury in males and females



Supp Fig 17. Forest plot depicting the meta-analytical results for *dorsiflexion range of movement* as a risk factor for ankle sprain injury in males and females



Supp Fig 18. Forest plot depicting the meta-analytical results for *plantarflexion range of movement* as a risk factor for ankle sprain injury in males and females



Supp Fig 19. Forest plot depicting the meta-analytical results for *inversion range of movement* as a risk factor for ankle sprain injury in males and females



Supp Fig 20. Forest plot depicting the meta-analytical results for *eversion range of movement* as a risk factor for ankle sprain injury in males and females



Supp Fig 21. Forest plot depicting the meta-analytical results for *hip internal rotation range of movement* as a risk factor for ankle sprain injury in males and females