Supplementary Table 7. Individual characteristics of included studies

Author	Study Design	Sampling	Number of sites	Timing of data collection	UNSD Region	Country	Period of inclusion of participants	%Male	Age (years)	Age range	Recrutment setting	Setting	Hospitalization	Type of hospital	Study participants clinical case definition	RABV suspected case definition	RABV probable case definition	RABV confirmed case definition	Sample types	Detection assay	Target detected	Infection Status	Order	Population characteristics	Species
Aghomo, 1990	Cross sectional	Probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Chiroptera	Bats	Other animals
Aghomo, 1990	Cross sectional	Probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Direct fluorescent antibody test	Antigen	Current contact	Chiroptera	Bats	Other animals
Ajayi, 2006	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	63.5	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Saliva	Direct Rapid Immunohistochemistry Test	Antigen	Current contact		Dogs unspecified	Dogs
Alabi, 2014	Cross sectional	Non probabilistic	Monocenter	Retrospectively	West Africa	Nigeria	2006- 2008	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Alexander, 1993	Cross sectional	Non probabilistic	Monocenter	Retroprospectively	Eastern Africa	Kenya	1989-1990	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact	Carnivora	Hyenas	Other animals
Alexander, 1993	Cross sectional	Non probabilistic	Monocenter	Retroprospectively	Eastern Africa	Kenya	1989-1990	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Cows	Other animals
Alexander, 1993	Cross sectional	Non probabilistic	Monocenter	Retroprospectively	Eastern Africa	Kenya	1989-1990	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Domestic dogs	Dogs
Alexander, 1993	Cross sectional	Non probabilistic	Monocenter	Retroprospectively	Eastern Africa	Kenya	1989-1990	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Wildebeest	Other animals
Alexander, 1993	Cross sectional	Non probabilistic	Monocenter	Retroprospectively	Eastern Africa	Kenya	1989-1990	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Wild dogs	Dogs
Alexander, 1993	Cross sectional	Non probabilistic	Monocenter	Retroprospectively	Eastern Africa	Kenya	1989-1990	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Domestic dogs	Dogs
Alexander, 1994	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Kenya	Apr/1987-Jan/ 1988	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact	Carnivora	Jackals	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Cats	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Cattle	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Perissodactyla	Donkeys	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Perissodactyla	Horse	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Hyenas	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Primates	Monkeys	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Shoats	Other animals
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected case domestic dogs	Dogs
Ali, 2010	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Ethiopia	2003-2009	76,4	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected case stray dogs	Dogs
Aworh, 2011	Cross sectional	Non probabilistic	Monocenter	Retrospectively	West Africa	Nigeria	2006-2010	56,7	Unclear/Not reported	Children	Urban/rural	Community-based	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Seller's staining test	Negri bodies	Current contact		RABV suspected case unspecified dogs	Dogs
Baba, 2004	Cross sectional	Probabilistic	Monocenter	Prospectively	West Africa	Nigeria	2004	81	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Complement fixation test	Antibodies	Past contact	Artiodactyla	Camels	Other animals
Badiali, 1966	Cross sectional	Non probabilistic	Monocenter	Prospectively	Northern Africa	Egypt	Oct/1963-Oct/1965	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Mouse inoculation test + Seller's staining test	Negri bodies	Current contact	Perissodactyla	Donkeys	Other animals
Badiali, 1966	Cross sectional	Non probabilistic	Monocenter	Prospectively	Northern Africa	Egypt	Oct/1963-Oct/1965	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Mouse inoculation test + Seller's staining test	Negri bodies	Current contact	Perissodactyla	Equine	Other animals
Badiali, 1966	Cross sectional	Non probabilistic	Monocenter	Prospectively	Northern Africa	Egypt	Oct/1963-Oct/1965	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Neutralization test	Antigen	Current contact	Perissodactyla	Equine	Other animals
Berentsen, 2013	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Zambia	2009-2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact	Carnivora	Panthera leo	Other animals
Berentsen, 2013	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Zambia	2009-2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact	Carnivora	Hyenas	Other animals
Berentsen, 2013	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Zambia	2009-2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Domestic dogs	Dogs
Cleaveland, 1999	Cross sectional	Probabilistic	Multicenter	Prospectively	Eastern Africa	Tanzania	Sep/1993-Dec/1993, Aug/1994-Dec/1994	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Domestic dogs	Dogs
Cleaveland, 1999	Cross sectional	Probabilistic	Multicenter	Prospectively	Eastern Africa	Tanzania	Sep/1993-Dec/1993, Aug/1994-Dec/1994	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Domestic dogs	Dogs
Cleveland, 2002	Cross sectional	Non probabilistic	Multicenter	Retroprospectively	Eastern Africa	Tanzania	1990-1996, 1993-1998, 1998-1999	Unclear/Not reported	Unclear/Not reported	Children	Rural	Community-based	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	An animal was classified as suspect if reported as such on submission of the sample. In the absence of this information a case was defined as suspect if the reported history included neurological signs and/or unprovoked aggression.	Unclear/Not reported	Unclear/Not reported	Serum	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected case unspecified dogs	Dogs
Coetzer, 2017	Cross sectional	Probabilistic	Multicenter	Retroprospectively	Eastern Africa	Mozambique	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct Rapid Immunohistochemistry Test	Antigen	Current contact	Artiodactyla	Bovines	Other animals
Coetzer, 2017	Cross sectional	Probabilistic	Multicenter	Retroprospectively	Eastern Africa	Mozambique	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Bovines	Other animals
Coetzer, 2019	Cross sectional	Probabilistic	Nationally representative	Prospectively	Eastern Africa	Zimbabwe	2010-2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct Rapid Immunohistochemistry Test	Antigen	Current contact	Artiodactyla	Bovines	Other animals
Coetzer, 2019	Cross sectional	Probabilistic	Nationally representative	Prospectively	Eastern Africa	Zimbabwe	2010-2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct Rapid Immunohistochemistry Test	Antigen	Current contact	Carnivora	Feline	Other animals
Coetzer, 2019	Cross sectional	Probabilistic	Nationally representative	Prospectively	Eastern Africa	Zimbabwe	2010-2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct Rapid Immunohistochemistry Test	Antigen	Current contact	Carnivora	Jackals	Other animals
Coetzer, 2019	Cross sectional	Probabilistic	Nationally representative	Prospectively	Eastern Africa	Zimbabwe	2010-2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct Rapid Immunohistochemistry Test	Antigen	Current contact		Dogs unspecified	Dogs
Creel, 1997	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Tanzania	Jun/1991-Oct/1996	16	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Wild dogs	Dogs
Daniel, 2014	Community outbreak	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Domestic dogs	Dogs
Daniel, 2014	Community outbreak	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Stray dogs	Dogs
Daniel, 2014	Community outbreak	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Wild dogs	Dogs
Dao, 2006	Cross sectional	Non probabilistic	Monocenter	Retrospectively	West Africa	Mali	Jan/2000-Dec/2003	Unclear/Not reported	Unclear/Not reported	All ages	Urban	Community-based	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected case unspecified dogs	Dogs
De Benedictis, 2010	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Burkina faso	2001-2007	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Multiple animals	Multiple animals	Other animals
Deressa, 2010	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Ethiopia	2001-2009	59,84	Unclear/Not reported	All ages	Urban/rural	Community-based	Not applicable (if not in the hospital)	Ethiopan health and nutrition research institute	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Deressa, 2010	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Ethiopia	2001-2009	59,84	Unclear/Not reported	All ages	Urban/rural	Community-based	Not applicable (if not in the hospital)	Ethiopan health and nutrition research institute	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Cats	Other animals
Deressa, 2010	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Ethiopia	2001-2009	59,84	Unclear/Not reported	All ages	Urban/rural	Community-based	Not applicable (if not in the hospital)	Ethiopan health and nutrition research institute	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Multiple animals	Multiple animals	Other animals
Dzikwi, 2010	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	May/2006-Oct/2006	47	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact	Chiroptera	Bats	Other animals
Dzikwi, 2010	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	May/2006-Oct/2006	47	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Mouse inoculation test + Direct fluorescent antibody test	Antigen	Current contact	Chiroptera	Bats	Other animals
Edward, 2014	Cross sectional	Non probabilistic	Monocenter	Retrospectively	West Africa	Ghana	2009-2012	55	Unclear/Not reported	All ages	Urban	Community-based	Not applicable (if not in the hospital)	Health Centers	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Ehimiyein, 2010	Cross sectional	Non probabilistic	Monocenter	Unclear/ Not reported	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct Rapid Immunohistochemistry Test	Antigen	Current contact		Stray dogs	Dogs
Ehimiyein, 2014	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Markets	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct Rapid Immunohistochemistry Test	Antigen	Current contact		Domestic dogs	Dogs
Ehizibolo, 2009	Cross sectional	Non probabilistic	Monocenter	Unclear/ Not reported	West Africa	Nigeria	Jan/2006-Dec/2006	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Seller's staining test	Negri bodies	Current contact		RABV suspected dogs cases	Dogs
Eze, 2018	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Oct/2015-Jul/2016	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	The criteria used in this study, to identify rabies-suspect dogs were based on history and typical clinical presentation [16–18].	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Stray dogs	Dogs
Eze, 2018	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Oct/2015-Jul/2016	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	The criteria used in this study, to identify rabies-suspect dogs were based on history and typical clinical presentation [16–18].	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Stray dogs	Dogs
Ezeokoli, 1987	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	1975-1980	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected case unspecified dogs	Dogs
Garba, 2008	Cross sectional	Non probabilistic	Multicenter	Unclear/ Not reported	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Stray dogs	Dogs
Grover, 2018	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Southern Africa	South Africa	Jan/2009-Mar/2014	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Grover, 2018	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Southern Africa	South Africa	Jan/2009-Mar/2014	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Multiple animals	Multiple animals	Other animals
Hambolu, 2014	Cross sectional	Probabilistic	Multicenter	Retrospectively	West Africa	Nigeria	Jan/2006-Dec/2011	80.8	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact		Domestic dogs	Dogs
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Cattles	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Kudu	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Goats	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Cats	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Eland	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Jackals	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Pigs	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Sheeps	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Perissodactyla	Donkeys	Other animals
Hikufe, 2019	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	2011–2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Direct fluorescent antibody test	Antigen	Current contact	Perissodactyla	Horse	Other animals
Isek, 2013	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Feb/2012-May/2012	55.4	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Stray dogs	Dogs
Kalemba, 2017	Cross sectional	Non probabilistic	Monocenter	Prospectively	Central Africa	Democratic Republic of the Congo	Jun/2011–Jul/2012	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Chiroptera	Bats	Other animals
Kayali, 2003	Cross sectional	Non probabilistic	Monocenter	Prospectively	Central Africa	Chad	Jan/2001–Mar/2002	Unclear/Not reported	Unclear/Not reported	All ages	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Kia, 2018	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	2010-2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Kitala, 2000	Cross sectional	Probabilistic	Multicenter	Prospectively	Eastern Africa	Kenya	1992-1993	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Kitala, 2000	Cross sectional	Probabilistic	Multicenter	Prospectively	Eastern Africa	Kenya	1992-1993	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Rodentia	Squirrel	Other animals
Laurenson, 1997	Cross sectional	Non probabilistic	Multicenter	Prospectively	Southern Africa	Namibia	1996	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Domestic dogs	Dogs
Lechenne, 2017	Cross sectional	Non probabilistic	Multicenter	Prospectively	Central Africa	Chad	Jun/2012-Dec/2014	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Direct fluorescent antibody test; Rapid Immunodiagnostic Test	Antigen	Current contact		Dogs unspecified	Dogs
Mebatsion, 1992	Cross sectional	Non probabilistic	Monocenter	Prospectively	Eastern Africa	Ethiopia	1989-1990	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Multiple animals	Multiple animals	Other animals

Mebatsion, 1992	Cross sectional	Non probabilistic	Monocenter	Prospectively	Eastern Africa	Ethiopia	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Rapid fluorescent focus inhibition test	Antibodies	Past contact	Carnivora	Jackals	Other animals
Mebatsion, 1992	Cross sectional	Non probabilistic	Monocenter	Prospectively	Eastern Africa	Ethiopia	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Indirect ELISA	Antibodies	Past contact	Carnivora	Jackals	Other animals
Millán, 2013	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Uganda	2011	Unclear/Not reported	Unclear/Not reported	All ages	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Domestic dogs	Dogs
Mshelbwala, 2013	Cross sectional	Probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	36	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Saliva	Rapid immune chromatographic test	Antigen	Current contact		Stray dogs	Dogs
Mtui-Malamsha, 2019	Community outbreak	Probabilistic	Multicenter	Prospectively	Eastern Africa	Tanzania	Apr/2018-Sep/2018	Unclear/Not reported	Unclear/Not reported	All ages	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Dogs unspecified	Dogs
Muhammad-Bashir, 2016	Cross sectional	Non probabilistic	Multicenter	Retrospectively	West Africa	Nigeria	2004 – 2009	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected case unspecified dogs	Dogs
Muhammad-Bashir, 2016	Cross sectional	Non probabilistic	Multicenter	Retrospectively	West Africa	Nigeria	2004 – 2009	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Cats	Other animals
Munang'andu, 2011	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Zambia	1985–2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Domestic dogs	Dogs
Munang'andu, 2011	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Zambia	1985–2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected humans cases	Humans
Munang'andu, 2011	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Zambia	1985–2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Cattles	Other animals
Munang'andu, 2011	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Zambia	1985–2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Cats	Other animals
Munang'andu, 2011	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Zambia	1985–2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Sheeps	Other animals
Munang'andu, 2011	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Zambia	1985–2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Goats	Other animals
Munang'andu, 2011	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Zambia	1985–2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Multiple animals	Multiple animals	Other animals
Nakouné, 2012	Hospital outbreak	Non probabilistic	Multicenter	Prospectively	Central Africa	Central African Republic	Aug/2006-Dec/2008	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Clinic	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Domestic dogs	Dogs
Nimzing, 2003	Cross sectional	Non probabilistic	Unclear/ Not reported	Unclear/ Not reported	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct ELISA	Antigen	Current contact		RABV suspected dogs cases	Dogs
Odeh, 2014	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Apr/2012-Sep/2012	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Oelofsen, 1993	Cross sectional	Non probabilistic	Monocenter	Prospectively	Southern Africa	South Africa	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact	Chiroptera	Bats	Other animals
Oelofsen, 1993	Cross sectional	Non probabilistic	Monocenter	Prospectively	Southern Africa	South Africa	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct ELISA	Antigen	Current contact	Chiroptera	Bats	Other animals
Ogunkoya, 1990	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	38	Unclear/Not reported	All ages	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Stray dogs	Dogs
Ogunkoya, 1990	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	38	Unclear/Not reported	All ages	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Domestic dogs	Dogs
Ogunkoya, 1990	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	38	Unclear/Not reported	All ages	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Rapid fluorescent focus inhibition test	Antibodies	Past contact		Apparently healthy subjects	Humans
Okoh, 1986	Cross sectional	Non probabilistic	Unclear/ Not reported	Prospectively	West Africa	Nigeria	Jan/1982-Dec/1983	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Seller’s staining test	Negri bodies	Current contact	Rodentia	Rats	Other animals
Okoh, 2018	Cross sectional	Non probabilistic	Monocenter	Unclear/ Not reported	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Olarinmoye, 2019	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Liberia	2016-2017	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Classical RT-PCR	RNA	Current contact		Dogs unspecified	Dogs
Olugas, 2011	Cross sectional	Probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Jun/2008-Dec/2008	55.79	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Dogs unspecified	Dogs
Olugas, 2011	Cross sectional	Probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Jun/2008-Dec/2008	55.79	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Stray dogs	Dogs
Olugasa, 2010	Cross sectional	Probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Sep/2008-Fev/2009	71.42	Unclear/Not reported	All ages	Urban	Hospital/community based	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Apparently healthy subjects	Humans
Oluwayelu, 2014	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	24	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Dogs unspecified	Dogs
Oluwayelu, 2015	Cross sectional	Non probabilistic	Multicenter	Unclear/ Not reported	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Dogs unspecified	Dogs
Oluwayelu, 2015	Cross sectional	Non probabilistic	Multicenter	Unclear/ Not reported	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Wild dogs	Dogs
Oluwayelu, 2015	Cross sectional	Non probabilistic	Multicenter	Unclear/ Not reported	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact		Stray dogs	Dogs
Pfukenyi, 2007	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Eastern Africa	Zimbabwe	Jan/1992-Dec/2003	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected humans cases	Humans
Punguyire, 2017	Cross sectional	Non probabilistic	Monocenter	Retrospectively	West Africa	Ghana	Jan/2011-Dec/2016	50.3	30	All ages	Urban/rural	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Rabies is clinically diagnosed when person who is suspected to have had a contact with a rabid animal develops one or more of the following: headache, neck pain, nausea, fever, fear of water, anxiety, agitation, abnormal tingling sensations or pain at the wound site.	bite was defined as suspected if the dog bit a human without any provocation, if the dog was wild or not vaccinated and if it died or escaped after the bite [13].	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Stray dogs	Dogs
Randall, 2004	Community outbreak	Non probabilistic	Monocenter	Prospectively	Eastern Africa	Ethiopia	2003-2004	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Classical RT-PCR	RNA	Current contact	Carnivora	Wolves	Other animals
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Domestic dogs	Dogs
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Skin biopsy, Brain, Cerebrospinal fluid	Direct fluorescent antibody test	Antigen	Current contact		RABV suspected humans cases	Humans
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Primates	Lemur	Other animals
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Cats	Other animals
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Cattle	Other animals
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Oral swabs	Classical RT-PCR	RNA	Current contact	Chiroptera	Bats	Other animals
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Classical RT-PCR	RNA	Current contact	Chiroptera	Bats	Other animals
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Oral swabs	Mouse inoculation test	Virus	Current contact	Chiroptera	Bats	Other animals
Reynes, 2011	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Madagascar	2005-2010	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Mouse inoculation test	Virus	Current contact	Chiroptera	Bats	Other animals
Sabeta, 2013	Cross sectional	Non probabilistic	Monocenter	Prospectively	Southern Africa	South Africa	Jan/2010-Dec/2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Sabeta, 2013	Cross sectional	Non probabilistic	Monocenter	Prospectively	Southern Africa	South Africa	Jan/2010-Dec/2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Bovines	Other animals
Sabeta, 2013	Cross sectional	Non probabilistic	Monocenter	Prospectively	Southern Africa	South Africa	Jan/2010-Dec/2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Cats	Other animals
Sabeta, 2013	Cross sectional	Non probabilistic	Monocenter	Prospectively	Southern Africa	South Africa	Jan/2010-Dec/2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Mongoses	Other animals
Sabeta, 2013	Cross sectional	Non probabilistic	Monocenter	Prospectively	Southern Africa	South Africa	Jan/2010-Dec/2011	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Chiroptera	Bats	Other animals
Sadeuh-Mba, 2014	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Central Africa	Cameroon	2010–2013	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Domestic dogs	Dogs
Sadeuh-Mba, 2017	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Central Africa	Cameroon	2010-2016	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Urban/rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Domestic dogs were suspected of rabies if they displayed at least two ofthe following signs and symptoms: unprovoked aggression, foaming at the mouth, paralysis, incoordination, hoarse bark, hydrophobia, weakness, seizures, or loss of appetite	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Domestic dogs	Dogs
Sillero-Zubiri, 1996	Cross sectional	Non probabilistic	Multicenter	Prospectively	Eastern Africa	Ethiopia	Oct/1991-Feb/1992	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact	Carnivora	Wolves	Other animals
Sofeu, 2018	Cohort (Baseline data)	Non probabilistic	Multicenter	Prospectively	Central Africa	Cameroon	Jan/2014-Jun/2016	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Individuals presenting at local health centers were suspected to have rabies if they had been in contact with suspected rabid animal and had at least one of the following signs: headache, cervical pain, nausea, hydrophobia, anxiety, agitation, abnormal tingling sensations or pain at a bite site.	Unclear/Not reported	Unclear/Not reported	Saliva, Skin biopsy	Classical RT-PCR	RNA	Current contact		RABV suspected humans cases	Humans
Swai, 2010	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Tanzania	1993-2002	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Multiple animals	Multiple animals	Other animals
Swai, 2010	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Tanzania	1993-2002	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Artiodactyla	Bovines	Other animals
Swai, 2010	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Eastern Africa	Tanzania	1993-2002	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact	Carnivora	Feline	Other animals
Tekki, 2016	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Nigeria	Mar/2009-Oct/2009	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Seller’s staining test	Negri bodies	Current contact		RABV suspected case unspecified dogs	Dogs
Tiembré, 2018	Cross sectional	Non probabilistic	Monocenter	Prospectively	West Africa	Ivory Coast	2014-2016	56	Unclear/Not reported	Unclear/Not reported	Urban/rural	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	identified by the following clinical signs and symptoms: headache, neck pain, nausea, fever, hydrophobia, anxiety, and agitation.	Probable cases included a reliable history of animal exposure compatible with rabies virus transmission, and could also include abnormal tingling or pain at the site of the bite	Unclear/Not reported	Saliva, Skin biopsy	Classical RT-PCR	RNA	Current contact		RABV suspected humans cases	Humans
Tricou, 2016	Cross sectional	Non probabilistic	Monocenter	Retrospectively	Central Africa	Central African Republic	Jan/2012-Dec/2012	67.3	Unclear/Not reported	Unclear/Not reported	Urban/rural	Unclear/Not reported	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Direct fluorescent antibody test	Antigen	Current contact		Dogs unspecified	Dogs
Twabela, 2016	Cross sectional	Non probabilistic	Multicenter	Retrospectively	Central Africa	Democratic Republic of the Congo	2009-2013	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	A clinical case as an animal that showed pathognomonic signs of rabies such as behavioural change, agitation/aggressiveness, hydrophobia, paralysis and died [16] or killed during the observation period without laboratory confirmation	Unclear/Not reported	Unclear/Not reported	A confirmed case as an animal that was diagnosed positive at the laboratory using the Direct Fluorescent Antibody Test (DFAT) for rabies	Brain	Direct fluorescent antibody test	Antigen	Current contact	Multiple animals	Multiple animals	Other animals
Tyem, 2017	Cross sectional	Non probabilistic	Multicenter	Prospectively	West Africa	Nigeria	2014	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Rural	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Indirect ELISA	Antibodies	Past contact	Chiroptera	Bats	Other animals
Umoh, 1985	Cross sectional	Non probabilistic	Multicenter	Retrospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Brain	Seller’s staining test	Negri bodies	Current contact	Multiple animals	Multiple animals	Other animals
Wosu, 1990	Cross sectional	Probabilistic	Multicenter	Prospectively	West Africa	Nigeria	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	All ages	Unclear/Not reported	Community-based	Not applicable (if not in the hospital)	Not applicable (if not in the hospital)	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Unclear/Not reported	Serum	Haemagglutination-inhibition technique	Antibodies	Past contact		Domestic dogs	Dogs

Reference

1. Odeh, L.E., et al., *Assessment of risk of possible exposure to rabies among processors and consumers of dog meat in Zaria and Kafanchan, Kaduna state, Nigeria.* Global journal of health science %@ 1916-9736, 2014. **6**(1): p. 142-153.
2. Mtui-Malamsha, N., et al., *Ecological and epidemiological findings associated with zoonotic rabies outbreaks and control in Moshi, Tanzania, 2017–2018.* International Journal of Environmental Research and Public Health %@ 1660-4601 1661-7827, 2019. **16**(16).
3. Hikufe, E.H., et al., *Ecology and epidemiology of rabies in humans, domestic animals and wildlife in Namibia, 2011-2017.* PLoS Neglected Tropical Diseases %@ 1935-2735 1935-2727, 2019. **13**(4).
4. Coetzer, A., et al., *Epidemiological aspects of the persistent transmission of rabies during an outbreak (2010 - 2017) in Harare, Zimbabwe.* PloS one %@ 1932-6203, 2019. **14**(1): p. e0210018-e0210018.
5. Ezeokoli, C.D., et al., *Epidemiology of rabies in northern Nigeria.* Transactions of the Royal Society of Tropical Medicine and Hygiene %@ 0035-9203, 1987. **81**(2): p. 268-272.
6. Dzikwi, A.A., et al., *Evidence of Lagos bat virus circulation among Nigerian fruit bats.* Journal of wildlife diseases %@ 1943-3700, 2010. **46**(1): p. 267-271.
7. Kalemba, L.s.N., et al., *Exposure to Lyssaviruses in Bats of the Democratic Republic of the Congo.* Journal of wildlife diseases %@ 1943-3700, 2017. **53**(2): p. 408-410.
8. Okoh, G.s.R., et al., *Heat induced epitope retrieval for rabies virus detection by direct fluorescent antibody test in formalin-fixed dog brain tissues.* Open veterinary journal %@ 2226-4485 2218-6050, 2018. **8**(3): p. 313-317.
9. Tiembré, I., et al., *Human rabies in Côte d'Ivoire 2014-2016: Results following reinforcements to rabies surveillance.* PLoS neglected tropical diseases %@ 1935-2735 1935-2727, 2018. **12**(9): p. e0006649-e0006649.
10. Umoh, J.U., C.D. Ezeokoli, and A.E.U.h.p.n.n.n.g.h.w.n.n.n.g.p.a.P.M.C. Okoh, *Immunofluorescent staining of trypsinized formalin-fixed brain smears for rabies antigen: results compared with those obtained by standard methods for 221 suspect animal cases in Nigeria.* The Journal of hygiene %@ 0022-1724, 1985. **94**(1): p. 129-134.
11. Lechenne, M., et al., *The Importance of a Participatory and Integrated One Health Approach for Rabies Control: The Case of N'Djaména, Chad.* Tropical medicine and infectious disease %@ 2414-6366, 2017. **2**(3): p. 43.
12. Sofeu, C.L., et al., *Improving systematic rabies surveillance in Cameroon: A pilot initiative and results for 2014-2016.* PLoS Neglected Tropical Diseases %@ 1935-2735 1935-2727, 2018. **12**(9).
13. Okoh, A.E.U.h.w.e.c.s.r.s.v., from=export, and id=L, *Investigation of possible rabies reservoirs in rodents in Nigeria.* International journal of zoonoses %@ 0377-0168, 1986. **13**(1): p. 1-5.
14. Mebatsion, T., et al., *Isolation and characterization of 115 street rabies virus isolates from Ethiopia by using monoclonal antibodies: Identification of 2 isolates as Mokola and Lagos bat viruses.* Journal of Infectious Diseases %@ 0022-1899, 1992. **166**(5): p. 972-977.
15. Oluwayelu, D.O., et al., *Lack of protection against rabies in neighbourhood dogs in some peri-urban and rural areas of Ogun and Oyo states, Nigeria.* African journal of medicine and medical sciences %@ 0309-3913, 2014. **43**: p. 157-162.
16. Sadeuh-Mba, S.A., et al., *Molecular characterization and phylogenetic relatedness of dog-derived Rabies Viruses circulating in Cameroon between 2010 and 2016.* PLoS Neglected Tropical Diseases %@ 1935-2735 1935-2727, 2017. **11**(10).
17. Badiali, L., et al., *A preliminary report on rabies in suspected equine encephalomyelitis cases in the United Arab Republic.* Bulletin of the World Health Organization %@ 0042-9686, 1966. **34**(5): p. 797-798.

18. Olugas, B.O., et al., *Prevalence of antibody against rabies among confined, free-roaming and stray dogs in a transit city of Nigeria.* Veterinaria Italiana %@ 0505-401X 1828-1427, 2011. **47**(4): p. 453-460.
19. Alabi, O., et al., *Profile of dog bite victims in Jos Plateau State, Nigeria: a review of dog bite records (2006-2008).* The Pan African medical journal %@ 1937-8688, 2014. **18**: p. 12.
20. Randall, D.A., et al., *Rabies in endangered Ethiopian wolves.* Emerging Infectious Diseases %@ 1080-6040, 2004. **10**(12): p. 2214-2217.
21. Berentsen, A.R., et al., *Rabies, canine distemper, and canine parvovirus exposure in large carnivore communities from two zambian ecosystems.* Vector-Borne and Zoonotic Diseases %@ 1557-7759 1530-3667, 2013. **13**(9): p. 643-649.
22. Olugasa, B.O., et al., *Antibody levels against rabies among occupationally exposed individuals in a Nigerian University.* Veterinaria italiana %@ 1828-1427, 2010. **46**(1): p. 21-28.
23. Kitala, P.M., et al., *Community-based active surveillance for rabies in Machakos District, Kenya.* Preventive Veterinary Medicine %@ 0167-5877, 2000. **44**(1): p. 73-85.
24. Eze, U.U., et al., *Detection of lyssavirus antigen and antibody levels among apparently healthy and suspected rabid dogs in South-Eastern Nigeria.* BMC research notes %@ 1756-0500, 2018. **11**(1): p. 920.
25. Mebatsion, T., et al., *Detection of rabies antibody by ELISA and RFFIT in unvaccinated dogs and in the endangered Simien jackal (Canis simensis) of Ethiopia.* Zentralblatt für Veterinärmedizin. Reihe B. Journal of veterinary medicine. Series B %@ 0514-7166, 1992. **39**(3): p. 233-235.
26. Mshelbwala, P.P., A.B. Ogunkoya, and B.V.U.h.p.n.n.g.h.w.n.n.g.p.a.P.M.C. Maikai, *Detection of rabies antigen in the saliva and brains of apparently healthy dogs slaughtered for human consumption and its public health implications in abia state, Nigeria.* ISRN veterinary science %@ 2090-4452 2090-4460, 2013. **2013**: p. 468043-468043.
27. Aghomo, H.O., et al., *Detection of rabies virus antibodies in fruit bats (Eidolon helvum) from Nigeria.* Journal of wildlife diseases %@ 0090-3558, 1990. **26**(2): p. 258-261.
28. Ehimiyein, A.M., et al., *Efficacy of a direct rapid immunohistochemical test (DRIT) for rabies detection in Nigeria.* African Journal of Biomedical Research %@ 1119-5096, 2014. **17**(2): p. 101-107.
29. Sabeta, C.T., et al., *Emergence of rabies in the gauteng province, South Africa: 2010-2011.* Journal of the South African Veterinary Association %@ 2224-9435 1019-9128, 2013. **84**(1).
30. Dao, S., et al., *Epidemiological aspects of human and animal rabies in the urban area of Bamako, Mali.* Bulletin de la Societe de Pathologie Exotique %@ 0037-9085, 2006. **99**(3): p. 183-186.
31. Coetzer, A., et al., *Epidemiology of Rabies in Lesotho: The Importance of Routine Surveillance and Virus Characterization.* Tropical medicine and infectious disease %@ 2414-6366, 2017. **2**(3): p. 30.
32. Cleaveland, S., et al., *Estimating human rabies mortality in the United Republic of Tanzania from dog bite injuries.* Bulletin of the World Health Organization %@ 0042-9686, 2002. **80**(4): p. 304-310.
33. Kayali, U., et al., *Incidence of canine rabies in N'Djaména, Chad.* Preventive Veterinary Medicine %@ 0167-5877, 2003. **61**(3): p. 227-233.
34. Sadeuh-Mba, S.A., et al., *Laboratory data of dog rabies in southern Cameroon from 2010 to 2013.* BMC research notes %@ 1756-0500, 2014. **7**: p. 905.
35. Reynes, J.-M., et al., *Laboratory surveillance of rabies in humans, domestic animals, and bats in madagascar from 2005 to 2010.* Advances in preventive medicine %@ 2090-3499 2090-3480, 2011. **2011**: p. 727821-727821.
36. Punguyire, D.T., et al., *Level and pattern of human rabies and dog bites in techiman municipality in the middle belt of Ghana: A six year retrospective records review.* Pan African Medical Journal %@ 1937-8688, 2017. **28**.

37. Olarinmoye, A.O., et al., *Molecular detection of rabies virus strain with n-gene that clustered with china lineage 2 co-circulating with africa lineages in monrovia, liberia: First reported case in africa.* Epidemiology and Infection %@ 1469-4409 0950-2688, 2019. **147**.
38. Nakouné, E., et al., *New introduction and spread of rabies among dog population in Bangui.* Acta Tropica %@ 0001-706X 1873-6254, 2012. **123**(2): p. 107-110.
39. Twabela, A.T., et al., *Overview of animal rabies in Kinshasa province in the democratic republic of Congo.* PLoS ONE %@ 1932-6203, 2016. **11**(4).
40. De Benedictis, P., et al., *Phylogenetic analysis of rabies viruses from Burkina Faso, 2007.* Zoonoses and Public Health %@ 1863-1959 1863-2378, 2010. **57**(7): p. e42-e46.
41. Oelofsen, M.J., et al., *Rabies and bats in a rabies-endemic area of southern Africa: application of two commercial test kits for antigen and antibody detection.* The Onderstepoort journal of veterinary research %@ 0030-2465, 1993. **60**(3): p. 257-260.
42. Hambolu, S.E., et al., *Rabies and dog bites cases in lagos state Nigeria: a prevalence and retrospective studies (2006-2011).* Global journal of health science %@ 1916-9736, 2014. **6**(1): p. 107-114.
43. Sillero-Zubiri, C., et al., *Rabies and mortality in Ethiopian wolves (Canis simensis).* Journal of wildlife diseases %@ 0090-3558, 1996. **32**(1): p. 80-86.
44. Ehimiyein, A., et al., *Rabies cases in dog markets in Kaduna state, northern Nigeria.* International Journal of Infectious Diseases %@ 1201-9712, 2010. **14**: p. e476.
45. Ajayi, B.B., et al., *Rabies in apparently healthy dogs: histological and immunohistochemical studies.* The Nigerian postgraduate medical journal %@ 1117-1936, 2006. **13**(2): p. 128-134.
46. Alexander, K.A., et al., *Rabies in the Masai Mara, Kenya: preliminary report.* The Onderstepoort journal of veterinary research %@ 0030-2465, 1993. **60**(4): p. 411-414.
47. Cleaveland, S., et al., *A rabies serosurvey of domestic dogs in rural Tanzania: Results of a rapid fluorescent focus inhibition test (RFFIT) and a liquid-phase blocking ELISA used in parallel.* Epidemiology and Infection %@ 0950-2688, 1999. **123**(1): p. 157-164.
48. Munang'andu, H.M., et al., *Rabies status in Zambia for the period 1985-2004.* Zoonoses and Public Health %@ 1863-1959 1863-2378, 2011. **58**(1): p. 21-27.
49. Edward, F.D., et al., *A retrospective study of rabies cases at Techiman Municipal, Ghana, 2009-2012.* International Journal of Infectious Diseases %@ 1201-9712, 2014. **21**: p. 179.
50. Pfukenyi, D.M., et al., *A retrospective study of rabies in humans in Zimbabwe, between 1992 and 2003.* Acta Tropica %@ 0001-706X, 2007. **102**(3): p. 190-196.
51. Wosu, L.O., et al., *Seroepidemiological survey of rabies virus antibodies in non vaccinated dogs in Nsukka environs, Nigeria.* Zentralblatt für Veterinärmedizin. Reihe B. Journal of veterinary medicine. Series B %@ 0514-7166, 1990. **37**(1): p. 47-52.
52. Laurenson, K., et al., *Seroepidemiological survey of sympatric domestic and wild dogs (Lycaon pictus) in Tsumkwe District, north-eastern Namibia.* The Onderstepoort journal of veterinary research %@ 0030-2465, 1997. **64**(4): p. 313-316.
53. Alexander, K.A., et al., *Serologic survey of selected canine pathogens among free-ranging jackals in Kenya.* Journal of wildlife diseases %@ 0090-3558, 1994. **30**(4): p. 486-491.
54. Ogunkoya, A.B., et al., *Serological evidence of infection of dogs and man in Nigeria by lyssaviruses (family Rhabdoviridae).* Transactions of the Royal Society of Tropical Medicine and Hygiene %@ 0035-9203, 1990. **84**(6): p. 842-845.
55. Tyem, D.A., et al., *Sero-Surveillance of Lyssavirus Specific Antibodies in Nigerian Fruit Bats (Eidolon helvum).* Tropical medicine and infectious disease %@ 2414-6366, 2017. **2**(3): p. 26.
56. Creel, S., et al., *Serosurvey for selected viral diseases and demography of African wild dogs in Tanzania.* Journal of wildlife diseases %@ 0090-3558, 1997. **33**(4): p. 823-832.
57. Millán, J., et al., *Serosurvey of dogs for human, livestock, and wildlife pathogens, Uganda.* Emerging Infectious Diseases %@ 1080-6040 1080-6059, 2013. **19**(4): p. 680-682.
58. Grover, M., et al., *Spatiotemporal epidemiology of rabies at an interface between domestic dogs and wildlife in South Africa.* Scientific reports %@ 2045-2322, 2018. **8**(1): p. 10864.

59. Tricou, V., et al., *Surveillance of Canine Rabies in the Central African Republic: Impact on Human Health and Molecular Epidemiology.* PLoS Neglected Tropical Diseases %@ 1935-2735 1935-2727, 2016. **10**(2).
60. Oluwayelu, D.O., et al., *A survey of rabies virus antibodies in confined, hunting and roaming dogs in Ogun and Oyo States, Southwestern Nigeria.* Asian Pacific Journal of Tropical Disease %@ 2222-1808, 2015. **5**(1): p. 17-21.
61. Aworh, M.K., et al., *A Retrospective Study of Rabies Cases Reported at Vom Christian Hospital, Plateau State, Nigeria, 2006 – 2010.* Nigerian Veterinary Journal, 2011. **32**(4).
62. Baba, S.S., et al., *Serological Evidence Of Rabies Virus Infection Of Slaughter Camels (Camelus Dromedarus) Imported To Nigeria.* Tropical Veterinarian, 2005. **23**(3): p. 78-82.
63. Daniel, O.O., I.A. Adebowale, and G.O. Obokparo, *Survey of rabies virus antibodies in confined, hunting and roaming dogs in Ogun and Oyo states, Nigeria.* Bulletin of Animal Health and Production in Africa, 2014. **62**(1): p. 37-44.
64. Deressa, A., et al., *The status of rabies in Ethiopia: A retrospective record review.* Ethiopian Journal of Health Development, 2010. **24**(2).
65. Ehizibolo, D.O., et al., *Comparison of the Fluorescent Antibody Test and Direct Microscopic Examination for Rabies Diagnosis at the National Veterinary Research Institute, Vom, Nigeria.* African Journal of Biomedical Research, 2009. **12**(1): p. 73-76.
66. Garba, A., et al., *A comparative rabies laboratory diagnosis: Peculiar features of samples from apparently healthy dogs in Nigeria.* Sokoto Journal of Veterinary Sciences, 2008. **7**(1).
67. Isek, T.I., J.U. Umoh, and A.A. Dzikwi, *Detection of Rabies Antigen in the Brain Tissues of Apparetly Healthy Dogs Slaughteres in Ogoja - Cross River State, Nigeria.* Nigerian Veterinary Journal, 2013. **34**(2).
68. Kia, G.S.N., et al., *Molecular characterization of a rabies virus isolated from trade dogs in Plateau State, Nigeria.* Sokoto Journal of Veterinary Sciences, 2018. **16**(2): p. 54-62.
69. Muhammad-Bashir, B., et al., *Prevalence and demographic distribution of canine rabies in Plateau State, Nigeria, 2004 – 2009.* Bulletin of Animal Health and Production in Africa, 2016. **64**(1): p. 129-138.
70. Nimzing, L. and Z. Nanbol, *Detection of Rabies antigen in brains of suspected Rabid dogs using Sellers staining technique and Enzyme Immunoassay.* Highland Medical Research Journal, 2003. **1**(4): p. 48-51.
71. Swai, E.S., et al., *Spatial and temporal distribution of rabies in northern Tanzania in the period of 1993-2002.* Tanzania Journal of Health Research, 2010. **12**(1): p. 80-85.
72. Tekki, I.S., et al., *Comparative assessment of seller's staining test (SST) and direct fluorescent antibody test for rapid and accurate laboratory diagnosis of rabies.* African Health Sciences, 2016. **16**(1): p. 123-127.
73. Ali, A., et al., *Overview of Rabies in and around Addis Ababa, in Animals Examined in EHNRI Zoonoses Laboratory Between, 2003 and 2009.* Ethiopian Veterinary Journal, 2010. **14**(2): p. 91-101.