Table S1: Characteristics of the included studies.

| Author | Location | Study design | Survey time (2020) | Participants | Sample size | Age (year) | Male | Diagnosis | Viral shedding (d) | Symptoms developed time (d) |
|---|---|---|---|---|---|---|---|---|---|---|
| Hu, ZL et al | Nanjing | Retrospective | Jan 28-Feb 9 | A | 24 | 32.5 | 8 | NAT | 9.5 | 8.0 (6.0-9.0) |
| An, P et al | Xiangyang | Prospective | NA | A | 25 | 42.2 | 17 | NAT | NA | NA |
| Cai, JH et al | Shanghai | Prospective | Jan 19-Apr 30 | B | 21 | 11.8±4.3 | 13 | NAT | 14.1±6.4 | / |
| Chen, T et al | Chongqing | Retrospective | Jan-Feb | A | 33 | 43.2±14.3 | 14 | NAT | NA | 3.0 (2.5-7.0) |
| Kong, WF et al | Sichuan | Prospective | Jan 25-Mar 18 | A | 100 | 37.7±19.0 | 55 | NAT | NA | 7.0 (1.0-13.0) |
| Lei, Q et al | Wuhan | Retrospective | Feb 17-Apr 28 | B | 63 | NA | 52 | NAT | NA | / |
| Li, YY et al | Tuanfeng | Retrospective | Feb-Mar | B | 38 | 34 | 16 | NAT | NA | / |
| Li, YL et al | Wuhan | Retrospective | Feb 22-Mar 8 | B | 74 | NA | 35 | NAT | NA | / |
| Liu, ZR et al | Anhui | Prospective | NA | A | 147 | NA | 76 | NAT | NA | 2.0 (1.0-5.0) |
| Long, QX et al | Wanzhou | Retrospective | NA | B | 37 | 41 | 15 | NAT | 19.0 | / |
| Ma, Y et al | Jinan | Retrospective | Jan 23-Mar 10 | B | 11 | 23 | 6 | NAT | 10.0 | / |
| Mei, X et al | Shanghai | Retrospective | Jan 20-Mar 31 | A | 39 | 26 | 15 | NAT | NA | NA |
| Meng, H et al | Wuhan | Retrospective | Jan 1-Feb 23 | A | 58 | 42.6±16.6 | 26 | NAT | NA | 3.7±2.9 |
| Pan, YF et al | Zhengzhou | Retrospective | NA | B | 26 | 29.5 | 16 | NAT | NA | / |
| Tan, F et al | Wuhan | Retrospective | Mar 20-Apr 5 | B | 12 | 37.9 | 9 | NAT | 11.5 | / |
| Tao, PY et al | Hunan | Retrospective | Jan 28-Feb 18 | A | 70 | 33.2±20.4 | 36 | NAT | 13.2±6.8 | NA |
| Wang, YB et al | Chongqing | Retrospective | Jan-Mar | B | 63 | 39.3±16.5 | 34 | NAT | NA | / |
| Wu, J et al | Fengjie | Retrospective | NA | B | 15 | 5.0-76.0 | 5 | NAT | NA | / |
| Xu, TM et al | Jiangsu | Retrospective | Jan 18-Feb 26 | B | 15 | 27 | 10 | NAT | NA | / |
| Yan, S et al | Beijing | Retrospective | Jan 24-Mar 29 | B | 11 | 29.3±13.0 | 7 | NAT | NA | / |
| Yang, RR et al | Wuhan | Retrospective | Dec 20, 2019-Mar 8, 2020 | B | 48 | NA | NA | NAT | NA | / |

Continued Table S1.

| Author | Location | Study design | Survey time (2020) | Participants | Sample size | Age (year) | Male | Diagnosis | Viral shedding (d) | Symptoms developed time (d) |
|---|---|---|---|---|---|---|---|---|---|---|
| Yu, C et al | Wuhan | Retrospective | Jan 17-Mar 30 | A | 79 | 60 | 32 | NAT or antibody | NA | 8.0 (4.4-11.6) |
| Zhou, FL et al | Wuhan | Retrospective | Mar 16-Apr 16 | B | 28 | NA | NA | NAT or antibody | NA | / |
| Zhou, J et al | NA | Retrospective | Jan 20-Feb 30 | A | 26 | 37.0 | 10 | NAT | NA | NA |
| Zhou, X et al | Shanghai | Retrospective | NA | A | 13 | 51.8 | 6 | NAT | NA | NA |
| Huang, XM et al | Sichuan | Retrospective | Jan 29-Jun 30 | A | 198 | NA | NA | NAT | NA | NA |
| Lv, XF et al | Wuhan | Retrospective | NA | B | 16 | 36.0±9.0 | 8 | NAT | NA | / |
| Sun, BH et al | Liaoning | Retrospective | Until Mar 10 | A | 32 | NA | 12 | NAT | NA | 2.0 (1.0-11.0) |
| Wang, YF et al | Wuhan | Retrospective | Jan 1-Feb 14 | B | 159 | 45.5 | 66 | NAT | NA | / |
| Xie, SL et al | Guangdong | Retrospective | Jan 14-Mar 31 | A | 325 | 35.2±19.6 | 164 | NAT | NA | NA |
| Xiong, Y et al | Chongqing | Retrospective | Jan 21-Jul 31 | A | 242 | NA | NA | NAT | NA | 1.2 (0.04-11.8) |
| Chen, J et al | Shenzhen | Retrospective | Jan20-Mar4 | A | 20 | 8.0±5.0 | 7 | NAT | NA | NA |
| Zeng, HH et al | Hunan | Retrospective | until March 30 | B | 37 | 39 | 13 | NAT | 13 | / |
| Xiao, TY et al | Shenzhen | Retrospective | Jan 11-Apr 1 | A | 56 | 39 | 23 | NAT | C:16.6±7.5; B: 12.1±5.8 | NA |
| Shu, HM et al | Anhui | Retrospective | NA | B | 11 | 53 | 5 | NAT | NA | / |
| Luo, QQ et al | Wuhan | Retrospective | Jan 30-Apr 15 | B | 16 | 29.1±3.7 | 0 | NAT | NA | / |

Continued Table S1.

| Author | Location | Study design | Survey time (2020) | Participants | Sample size | Age (year) | Male | Diagnosis | Viral shedding (d) | Symptoms developed time (d) |
|---|---|---|---|---|---|---|---|---|---|---|
| Chen, Y et al | Ningbo and Zhoushan | Prospective | Jan 21-Mar 6 | A | 45 | 46 | 22 | NAT | C:48.00 (23.8−51.3); B: 24.00 (21.0−30.8) | 2.8 (1.0–5.2) |
| Ni, Z et al | Shanxi | Retrospective | Until Mar 26 | A | 28 | 1-82 | 10 | NAT | NA | NA |
| Zhao BN et al | Chengdu | Retrospective | Mar 10-Apr 26 | A | 12 | 18-62 | 5 | NAT | NA | NA |
| Zhang YN et al | Sichuan | Retrospective | Jan 28-Mar 31 | A | 160 | NA | 84 | NAT | NA | 2 (1-22) |
| Zhang H et al | Xi'an | Retrospective | Until May 10 | B | 25 | 46 | NA | NAT | 14 (13-19) | / |
| Sun L et al | Hubei | Prospective | Mar 27-Apr 26 | B | 56 | 53.7±17.6 | 28 | NAT | NA | / |
| Su WH et al | Wuhan | Retrospective | Jan 11-Feb 6 | B | 21 | 35 | 6 | NAT | NA | / |
| Lu YQ et al | Chongqing | Retrospective | Jan-Jun | B | 41 | NA | NA | NAT | NA | / |
| Li SZ et al | Hubei | Retrospective | Jan-Mar | A | 79 | NA | 32 | NAT | NA | NA |

A: Initial no-symptoms COVID-19 patients; B: Patients with asymptomatic infection; C: Patients with pre-symptomatic infection; NAT: Nucleic acid test; NA: Not available; /: Not applicable.