Online supplementary file 3: The Endpoint Definitions of the Included Studies

Study	Endpoint	Definition
SEMPER FI[25]	Reinfarction	NA.
	Repeat revascularization	NA.
	Stroke-TIA	NA.
	Bleeding	Major bleeding events according to the Global Use of Strategies to Open Coronary Arteries (GUSTO) trial.
	Arrhythmias	NA.
	Vascular complications	NA.
Zhou et al[29]	Reinfarction	NA.
	Repeat revascularization	NA.
	Stroke-TIA	NA.
	Bleeding	NA.
	Arrhythmias	Malignant arrhythmia (not detailed).
	Vascular complications	NA.
IABP-SHOCK II[8,9]	Reinfarction	Reinfarction (not detailed).
	Repeat revascularization	NA.
	Stroke-TIA	Stroke identified by the presence of new neurologic symptoms in conjunction with signs of ischemia or bleeding on computed tomography.
	Bleeding	Severe or life-threatening bleeding and moderate bleeding as assessed according to the Global Use of Strategies to Open Occluded Coronary Arteries (GUSTO) criteria1.
	Arrhythmias	NA.
	Vascular complications	Peripheral ischemic vascular complications requiring surgical or interventional therapy.
CRISP AMI[28]	Reinfarction	Reinfarction (not detailed).
	Repeat revascularization	NA.
	Stroke-TIA	Stroke (not detailed).
	Bleeding	Major bleeding events defined by theGlobal Use of Strategies To Open Coronary Arteries (GUSTO) trial and transfusions.
	Arrhythmias	NA.
	Vascular complications	Major vascular complications defined to include limb ischemia requiring intervention, distal embolization, major dissection, pseudoaneurysm or arteriovenousfistula, hematoma larger than 5 cm, and amputations.
Gu et al[30]	Reinfarction	Reinfarction (not detailed).
	Repeat revascularization	Repeat revascularization (not detailed).
	Stroke-TIA	NA.
	Bleeding	Bleeding (not detailed).
	Arrhythmias	NA.
	Vascular complications	Vascular complications (not detailed).
Prondzinsky et al[31]	Reinfarction	NA.
	Repeat revascularization	NA.
	Stroke-TIA	NA.
	Bleeding	Bleeding (not detailed).
	Arrhythmias	Arrhythmia (not detailed).
	Vascular complications	NA.

Arias et al[33]	Reinfarction	NA.
	Repeat revascularization	NA.
	Stroke-TIA	NA.
	Bleeding	NA.
	Arrhythmias	NA.
	Vascular complications	NA.
Vijayalakshmi et al[34]	Reinfarction	Reinfarction was defined as chest pain associated with ST-segment re-elevation and an increase in cardiac enzymes (3 times creatine kinase release).
	Repeat revascularization	Repeat revascularization (not detailed).
	Stroke-TIA	NA.
	Bleeding	Bleeding (not detailed).
	Arrhythmias	Arrhythmias including ventricular tachycardia, ventricular fibrillation or atrial fibrillation.
	Vascular complications	Vascular complications (not detailed).
IMPRESS[26]	Reinfarction	Reinfarction Defined by 3rd definition MI. Detection of a rise and/or fall of cardiac biomarker values [preferably cardiac troponin (cTn)] with at least one value above the 99th percentile upper reference limit (URL) and with at least one of the following: 1. Symptoms of ischemia. 2. New or presumed new significant ST-segment–T wave (ST–T) changes or new left bundle branch block (LBBB). 3. Development of pathological Q waves in the ECG. 4. Imaging evidence of new loss of viable myocardium or new regional wall motion abnormality. 5. Identification of an intracoronary thrombus by angiography or autopsy.
	Repeat revascularization	Repeat PCI or CABG.
	Stroke-TIA	Any stroke confirmed by a neurologist and a concurring CT scan.
	Bleeding	1.Bleeding with associated serum hemoglobin level decrease of at least 5 g/dL (=3.1 mmol/L). The decrease in hemoglobin will be calculated as the last recorded Hb measurement preceding the onset of the bleeding, subtracted by the nadir Hb measurement (associated with the bleeding). 2. Bleeding necessitating a minimum of 2 packed cells of blood product transfusion (only blood transfusions that are explicitly related to the bleeding are taken into account). 3. The need for surgery to control the bleeding.
	Arrhythmias	Placement of implantable cardioverter-defibrillator.
	Vascular complications	1.A major bleed arising at the arterial access site (for major bleeding definition see above) requiring extraction of the device. 2. A thrombotic occlusion of the femoral artery. 3. Limb ischemia requiring extraction of either of the study devices. 4. The need for vascular surgery to correct a vascular complication.
Seyfarth et al[32]	Reinfarction	NA.
	Repeat revascularization	NA.
	Stroke-TIA	NA.
	Bleeding	Major bleeding (not detailed).
	Arrhythmias	NA.
	Vascular complications	Limb ischemia (not detailed).
Thiele et al[27]	Reinfarction	NA.

	Repeat revascularization	NA.
	Stroke-TIA	Cerebrovascular accidents with neurological dysfunction.
	Bleeding	Major bleedings requiring transfusion of blood components.
	Arrhythmias	NA.
	Vascular complications	Lower extremity ischaemia requiring surgical or interventional action.
Korbinian et al[35]	Reinfarction	Reinfarction (not detailed).
	Repeat revascularization	Repeat revascularization (not detailed).
	Stroke-TIA	NA.
	Bleeding	NA.
	Arrhythmias	NA.
	Vascular complications	NA.

NA indicates not available.