Supplementary Material 4

Full texts excluded with reasons

Full text	Reason
Aarsland D, Mills R, Williams H, Chi-Burris K, Karistedt M, Ballard C (2015) Decreased burden among caregivers of patients with Parkinson's disease psychosis (PDP) treated with Pimavanserin, a selective 5-HT2A inverse agonist. *Neurol* **84**.	**Publication Type**
Australian New Zealand Clinical Trials Registry, Clinical Trial Details: ACTRN12616000764437, https://www.australianclinicaltrials.gov.au/anzctr/trial/ACTRN12616000764437, Last updated 27th June 2017, Accessed on December 11th, 2021.	**Publication Type**
Anderson KE (2004) Dementia in Parkinson's disease. *Curr Treat Options Neurol* **6**(3), 201-207.	**Publication Type**
Bhidayasiri R, Trenkwalder C (2018) Getting a good night sleep? The importance of recognizing and treating nocturnal hypokinesia in Parkinson's disease. *Parkinsonism Relat Disord* **50**, 10-18.	**Publication Type**
Boersma I, Jones J, Coughlan C, Carter J, Bekelman D, Miyasaki J, Kutner J, Kluger B (2017) Palliative care and Parkinson's disease: Caregiver perspectives. *J Palliat Med* **20**(9), 930-938.	**Design**
Cagnin A, Di Lorenzo R, Marra C, Bonanni L, Cupidi C, Lagana V, Rubino E, Vacca A, Provero P, Isella V, Vanacore N, Agosta F, Appollonio I, Caffarra P, Pettenuzzo I, Sambati R, Quaranta D, Gugliemi V, Logroscino G, Filippi M, Tedeschi G, Ferrarese C, Rainero I, Bruni AC (2020) Behavioral and psychological effects of Coronavirus disease-19 quarantine in patients with dementia. *Front Psychiatry* **11**.	**Outcome**
Carod-Artal FJ, Mesquita HM, Ziomkowski S, Martinez-Martin P (2013) Burden and health-related quality of life among caregivers of Brazilian Parkinson's disease patients. *Parkinsonism Relat Disord* **19**(11), 943-948.	**Outcome**

Catalan MJ, Molina-Arjona JA, Mir P, Cubo E, Arbelo JM, Martinez-Martin P (2018) Improvement of impulse control disorders associated with levodopa-carbidopa intestinal gel treatment in advanced Parkinson's disease. *J Neurol* **265**(6), 1279-1287.	**Outcome**
Chang A, Fox SH (2016) Psychosis in Parkinson's disease: Epidemiology, pathophysiology, and management. *Drugs* **76**(11), 1093-1118.	**Publication type**
Charlesworth G (2005) Cognitive behavioral therapy reduced psychological distress in carers of people with Parkinson's disease. *Evid Based Ment Health* **8**(4), 103.	**Publication Type**
Chen JP, Han Y, Ou ZJ, Mao CJ, Liu CF (2020) Effects of sleep quality and mood of patients with Parkinson's disease on their caregivers. *Zhonghua Yi Xue Za Zhi* **100**(43), 3414-3418.	**Language**
Chong R, Albor L, Wakade C, Morgan J (2018) The dimensionality of fatigue in Parkinson's disease. *J Transl Med* **16**(1), 192.	**Outcome**
Crabb L (2001) Sleep disorders in Parkinson's disease: The nursing role. *Br J Nurs* **10**(1), 42-47.	**Publication Type**
De Oliviera FF, Machado FC, Sampaio G, Marin SMC, Naffah-Mazzacoratti MDG, Bertolucci PHF (2020) Neuropsychiatric feature profiles of patients with Lewy body dementia. *Clin Neurol Neurosurg* **194**.	**Outcome**
Devos D, Moreau C, Maltete D, Lefaucheur R, Kreisler A, Eusebio A, Defer G, Ouk T, Azulay JP, Krystkowiak P, Witjas T, Delliaux M, Destee A, Duhamel A, Bordet R, Defebvre L, Dujardin K (2013) Rivastigmine in apathetic but dementia and depression-free patients with Parkinson's disease: A double-blind, placebo-controlled, randomised clinical trial. *J Neurol Neurosurg Psychiatry* **85**(6), 668-674.	**Outcome**
Dobkin RD, Interian A, Durland JL, Gara MA, Menza MA (2018) Personalized telemedicine for depression in Parkinson's disease: A pilot trial. *J Geriatr Psychiatry Neurol* **31**(4), 171-176.	**Outcome**
Ellgring JH (1999) Depression, psychosis, and dementia: Impact on the family. *Neurology* **52**(7), 17-20.	**Publication Type**
Emre M, Tsolaki M, Bonuccelli U, Destee A, Tolosa E, Kutzelnigg A, Ceballos-Baumann A, Zdravkovic S, Bladstrom A, Jones R (2010) Memantine for patients	**Outcome**

with Parkinson's disease dementia or dementia with Lewy bodies: A randomised, double-blind, placebo-controlled trial. *Lancet Neurol* **9**(10), 969-977.	
Fernandez HH, Tabamo RE, David RR, Friedman JH (2001) Predictors of depressive symptoms among spouse caregivers in Parkinson's disease. *Mov Disord* **16**(6), 1123-1125.	**Outcome**
Fredman L, Gordon SA, Heeren T, Stuver SO (2014) Positive affect is associated with fewer sleep problems in older caregivers but not noncaregivers. *Gerontologist* **54**(4), 559-569.	**Population**
Giminez-Roldan S, Navarro E, Mateo D (2003) Effects of quetiapine at low doses on psychosis motor disability and stress of the caregiver in patients with Parkinson's disease. *Rev Neurol* **36**(5), 401-404.	**Language**
Grun D, Pieri V, Valliant M, Diedrich NJ (2016) Contributory factors to caregiver burden in Parkinson disease. *J Am Med Dir Assoc* **17**(7), 626-632.	**Outcome**
Hacksell U, Burstein ES, McFarland K, mills RG, Williams H (2014) On the discovery and development of Pimavanserin: A novel drug candidate for Parkinson's psychosis. *Neurochem Res* **39**(10) 2008-2017.	**Outcome**
Hand A, Oates LL, Gray WK, Walker RW (2018) Understanding the care needs and profile of people living at home with moderate to advanced stage Parkinson disease. *J Geriatr Psychiatry Neurol* **31**(5), 237-247.	**Outcome**
Hand A, Oates LL, Gray WK, Walker RW (2019) The role and profile of the informal carer in meeting the needs of people with advancing Parkinson's disease. *Aging Ment Health* **23**(3), 337-344.	**Outcome**
Hulshoff MJ, Book E, Dahodwala N, Tanner CM, Robertson C, Marras C (2021) Current knowledge on the evolution of care partner burdern, needs, and coping in Parkinson's disease. *Mov Disord Clin Pract* **8**(4), 510-520.	**Publication Type**
Hwynn N, Haq IU, Malaty IA, Resnick AS, Okus MS, Carew DS, Oayama G, Dai Y, Wu SS, Rodriguez RL, Jacobson CE, Fernandez HH (2011) The frequency of nonmotor symptoms among advanced Parkinson patients may depend on instrument used for assessment. *Parkinsons Dis* **2011**.	**Outcome**

International Clinical Trials Registry Platform: ISRCTN11720842, https://trialsearch.who.int/?TrialID=ISRCTN11720842, Last updated January 13th 2015, Accessed on December 11th 2021.	**Publication Type**
Iwasaki K, Kosaka K, Mori H, Okitsu R, Furukawa K, Manabe Y, Yoshita M, Kanamori A, Ito N, Wada K, Kitayama M, Horiguchi J, Yamaguchi S, Takayama S, Fukuhara R, Ouma S, Nakano S, Hashimoto M, Kinoshita T (2012) Improvement in delusions and hallucinations in patients with dementia with Lewy bodies upon administration of yokukansan, a traditional Japanese medicine. *Psychogeriatrics* **12**(4), 235-241.	**Outcome**
Kashihara K, Nomura T, Maeda T, Tsuboi Y, Mishima T, Takigawa H, Nakashima K (2016) Beneficial effects of Ramelton on rapid eye movement sleep behavioural disorder associated with Parkinson's disease – Results of a multicenter open trial. *Intern Med* **55**(3), 231-236.	**Outcome**
Klietz M, Schnur T, Drexel SC, Lange F, Paracka L, Huber MK, Dressler D, Hoglinger GU, Wegner F (2020) Alexithymia is associated with reduced quality of life and increased caregiver burden in Parkinson's disease. *Brain Sci* **10**(6), 401.	**Outcome**
Kotronoulas G, Wengstrom Y, Kearney N (2013) Sleep and sleep-wake disturbances in care recipient-caregiver dyads in the context of a chronic illness: A critical review of the literature. *J Pain Symptom Manage* **45**(3), 579-594.	**Publication Type**
Lee DR, McKeith I, Mosimann U, Ghosh-Nodyal A, Thomas AJ (2013) Examining carer stress in dementia: The role of subtype diagnosis and neuropsychiatric symptoms. *Int J Geriatr Psychiatry* **28**(2), 135-141.	**Outcome**
Leroi I, Baker P, Kehoe P, Daniel E, Byrne EJ (2010) A pilot randomized controlled trial of sleep therapy in Parkinson's disease: Effect on patients and caregivers. *Int J Geriatr Psychiatry* **25**(10), 1073-1079.	**Outcome**
Litvinenko IV, Odinak MM, Mogil'naya VI, Emelin AY (2008) Efficacy and safety of Galantamine (Reminyl) for dementia in patients with Parkinson's disease (an open controlled trial). *Neurosci Behav Physiol* **38**(9), 937-945.	**Language**
Liu J, Zhang X, Wang Y, Zhang Y, Wang Z, Liu C (2018) Investigation on the incidences of non-motor symptoms in siblings and spouses of patients with Parkinson's disease. *Chinese J Neurol* **12**, 787-793.	**Language**

Liu S, Liu J, Wang XD, Shi Z, Zhou Y, Li J, Yu T, Ji Y (2018) Caregiver burden, sleep quality, depression, and anxiety in dementia caregivers: A comparison of frontotemporal lobar degeneration, dementia with Lewy bodies, and Alzheimer's disease. *Int Psychogeriatr* **30**(8), 1131-1138.	**Outcome**
Lubomski M, Davis RL, Sue CM (2021) Health-related quality of life for Parkinson's disease patients and their caregivers. *J Mov Disord* **14**(1), 42-52.	**Outcome**
Machado FC, De Oliviera FF, Marin SDC, Sampaio G, Bertolucci PHF (2020) Correlates of neuropsychiatric and motor tests with language assessment in patients with Lewy body dementia. *Archiv Clin Psychiatr* **47**(3), 75-81.	**Outcome**
Mahale M, Behal P, Bewal N, Aggarwal V, Singhal A, Yadav AK, Vasdev V (2021) Study of prevalence of neuropsychiatric symptoms in elderly dementia patients. *J Clin Diagnost Res* **15**(2), 14-17.	**Outcome**
McKinlay A, Grace RC, Dalrymple-Alford JC, Anderson TJ, Fink J, Roger D (2008) Neuropsychiatric problems in Parkinson's disease: Comparisons between self and caregiver report. *Aging Ment Health* **12**(5), 647-643.	**Outcome**
Mercer CJ (2015) The impact of non-motor manifestations of Parkinson's disease on partners: Understanding and application of chronic sorrow theory. *J Prim Health Care* **7**(3), 221-227.	**Design**
Mosley PE, Moodie R, Dissanayaka N (2017) Caregiver burden in Parkinson disease: A critical review of recent literature. *J Geriatr Psychiatry Neurol* **30**(5), 235-252.	**Publication Type**
Nene D, Yadav R (2020) Neuropsychiatric symptoms and caregiver burden in Parkinson's disease: Mitigating the lack of awareness! *Ann Indian Acad Neurol* **23**(4), 575-576.	**Publication Type**
Norton J, Aarsland D, Chi-Burris K, Ballard C (2016) Caregivers of PDP patients have an increased risk of developing emotional and social distress that is decreased when PDP is treated with Pimavanserin. *J Parkinson Dis* **6**, 257.	**Publication Type**
Odawara T, Shiozaki K, Togo T, Hirasuya Y (2010) Administration of Zonisamine in three cases of dementia with Lewy bodies. *Psychaitry Clin Neurosci* **64**(3), 327-329.	**Outcome**

Pollak CP, Stokes PE, Wagner DR (1997) Noctural interactions between community elders and caregivers, as measured by cross-correlation of their motor activity. *J Geriatr Psychiatry Neurol* **10**(4), 168-173.	**Outcome**
Ransmayr G (2020) Caregiver burden in patients with Parkinson's disease. *Fortschr Neurol Psychiatr* **88**(9), 567-572.	**Language**
Rigby T, Johnson DK, Taylor A, Galvin JE (2021) Comparison of the caregiving experience of grief, burden, and quality of life in dementia with Lewy bodies, Alzheimer's disease, and Parkinson's disease dementia. *J Alzheimers Dis* **80**(1), 421-432.	**Outcome**
Rocha L, Hara C, Ramos MG, Kascher GG, Santos MA, De Oliviera LG, Scoralick FM (2006) An exploratory open-label trial of Ziprasidone for the treatment of behavioral and psychological symptoms of dementia. *Dement Geriatr Cogn Disord* **22**, 445-448.	**Outcome**
Rutten S, Vriend C, Smit JH, Berendse HW, Hoogendoorn AW, Van den Heuvel OA, Van den Werf YD (2016) A double-blind randomized controlled trial to assess the effect of bright light therapy on depression in patients with Parkinson's disease. *BMC Psychiatry* **16**(1), 355.	**Outcome**
Santacruz P, Uttl B, Litvan I, Grafman J (1998) Progressive supranuclear palsy: A survey of disease outcome. *Neurology* **50**(6), 1637-1647.	**Outcome**
Sauerbier A, Cova I, Rosa-Grilo M, Taddei RN, Mischley LK, Chaudhuri KR (2017) Treatment of nonmotor symptoms in Parkinson's disease. *Int Rev Neurobiol* **132**, 361-379.	**Publication Type**
Secker DL, Brown RG (2005) Cognitive behavioral therapy (CBT) for carers of patients with Parkinson's disease: A preliminary randomised controlled trial. *J Neurol Neurosurg Psychiatry* **76**(4), 491-497.	**Outcome**
Song Y, Jung L, Richards KC (2012) Dementia and sleep disturbances. *Aging Health* **8**(1).	**Publication Type**
Stella F, Banzato CEM, Quagliato EMB, Viana MA, Christofoletti G (2009) Psychopathological features in patients with Parkinson's disease and related caregivers' burden. *Int J Geriatr Psychiatry* **24**(10), 1158-1165.	**Outcome**

Szeto JYY, Mowszowski L, Gilat M, Walton CC, Naismith SL, Lewis SJG (2016) Mild cognitive impairment in Parkinson's disease: Impact on caregiver outcomes. *J Parkinsons Dis* **6**(3), 589-596.	**Outcome**
Teel CS, Press AN, Lindgren CL, Nichols EG (1999) Fatigue among elders in caregiving and noncaregiving roles. *Western J Nurs Res* **21**(4), 498-520.	**Publication Type**
Teofilo LLC (2005) Part XVI: Sleep in Special Patient Groups, Sleep: A Comprehensive Handbook. Wiley-Liss, New York.	**Publication Type**
Vats A, Amit A, Doshi P (2019) A comparative study of bilateral subthalamic nucleus DBS in Parkinson's disease in young versus old: A single institutional study. *J Clin Neurosci* **70**, 85-91.	**Outcome**
Viwattanakulvanid P, Kaewwilai L, Jitkritsadakul O, Brenden NR, Setthawatcharawanich S, Boonrod N, Mekawichai P, Bhidayasiri R (2014) The impact of the nocturnal disabilities of Parkinson's disease on caregivers' burden: Implications for intervention. *J Neural Transm* **121** (1), 15-24.	**Duplicate**
Wade R, Pachana NA, Dissanayaka N (2020) Management of sleep disturbances in Parkinson's disease patients, carers and the patient and carer dyadic relationship: A scoping review. *Clin Gerontol* **43**(5), 499-507.	**Publication Type**
Zhu J, Zhong M, Yan J, Wu Z, Pan Y, Shen B, Dong J, Zhang L (2020) Depressive symptoms effect subjective sleep quality in Chinese patients with Parkinson's disease. *Clin Neurol Neurosurg* **195**.	**Outcome**