S14 File. Forest plots reporting cardiovascular mortality outcomes, across decades

Study identifier	Gender	Type of effect	Region	Setting	Events/Total Exposed	Events/Total Unexposed	Effect size (95% CI)
1950s - 70s							
Allebeck, 1986	P	SMR	Scandinavia	Inpatient	NR / 1190	NR / Gen pop	2.00 (1.24, 3.21)
Giel, 1978	P	SMR	Other Europe/Israel	Inpatient	9 / 4172	3 / Gen pop	3.00 (1.58, 5.71)
Mortensen, 1990	P	SMR	Scandinavia	Inpatient	326 / 6178	472 / Gen pop	0.69 (0.62, 0.77)
Mortensen, 1993	P	SMR	Scandinavia	Inpatient	29 / 9156	24 / Gen pop	1.23 (0.86, 1.78)
Saku, 1995	P	SMR	Far East	Inpatient	32 / 2268	32 / Gen pop	1.00 (0.71, 1.41)
1980s							
Anderson, 1991	P	SMR	UK	Inpatient	7 / 532	2 / Gen pop	3.71 (1.77, 7.79)
Brook, 1984	P	SMR	Other Europe/Israel	Inpatient	52 / 5226	36 / Gen pop	1.44 (1.10, 1.90)
Newman, 1991	P	SMR	N. America	Community and inpatient	10 / 3623	8 / Gen pop	1.30 (0.70, 2.41)
Osby, 2000a	P	SMR	Scandinavia	Inpatient	107 / 7784	63 / Gen pop	1.70 (1.41, 2.06)
1990s							
Brown, 2010 (1981-2006)	P	SMR	UK	Community	13 / 370	4 / Gen pop	3.08 (1.72, 5.52)
Callaghan, 2014	P	SMR	N. America	Inpatient	2887 / 172722	1375 / Gen pop	2.10 (2.00, 2.20)
Casadebaig, 1999	P	SMR	Other Europe/Israel	Community and inpatient	3 / 3470	2 / Gen pop	2.00 (0.65, 6.18)
Lawrence, 2013	P	SMR	Oceania	Community and inpatient	256 / NR	81 / Gen pop	3.16 (2.79, 3.58)
2000s							
Castagnini, 2013	P	SMR	Scandinavia	Community and inpatient	2 / 4576	2 / Gen pop	1.20 (0.30, 4.75)
Laursen, 2013 (Denmark)	P	SMR	Scandinavia	Inpatient	108 / 20430	62 / Gen pop	1.74 (1.44, 2.10)
Laursen, 2013 (Finland)	P	SMR	Scandinavia	Inpatient	184 / 20835	70 / Gen pop	2.61 (2.26, 3.02)
Laursen, 2013 (Sweden)	P	SMR	Scandinavia	Inpatient	280 / 24823	123 / Gen pop	2.28 (2.03, 2.57)
Olfson, 2015	P	SMR	N. America	Community and inpatient	1561 / 1138853	710 / Gen pop	2.20 (2.10, 2.30)
2010s							
Girardi, 2021	P	SMR	Other Europe/Israel	Community and inpatient	94 / 12996	45 / Gen pop	2.10 (1.70, 2.60)
Yung, 2021	P	SMR	Far East	Community and inpatient	214 / 46896	188 / Gen pop	1.14 (0.99, 1.31)



SCZ – schizophrenia, NR – not reported, gen pop – general population, SMR – standardised mortality ratio, P – persons

Fig A: Schizophrenia, mortality from cerebrovascular accident, standardised mortality ratios



SCZ – schizophrenia, NR – not reported, gen pop – general population, SMR – standardised mortality ratio, P – persons

Fig B: Schizophrenia, mortality from coronary heart disease, standardised mortality ratios



SCZ – schizophrenia, NR – not reported, gen pop – general population, SMR – standardised mortality ratio, P – persons, M – males, F - females

Fig C: Schizophrenia, mortality from all circulatory disease, standardised mortality ratios



BD – bipolar disorder, NR – not reported, gen pop – general population, SMR – standardised mortality ratio, P – persons, M - males

Fig D: Bipolar disorder, mortality from cerebrovascular accident, standardised mortality ratios



BD – bipolar disorder, NR – not reported, gen pop – general population, SMR – standardised mortality ratio, P – persons, M – males, F - females

Fig E: Bipolar disorder, mortality from coronary heart disease, standardised mortality ratios



Bipolar disorder, NR – not reported, gen pop – general population, SMR – standardised mortality ratio, P – persons, M - males

Fig F: Bipolar disorder, mortality from all circulatory disease, standardised mortality ratios



SCZ – schizophrenia, NR – not reported, gen pop – general population, HR – hazard ratio, RRatio – rate ratio, P – persons, M – males, F - females

Fig G: Schizophrenia, mortality from cerebrovascular accident, hazard ratios, rate ratios and odds ratios



SCZ – schizophrenia, NR – not reported, gen pop – general population, HR – hazard ratio, RRatio – rate ratio, P – persons, M – males, F - females

Fig H: Schizophrenia, mortality from coronary heart disease, hazard ratios, rate ratios and odds ratios



SCZ – schizophrenia, NR – not reported, gen pop – general population, est – estimated, HR – hazard ratio, RRatio – rate ratio, OR – odds ratio, P – persons, M – males, F – females, FU – follow up

Fig I: Schizophrenia, mortality from all circulatory disease, hazard ratios, rate ratios and odds ratios



SCZ – schizophrenia, NR – not reported, RRatio – rate ratio, P – persons

Fig J: Schizophrenia, mortality from heart failure, hazard ratios, rate ratios and odds ratios



BD – bipolar disorder, NR – not reported, gen pop – general population, HR – hazard ratio, RRatio – rate ratio, P – persons, M – males, F - females

Fig K: Bipolar disorder, mortality from cerebrovascular accident, hazard ratios, rate ratios and odds ratios



BD – bipolar disorder, NR – not reported, gen pop – general population, est – estimated, HR – hazard ratio, RRatio – rate ratio, P – persons, M – males, F - females

Fig L: Bipolar disorder, mortality from coronary heart disease, hazard ratios, rate ratios and odds ratios



BD – bipolar disorder, NR – not reported, gen pop – general population, HR – hazard ratio, RRatio – rate ratio, OR – odds ratio, P – persons, M – males, F - females

Fig M: Bipolar disorder, mortality from all circulatory disease, hazard ratios, rate ratios and odds ratios



SMI – severe mental illness, NR – not reported, gen pop – general population, HR – hazard ratio, RRatio – rate ratio, SMR – standardised mortality ratio, P – persons, M – males, F - females

Fig N: Mixed SMI, mortality from cardiovascular diseases, hazard ratios, rate ratios, odds ratios, standardised mortality ratios