S3 Tables - Excluded Studies

S3.1 Table. List of exclusion reasons and number of excluded studies at full-text level.

Exclusion number	Description	Total excluded studies
1	High-income country	19
2	Abstracts, editorials, correspondence	52
3	Case studies or outbreak reports	11
4	Only contacts with active TB (no data to calculate yield)	4
5	Total number of contacts screened not reported (no data to calculate yield)	2
6	No data do calculate yield (other)	29
7	No systematic evaluation of contacts	26
8	Retrospective study with no data for co-prevalent cases	21
9	Duplicated data	17
10	Other	27
11	No contact investigation conducted	12

S3.2 Table. List of excluded studies at full-text level and reasons for exclusion.

Reference ID	Author, Year	Exclusion Reason	Comments for "Other"
195	Aissa, 2008	1	
9	Andre, 2007	1	
12	Atamna, 2009	1	
27	Barcellini, 2016	1	
197	Bari, 2007	1	
162	Chao, 2016	1	
50	Chou, 2015	1	
159	Duarte, 2012	1	
201	Lee, 2015	1	
143	Leung, 2013	1	
225	Martinez Lacasa, 2015	1	
32	Molton, 2019	1	
67	Pan, 2016	1	
164	Piccini, 2017	1	
183	Salinas, 2006	1	
70	Uzorka, 2018	1	
218	Wang, 2012	1	
41	Yoo, 2016	1	
203	Zellweger, 2015	1	
282	Aldeco, 2011	2	
283	Altet, 2012	2	
284	Altet, 2013	2	
160	Atif, 2013	2	
285	Auld, 2016	2	
286	Benhalla, 2011	2	
287	Benson, 2016	2	
288	Bothamley, 2017	2	

33	Buu, 2010	2
37	Campbell, 2006	2
319	Chelnokova, 2010	2
290	Cirri, 2016	2
199	Do Nascimento Maia, 2016	2
232	Duenas, 2009	2
145	Enuechie, 2017	2
294	Fox, 2012	2
293	Fox, 2013	2
292	Fox, 2017	2
71	Fox, 2018	2
104	Fox, 2019	2
40	Frieden, 2016	2
153	Hawkridge, 2007	2
200	Hersch, 2017	2
113	Jain, 2018	2
26	Jeena, 2015	2
297	Kaguthi, 2010	2
298	Kartasasmita, 2011	2
299	Khan, 2016	2
300	Kimaro, 2018	2
301	Kurhasani, 2013	2
302	Llacer, 2010	2
36	Lorent, 2014	2
127	Martinez, 2018	2
185	Nguenha, 2018	2
304	Olivianto, 2012	2
305	Paul, 2014	2
306	Perez-Escolano, 2009	2
307	Qayyum, 2013	2
308	Salazar-Austin, 2017	2
309	Sargazi, 2015	2

310	Scully, 2009	2
25	Shah, 2010	2
311	Shah, 2011	2
39	Shrivastava, 2014	2
312	Simonovska, 2013	2
313	Triasih, 2012	2
314	Triasih, 2013	2
315	Tumusiime, 2017	2
316	Vilc, 2013	2
114	Wardhana, 2016	2
112	Wiwanitkit, 2012	2
79	Yates, 2018	2
28	Baghaie, 2012	3
20	Bamrah, 2014	3
289	Branch, 2013	3
17	CDC, 2009	3
256	Fred, 2010	3
60	Huang, 2016	3
24	Ilic, 2019	3
239	Pan, 2018	3
85	Pan, 2019	3
61	Popovici, 2018	3
149	Warrington, 2010	3
58	Gonzalez Diaz, 2015	4
163	Marais, 2006	4
173	Seda-Geylani, 2012	4
111	Wang, 2014	4
44	Hernández-Garduño, 2015	5
22	Morishita, 2016	5
156	Adetifa, 2010	6
16	Armstrong-Hough, 2018	6
19	Belgaumkar, 2018	6

129	Buchwald, 2014	6
57	Chabala, 2017	6
166	Chauhan, 2013	6
78	Correia Sacchi, 2018	6
66	Crampin, 2009	6
146	García de la Rosa, 2014	6
97	Ha, 2016	6
155	Hartwig, 2009	6
170	Hector, 2017	6
64	Hill, 2006	6
220	Jones-Lopez, 2014	6
157	Kabongo, 2010	6
99	Kebede, 2018	6
88	Khan, 2017	6
209	Kigozi, 2018	6
119	Kone, 2016	6
92	Monárrez-Espino, 2014	6
280	Munir, 2017	6
31	Ottmani, 2009	6
86	Pinto de Oliveira, 2013	6
188	Shakak, 2013	6
277	Shalabi, 2009	6
91	Shanaube, 2011	6
38	Uwimana, 2012	6
324	Xie, 2016	6
108	Zunic, 2012	6
2	Adetifa, 2017	7
5	Albanese, 2016	7
63	Ayles, 2013	7
47	Bai, 2008	7
198	Bayhan, 2015	7
326	Berraies, 2016	7

130	Calver, 2010	7
318	Chelnokova, 2010	7
106	Chiang, 2015	7
231	Dundar, 2019	7
126	Fortunato, 2011	7
169	Gebregergs, 2015	7
18	ICMR, 2011	7
59	Kilale, 2016	7
14	Koenig, 2015	7
148	Mandalakas, 2012	7
196	Mandalakas, 2015	7
103	Rajan, 2017	7
229	Ranganath, 2018	7
21	Rivera, 2017	7
98	Singh, 2017	7
252	Wiseman, 2015	7
96	Wysocki, 2016	7
122	Yirgu, 2017	7
110	Zhang, 2015	7
228	Zhang, 2019	7
321	Abakay, 2006	8
236	Chatla, 2018	8
51	Coprada, 2016	8
221	Dair García de la Rosa, 2014	8
233	de Lima, 2013	8
176	Fatima, 2016	8
226	Gazetta, 2006	8
147	Grandjean, 2011	8
177	Joshi, 2015	8
230	Khalilzadeh, 2006	8
223	Khazaei, 2018	8
323	Kilicaslan, 2006	8

158	Kisa, 2016	8	
172	Loredo, 2014	8	
247	Nair, 2016	8	
234	Naowarat, 2018	8	
242	Ohene, 2018	8	
264	Otero, 2016	8	
174	Page-Shipp, 2018	8	
178	Ramos, 2013	8	
251	Vinhas, 2017	8	
76	Baliashvili, 2016	9	
82	Chamie, 2015	9	
291	Dair, 2014	9	
295	Gazetta, 2006	9	
296	Grandjean, 2011	9	
217	Huang, 2014	9	
255	Jaganath, 2013	9	
73	Javaid, 2016	9	
101	Jones-López, 2015	9	
207	Khatana, 2017	9	
238	Lima, 2013	9	
303	Maciel, 2009	9	
275	Martinez, 2016	9	
212	Rutherford, 2012	9	
105	Tadesse, 2016	9	
167	Triasih, 2015	9	
248	Ustero, 2017	9	
62	Adeyekun, 2010	10	174 adults, comprising fresh university students, newly employed staff and patients referred for Mantoux test on account of contract tracing for PTB, were recruited into the study. Study results do not differentiate each group.

8	Amenuvegbe, 2016	10	Descriptive study to identify possible factors contributing to low TB case detection in the district. Interviews with contacts and community health workers.
74	Aye, 2018	10	Study staff visited the household of TB index patients to screen contacts + extended the screening process to the people who were living in surrounding houses. No clear definition of "surrounding houses". I am assuming these are casual contacts. No stratified data just for household contacts.
328	Blok, 2015	10	Study with data from different TB Reach studies. We sent an e-mail to the main author to ensure we do not include duplicate data in our analysis. No answer received so far.
107	Boonthanapat, 2019	10	Retrospective analysis. No CI conducted: authors retrieved the line listing of MDR-TB patients in the hospital between October 2012 and September 2015. All cases were interviewed to identify their contacts and their medical records were reviewed for history of TB screening.
168	Deery, 2014	10	It is not possible to extract just data for contacts of newly diagnosed TB cases. Five types of index cases were included: newly diagnosed TB cases, newly diagnosed HIV cases, individuals lost to anti-tuberculosis treatment and individuals lost to pre-antiretroviral therapy (pre-ART) care or ART.

45	Ekwueme, 2014	10	Index cases diagnosed at different time-points and no information to properly stratify data per period.
29	Guerra, 2019	10	Study in prison. Prisoners were screened and regarding to the contacts, none of the inmates that share the cell with a TB case (high priority contact) was diagnosed with active TB during the study.
329	Hanan, 2006	10	Full text not found.
271	Iqbal, 2013	10	1-)Just one to 2 contacts per index were recruited to this study; 2-) The duration of contact is unclear; 3-) The final outcome is unclear (numerator).
94	James, 2017	10	Study compares 3 ACF strategies. For CI they screened household contacts and neighborhood contacts. No clear definition of neighborhood contacts to allow classification as close contact or casual contact. Study provides just the total number of contacts screened. No data just for household contacts.
154	Kasaie, 2014	10	No CI data: use of an agent based simulation model to explore the dynamics of TB transmission.
235	Khalilzadeh, 2006	10	Study design is prospective (as reported). However, study does not provide clear information on how data was collected; and it does not provide information to differentiate co-prevalent to incident TB cases among contacts.

83	Lebina, 2015	10	Schoolchildren were tested for TB infection QFT-GIT and for positive cases contact investigation was performed on households. Contact tracing did not start from a TB index case.
124	Lung, 2019	10	Economic evaluation of the ACT2 trial, included as Fox, 2018.
267	Mutsvangwa, 2010	10	Just tested for TB infection. No information regarding progression to active TB.
144	Mwansa-Kambafwile, 2013	10	Unsure about classification of contacts (if household contact, close or casual). This is a study to evaluate the effectiveness and acceptability of a paper slip method for TB contact tracing. 16% of the TB contacts did not live with the person who gave them the slip. Of these, the majority (60%) had daily contact with this person.
260	Nakaoka, 2006	10	Contacts screening occurred >or=12 weeks after diagnosis of the index case. The mean duration between their initial TB diagnosis and follow-up household visits was 54 weeks (range 27-88 weeks). There is no stratified data per year for the incident cases.
102	Ohene, 2017	10	No definitions of contacts used. Not possible to know if the study had only household contacts and close contacts.
265	Oliveira, 2017	10	Retrospective study: the strategy used to examine the contacts, the tests performed, and the number of cases of active and latent disease detected among the examined contacts could not be evaluated using the database.

81	Ratovoson, 2014	10	Contact investigation was conducted around schoolchildren and their close contacts, not around a confirmed TB index case. The aim of this study was to evaluate the utility of the tuberculin skin test (TST) in first-year schoolchildren as a means of increasing the number of tuberculosis cases detected through the screening of close contacts.
120	Shah, 2017	10	Cost-effectiveness analysis. Just economic evaluation. No real CI data presented.
34	Thanh, 2014	10	Not eligible. Retrospective, interviewed household contacts of index cases registered for treatment 2 years before. Do not mention if checked information with TB registries.
68	Van Wyk, 2012	10	CI of just one household.
84	Yadav, 2014	10	Cost-effectiveness analysis of ACF strategy. It is nor clear if conducted systematic evaluation of contacts. Not clear if CI.
150	Yassin, 2013	10	Just evaluation for TB infection. No further evaluation for active TB.
128	Dierberg, 2016	11	
133	Gonza´lez-Ochoa, 2009	11	
161	Jordán Severo, 2008	11	
132	Krauss, 2015	11	
123	Li, 2017	11	
137	Moyo, 2011	11	
202	Naila, 2013	11	
320	No author, 2010	11	
184	Prasad, 2016	11	
136	Pronyk, 2007	11	
214	Shivaramakrishna, 2014	11	

109	Zhang, 2011	11

Exclusion reasons: 1) High-income country; 2) Abstracts, editorials, correspondence; 3) Case studies or outbreak reports; 4) Only contacts with active TB (no data to calculate yield); 5) Total number of contacts screened not reported (no data to calculate yield); 6) No data do calculate yield (other); 7) No systematic evaluation of contacts; 8) Retrospective study with no data for co-prevalent cases; 9) Duplicated data; 10) Other; 11) No contact investigation conducted.

Note: The reference IDs do not follow a chronological order because these numbers reflect the original ID that what assigned to each one of the 329 studies that had full-text screened.