Supplemental Material Table 1: Ovid MEDLINE Search Strategy (<1946 to April 16, 2021)

1 [Population: Cancer & Survivors]
2 Cancer Survivors/ (4862)
3 exp neoplasms/ (3444343)
4 Hematopoietic Stem Cell Transplantation/ (43915)
5 (cancer* or neoplasm* or malignanc* or neoplasia* or tumor* or tumour*).tw,kw. (3139633)
6 or/2-5 (4425264)
7 [Intervention: Exercise-based Multi-Modal Rehab/Prehab Programs]
8 Cardiac Rehabilitation/ (2714)
9 Preoperative Exercise/ (52)
10 exp Exercise/ and (multimodal or multi-modal or multimodel or multi-model or rehab* or prehab*).tw,kw. (10011)
11 exp Exercise Therapy/ and (multimodal or multi-modal or multimodel or multi-model or rehab* or prehab*).tw,kw. (11875)
12 ((rehab* or prehab*) adj3 (cardiac or cardio* or CR-based or exercis* or pulmonary)).tw,kw. (16470)
13 ((exercis* or rehab* or prehab* or training) adj5 (multimodal or multi-modal or multimodel or multi-model)).tw,kw. (1191)
14 ((exercis* or resistance training or strength training or aerobic training or cardiovascular training) adj3 (rehab* or prehab*)).tw,kw. (6097)
15 or/8-14 (31045)
16 6 and 15 (1530)
17 limit 16 to "humans only (removes records about animals)" (1518)

Supplemental Material Table 2: Study characteristics and patient eligibility

Publication	Study Design	Enrollment n; n (%) retention	Setting	Referral Source	Cancer Type	Rehab Timing Relative to T_x	Other Medical Inclusion Criteria
Baimas-George, 2020	RCT	10 enrolled; 10 (100%) retained	Clinical	Treating provider	All stages, hepato-pancreato-biliary	During neoadjuvant CT, 3-4 mo prior to S_x	N/A
Berglund, 1994	RCT	98 enrolled; 90 (92%) retained	NR	Treating provider	Any	Within 2 mo post CT or RT	N/A
Bertheussen, 2012	Prospective single-arm	163 enrolled; 134 (82%) retained	Clinical	Treating provider	Any	Completed primary T_x	KPS ≥70
Bonsignore, 2017; Dolan, 2018	Retrospective	Bonsignore: 29 enrolled; 19 (66%) retained; Dolan: 152 enrolled; 152 (100%) retained	Clinical	Treating provider	Early-stage, breast	Any	Bonsignore: Heart failure related to T_x Dolan: N/A
Bonsignore, 2018	Retrospective	39 enrolled; 27 (69%) retained	Clinical	Treating provider	Any stage, prostate	Any	Referred for CVD
Boujibar, 2017	Retrospective	19 enrolled; 19 (100%) retained	Clinical	Treating provider	Early-stage, NSCLC	Prior to S_x	VO_2peak ≤20 mL/min/kg
Bousquet-Dion, 2017 (Prehab)	RCT	41 enrolled; 41 (100%) retained	Clinical	Treating provider	Early-stage, colon or rectal	Prior to S_x	N/A
Bousquet-Dion, 2017 (Rehab)	RCT	32 enrolled; 26 (81%) retained	Clinical	Treating provider	Early-stage, colon or rectal	Immediately post S_x	N/A
Bousquet-Dion, 2017 (Pre+Rehab)	RCT	41 enrolled; 37 (90%) retained	Clinical	Treating provider	Early-stage, colon or rectal	Prior to S_x	N/A
Bradley, 2013	Prospective non-randomized	58 enrolled; 58 (100%) retained during prehab, 28 (48%) retained for rehab	Clinical	Treating provider	Any stage, lung	Prior to S_x	Fit for curative lung cancer S_x
Choi, 2021	Retrospective	15 enrolled; 11 (73%) retained	Clinical	Treating provider	Any stage, thoracic area	Concurrent to RT	N/A
Dennett, 2019	Prospective single-arm	N/A – qualitative assessment of program only	Clinical	Treating provider or self	Any	Any	N/A
Doganay, 2020; Halliday, 2020; Halliday, 2021	Prospective single-arm	Doganay: 39 enrolled; 39 (100%) retained Halliday 2020: 83 enrolled; 72 (87%) retained; Halliday 2021: 67 enrolled; 67 (100%) retained	Home	Treating provider or self	Any stage, esophago-gastric	Prior to T_x	N/A

Supplemental Material Table 2 continued: Study characteristics and patient eligibility

Publication	Study Design	Enrollment n; n (%) retention	Setting	Referral Source	Cancer Type	Rehab Timing Relative to T_x	Other Medical Inclusion Criteria
Gaskin, 1989; Gordon, 2005 (STRETCH)	Prospective single-arm	Gaskin: 114 enrolled; 47 (41%) retained Gordon: 31 enrolled; 28 (90%) retained	Clinical	Self	Early-stage, breast	≥8 wks post S_x	N/A
Glattki, 2012	Retrospective	47 enrolled; 47 (100%) retained	Clinical	Treating provider	Any stage, NSCLC	≥1 mo post T_x	N/A
Goldsmith, 2020	Prospective single-arm	216 enrolled; Unclear n retained	Clinical	Treating provider	Any stage, lung	Prior to T_x	dyspnoea or WHO performance status >1, age >70 y or frailty index >3, reduced FEV_1 or DLCO
Gordon, 2005 (DAART)	Prospective single-arm	36 enrolled; 30 (83%) retained	Home	Treating provider	Early-stage, breast	3 wks post-diagnosis	N/A
Hanssens, 2011	Prospective single-arm	36 enrolled; 27 (75%) retained	Clinical	Treating provider	Any	Completed primary T_x	N/A
Heim, 2007	RCT	32 enrolled; 32 (100%) retained	Clinical	Treating provider	Any stage, breast	NR	≥4 on 0-10 fatigue scale
Janssen, 2017	Prospective single-arm	50 enrolled; 43 (86%) retained;	Clinical	Treating provider	Early-stage, NSCLC	6 wks post S_x	N/A
Kirkham, 2016	Retrospective	299 enrolled; 132 (44%) retained	Clinical	Treating provider or self	Any	During or after T_x	N/A
Korstjens, 2006; Korstjens, 2007; Velthuis, 2012	Prospective single-arm	Korstjens 2006: 658 enrolled; 658 (100%) retained Korstjens 2007: N/A – qualitative assessment of program only Velthuis: 1236 enrolled; 1078 (87%) retained	Clinical	Treating provider	Any	Completed primary T_x at least 2 mo prior	N/A
Kröz, 2017	RCT + prospective single-arm	54 enrolled; 41 (76%) retained	Clinical	Treating provider or self	Early-stage, breast	≥36 mo post primary T_x & before 45 mo post-diagnosis	chronic cancer-related fatigue for ≥6 mo
Marhic, 2018	Prospective single-arm	20 enrolled; 20 (100%) retained	Clinical	Treating provider	Early-stage, NSCLC	Prior to S_x	FEV_1 & VO_2peak <normal, high risk of cardiac complications, severe comorbidities, unfit for pulmonary resection

Supplemental Material Table 2 continued: Study characteristics and patient eligibility

Publication	Study Design	Enrollment n; n (%) retention	Setting	Referral Source	Cancer Type	Rehab Timing Relative to T_x	Other Medical Inclusion Criteria
Morris, 2009	Retrospective	30 enrolled; 30 (100%) retained	Clinical	Treating provider	Any	N/A	Chronic dyspnea, exercise intolerance or decreased functional status
O'Neill, 2018	RCT	21 enrolled; 21 (100%) retained	Clinical	Self	Early stage, esophageal, esophago-gastric, or gastric	Completed T_x between 6 mo & 5 y earlier	N/A
Rossen, 2020	Prospective single-arm	82 enrolled; 58 (71%) retained	Community	Treating provider	Any stage, breast	Any	N/A
Rothe, 2018	Prospective single-arm	45 enrolled; 30 (67%) retained	Clinical	Treating provider	Any stage, lymphoma	6 wks post HSCT	N/A
Sterzi, 2013	Retrospective	110 enrolled; 110 (100%) retained	Clinical	Treating provider	Any stage, NSCLC	Post S_x	N/A
Wu, 2021	Prospective single-arm	24 enrolled; 24 (100%) retained	Clinical	Treating provider	Any stage, breast	Within 18 mo of T_x	N/A
Young-McCaughan, 2003	Prospective single-arm	62 enrolled; 46 (74%) retained	Clinical	Treating provider or self	Any	Cancer diagnosis in past 2 y	N/A
Zhou, 2017	Retrospective	197 enrolled; 160 (81%) retained	Clinical	Treating provider	Any stage, NSCLC	Prior to S_x	Ultimately receiving lobectomy, BMI $\geq$28 kg/m^2, FEV_1% $\leq$60%, COPD, asthma, or airway hyper reactivity
Zvinovski, 2021	Prospective single-arm	25 enrolled; 18 (72%) retained	Clinical	Treating provider	Early-stage, breast	Within 18 mo of T_x	N/A

Abbreviations: BMI, body mass index; COPD, chronic obstructive pulmonary disease; CT, chemotherapy; CVD, cardiovascular disease; DLCO, diffusion capacity for carbon monoxide; FEV_1, forced expiratory volume in one second; HSCT, hematopoietic stem cell transplantation; KPS, Karnofsky Performance Scale; mo, months; NSCLC, non-small cell lung cancer; RCT, randomized controlled trial; RT, radiotherapy; S_x, surgery; T_x, treatment; VO_2peak, peak volume of oxygen consumption; WHO, World Health Organization; wks, weeks; y, years;

Supplemental Material Table 3: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex Rx**	**Supervised Resistance Ex Rx**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
Baimas-George, 2020	Prehab	12-16	**F:** Daily* **I:** NR **T:** NR **T:** NR	**F:** Daily **I:** NR **T:** NR **T:** NR	✓	✓	?	✓	X	X	?	✓	✓	X	X	✓	X	✓	✓	X	✓	X	✓	?	✓	✓	✓
Berglund, 1994	Rehab	7	**F:** 1x/wk for 4 wks **I:** NR **T:** NR **T:** NR	**F:** 1x/wk for 4 wks **I:** NR **T:** NR **T:** NR	X	✓	?	✓	✓	X	X	X	X	X	✓	X	X	X	✓	X	X	X	?	?	✓	?	?
Bertheussen, 2012	Rehab	8-12	**F:** 10x/wk **I:** 3-4 RPE 2+x/wk + 5-7 RPE 2+x/wk **T:** 60-120 min **T:** Walking, swimming, spinning	None	✓	✓	?	✓	✓	X	X	X	X	X	✓	X	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓
Bonsignore 2017, Dolan, 2018	Rehab	22-26	**F:** 1x/wk* **I:** 60-80% VO_2 reserve **T:** NR **T:** Walking, jogging	**F:** 1x/wk* **I:** Varied **T:** 1-3 sets x 10-15 reps **T:** 10-12 whole-body exercises	✓	✓	?	X	✓	X	✓	X	X	X	X	X	✓	?	✓	✓	✓	✓	X	✓	✓	X	X

Supplemental Material Table 3 continued: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex R_x**	**Supervised Resistance Ex R_x**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
Bonsignore, 2018	Rehab	26	**F:** 1 x/wk* **I:** 60-80% VO_2peak **T:** up to 60 min **T:** Walking, jogging, cycling	**F:** 1x/wk* introduced in wk 8 **I:** NR **T:** NR **T:** 10 whole-body exercises	✓	✓	?	✓	X	?	?	X	X	X	✓	X	?	✓	X	✓	✓	✓	?	✓	✓	?	X
Boujibar, 2017	Prehab	Varied	**F:** 3-5x/wk **I:** NR **T:** 45 min **T:** Cycle ergometer	**F:** 3-5x/wk **I:** 70% 1RM **T:** NR **T:** NR	?	?	?	?	?	✓	✓	X	X	X	X	X	✓	?	✓	✓	✓	✓	?	?	?	?	?
Bousquet-Dion, 2017 (Prehab)	Prehab	4	**F:** 3-4x/wk* **I:** 60-70% HR_{peak} **T:** 30 min **T:** Recumbent stepper, treadmill, walking, cycling, jogging	**F:** 3-4x/wk* **I:** NR **T:** NR **T:** 8 exercises	✓	✓	X	✓	X	X	X	✓	X	X	✓	✓	X	X	X	X	✓	✓	X	✓	X	✓	✓
Bousquet-Dion, 2017 (Rehab)	Rehab	8	**F:** 3-4x/wk* **I:** 60-70% HR_{peak} **T:** 30 min **T:** Walking, cycling, jogging	**F:** 3-4x/wk* **I:** NR **T:** NR **T:** 8 exercises	✓	✓	X	✓	X	X	X	✓	X	X	✓	✓	X	X	X	X	✓	✓	X	✓	X	✓	✓

Supplemental Material Table 3 continued: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex R_x**	**Supervised Resistance Ex R_x**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
Bousquet-Dion, 2017 (Pre+Rehab)	Pre + rehab	16	**F:** 3-4x/wk* **I:** Moderate, 60-70% HRmax **T:** 30 min **T:** Recumbent stepper, treadmill, walking, cycling, jogging	**F:** 3-4x/wk* **I:** NR **T:** NR **T:** 8 exercises	✓	✓	X	✓	X	X	X	✓	X	X	✓	✓	X	X	X	X	✓	✓	X	✓	✓	X	✓	✓
Bradley, 2013	Pre + rehab	Varied	**F:** 2x/wk **I:** 60% of max capacity **T:** Portion of 60 min session **T:** NR	**F:** 2x/wk **I:** 60% of max capacity **T:** Portion of 60 min session **T:**	?	✓	?	?	✓	✓	✓	✓	X	X	X	✓	✓	?	X	✓	✓	✓	✓	✓	✓	✓	X
Choi, 2021	Rehab	4-5	**F:** 3x/wk **I:** NR **T:** NR **T:** Walking, biking	**F:** 3x/wk **I:** NR **T:** NR **T:** Whole body	?	✓	X	X	?	X	✓	X	X	X	X	X	✓	?	✓	X	✓	✓	?	?	?	?	?
Dennett, 2019	Rehab	NR	1 hr total but R_x NR		✓	✓	?	?	X	X	?	X	X	X	X	X	?	?	?	?	?	?	?	✓	✓	✓	?

Supplemental Material Table 3 continued: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex R_x**	**Supervised Resistance Ex R_x**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
Doganay, 2020; Halliday, 2020; Halliday, 2021	Prehab	Varied	**F:** 600-1200 MET-min/wk† **I:** Moderate to vigorous **T:** 150-300 min/wk **T:** NR	Included, but R_x NR†	✓	✓	?	✓	X	X	✓	✓	X	X	✓	✓	X	X	?	X	?	✓	X	✓	✓	✓	?
Gaskin, 1989; Gordon, 2005 (STRETCH)	Rehab	8	None	**F:** NR **I:** NR **T:** 20 min **T:** NR	?	X	X	X	?	X	X	X	X	X	X	X	✓	?	✓	?	✓	X	✓	✓	✓	X	✓
Glattki, 2012	Rehab	4	**F:** 3-5x/wk* **I:** NR **T:** 20-25 min **T:** Cycling	**F:** 2x/wk **I:** 60% of 1-RM **T:** 3 sets x 15 reps **T:** NR	✓	X	X	X	✓	X	✓	X	X	X	X	X	?	✓	✓	?	?	✓	✓	?	?	X	X
Goldsmith, 2020	Prehab	2-4	**F:** 2x/wk* **I:** 60-70% HR_{peak} **T:** 70 mins **T:** Cycle ergometer, walking	None	?	?	X	X	?	?	✓	X	X	X	X	X	✓	✓	✓	?	?	✓	X	✓	?	?	?
Gordon, 2005 (DAART)	Rehab	6	None	Included, but R_x NR†	?	?	?	?	?	?	?	X	X	X	X	X	✓	?	✓	?	✓	?	X	✓	X	X	X

Supplemental Material Table 3 continued: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex R_x**	**Supervised Resistance Ex R_x**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
Hanssens, 2011	Rehab	12	**F:** 3x/wk **I:** NR **T:** NR **T:** Walking, biking, rowing	**F:** 3x/wk **I:** NR **T:** NR **T:** NR	X	✓	X	✓	✓	X	X	X	✓	X	X	X	X	X	✓	X	X	✓	?	✓	✓	X	✓
Heim, 2007	Rehab	Varied	**F:** NR* **I:** NR **T:** NR **T:** Walking	**F:** NR* **I:** NR **T:** NR **T:** 9 exercises	✓	?	?	✓	?	X	X	X	X	X	✓	X	X	X	✓	X	✓	✓	?	✓	X	X	?
Janssen, 2017	Rehab	12	**F:** 2x/wk **I:** 70% peak workload **T:** 20 min **T:** Treadmill, cycle ergometer	**F:** 2x/wk **I:** NR **T:** ≤70 min **T:** NR	✓	X	X	✓	X	?	X	✓	X	✓	X	X	✓	X	✓	X	✓	✓	✓	✓	✓	✓	✓	✓
Kirkham, 2016	Rehab	12	**F:** 2x/wk **I:** 40-80% HRR **T:** 20-30 min **T:** Treadmill, recumbent cycle ergometer, arm ergometer, elliptical, NuStep	**F:** 2x/wk **I:** 11-14 RPE **T:** 15-25 min, 1-3 sets x 8-12 reps **T:** 2-8 exercises	✓	✓	X	✓	✓	?	X	X	X	X	✓	X	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	X

Supplemental Material Table 3 continued: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex Rx**	**Supervised Resistance Ex Rx**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
Korstjens, 2006; Korstjens, 2007; Velthuis, 2012	Rehab	12	**F:** 2x/wk **I:** NR **T:** 120 min **T:** Cycle ergometer	**F:** 2x/wk **I:** NR **T:** NR **T:** NR	X	✓	X	✓	✓	X	X	X	✓	X	X	X	?	?	✓	X	X	X	?	✓	✓	X	✓
Kröz, 2017	Rehab	10	**F:** 8 sessions over 10 wks* **I:** NR **T:** 45 min **T:** NR	None	✓	X	X	✓	X	✓	?	X	✓	X	X	X	?	?	✓	✓	✓	✓	?	?	?	X	✓
Marhic, 2018	Prehab	NR	**F:** Daily **I:** NR **T:** NR **T:** Cycle ergometer	**F:** Daily **I:** NR **T:** NR **T:** Trunk and upper extremity exercises	X	✓	✓	✓	?	X	✓	X	X	✓	X	X	✓	?	X	X	✓	✓	?	?	?	?	?
Morris, 2009	Rehab	8-12	**F:** 2-3x/wk **I:** 12-14 RPE **T:** Variable **T:** Treadmill, cycle ergometer	**F:** 2-3x/wk **I:** NR **T:** NR **T:** Sliding incline board	✓	✓	X	✓	✓	X	X	X	X	X	X	X	?	✓	X	✓	✓	✓	X	✓	X	X	X

Supplemental Material Table 3 continued: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex R_x**	**Supervised Resistance Ex R_x**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
O'Neill, 2018	Rehab	12	**F:** 0-2x/wk* **I:** 30-45% ⇒ 45-60% HRR **T:** 20-35 min **T:** NR	**F:** 0-2x/wk* **I:** 12RM ⇒ 17RM **T:** 2 sets ⇒ 6 sets **T:** NR	?	✓	?	?	?	X	X	✓	X	X	✓	X	✓	X	X	X	✓	✓	✓	✓	X	✓	✓
Rossen, 2020	Rehab	16	**F:** 2x/wk **I:** 15-16 RPE **T:** 25 min **T:** NR	**F:** 2x/wk **I:** 60-80% 1-RM **T:** 3x12 RM ⇒ 3x8RM **T:** NR	?	✓	?	✓	?	X	✓	X	X	✓	X	X	✓	X	✓	X	✓	X	X	✓	✓	?	?
Rothe, 2018	Rehab	8	**F:** 1x/wk* **I:** NR **T:** NR **T:** NR	**F:** 1x/wk **I:** NR **T:** NR **T:** NR	X	✓	✓	✓	X	X	✓	X	X	✓	X	X	✓	✓	X	✓	✓	✓	?	✓	?	?	✓
Sterzi, 2013	Rehab	3	**F:** 5x/wk **I:** 70-80% of max workload **T:** Up to 30 min **T:** Cycle ergometer	**F:** 5x/wk **I:** NR **T:** NR **T:** NR	X	✓	X	✓	✓	X	X	X	X	X	X	X	?	?	X	X	✓	✓	?	?	?	?	?
Wu, 2021	Prehab	Varied	None	**F:** 2x/wk **I:** NR **T:** 8-12 sets **T:** 8 exercises	X	✓	X	✓	X	X	✓	X	X	X	X	✓	✓	?	X	X	X	X	✓	✓	X	X	✓

Supplemental Material Table 3 continued: Program structure and components

					Education Content					Other Components					Assessments at Program Entry								Program Staff				
Publication	**Pre vs re-habilitation**	**Length (wks)**	**Supervised Aerobic Ex R_x**	**Supervised Resistance Ex R_x**	**Physical activity**	**Nutrition**	**Weight management**	**Psychosocial**	**Cancer specific**	**CVD risk management**	**Tobacco cessation**	**Nutrition intervention**	**Psychosocial counselling**	**Referral to other health professionals**	**Physical activity**	**Dietary practice**	**Tobacco use**	**Physical assessment**	**Cancer-specific**	**Blood pressure**	**Anthropometrics**	**Aerobic fitness**	**Physician**	**Exercise professional**	**Oncologist**	**Registered dietitian**	**Mental health professional**
Young-McCaughan, 2003	Rehab	12	**F:** 2x/wk* **I:** NR **T:** NR **T:** NR	**F:** 2x/wk* **I:** NR **T:** NR **T:** NR	✓	✓	X	✓	?	?	X	X	X	X	✓	X	X	X	X	X	X	✓	?	✓	?	X	X
Zhou, 2017	Prehab	1	**F:** Daily (7x/wk) **I:** NR **T:** 30 mins **T:** NuSTep	None	✓	X	X	X	X	X	X	X	X	X	X	X	✓	?	X	X	X	X	?	✓	✓	X	X
Zvinovski, 2021	Rehab	14	**F:** 3x/wk* **I:** 60-85% VO_2peak **T:** 45 min by end of program **T:** NR	None	✓	✓	X	X	X	✓	X	X	X	X	✓	X	?	✓	X	✓	✓	✓	?	?	?	?	?

*Indicates a hybrid supervised and unsupervised R_x with unsupervised R_x ranging from 1x/week to daily exercise

† Indicates entirely home-based program

Abbreviations: F, frequency; HRR, heart rate reserve; HR_{peak}, peak heart rate; I, intensity; NR, not reported; RM, repetition maximum; RPE, Borg rating of perceived exertion; T, time or type; VO_2peak, peak volume of oxygen consumption; ⇒, progression; ✓, included; X, not included; ?, cannot determine inclusion;