Supplementary file 7. GRADE

Question: Do home-based records (intervention) compared to no use of any home-based records (control) facilitate communication within the household?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Communication within the household (RCT) (study: Osaki, 2018 (Indonesia))												
1	randomised trials	serious [a]	not serious	serious [b]	serious [c]	none	Saving money for child birth: 109/183 (59.6%) Keeping infant warm: 65/183 (35.5%) Giving infant/child developmental stimulation: 78/183 (42.6%)	Saving money for child birth: 119/271 (43.9%) Keeping infant warm: 72/271 (26.6%) Giving infant/child developmental stimulation: 86/271 (31.7%)	Saving money for child birth: **OR 1.82** (1.20-2.76) Keeping infant warm: **OR 1.58** (1.02-2.46) Giving infant/child developmental stimulation: **OR 1.62** (1.06-2.48)	Not calculated	⨁◯◯◯ VERY LOW	IMPORTANT
Communication within the household related to newborn an childcare (observational study) (study: Hagiwara, 2013 (Palestine))												
1	observational studies	not serious	not serious	serious [b]	serious [d]	none	Number of events not reported	Number of events not reported	not estimable	not estimable	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval

Explanations

a. Bias in measurement of the outcome.
b. Indirect evidence.
c. A low number of events (<300).
d. Unable to assess the number of events as not reported.

Question: Do home-based records (intervention) compared to no use of any home-based records (control) facilitate communication between mothers and healthcare providers?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Communication between mothers and healthcare providers (study: Grøvdal, 2006 (Norway))												
1	randomised trials	serious [a]	not serious	serious [b]	serious [c]	none	Parents with more difficulty talking to health personnel: Nurse: 8/119 (6.7%) Doctor: 19/118 (16.1%) Other doctors: 16/89 (18%) Other health personnel: 1/24 (4.2%)	Parents with more difficulty talking to health personnel: Nurse: 11/115 (9.6%) Doctor: 17/122 (13.9%) Other doctors: 12/104 (11.5%) Other health personnel: 6/47 (12.8%)	Ordinal outcome measure: Nurse: p = 0.66 Doctor: p = 0.78 Other doctors: p = 0.39 Other health personnel: p = 0.60	Not calculated	⨁◯◯◯ VERY LOW	IMPORTANT
Communication between mothers and healthcare providers (observational study) (studies: Shah, 1993 (multi-countries); Harrison, 1998 (South Africa); Moore, 2000 (UK); Grippo, 2007 (Brazil); Walton, 2007 (UK); Shimizu, 2007 (Dominican Republic); Hamilton, 2012 (Australia); Hagiwara, 2013 (Palestine), Umeda, 2015 (Mongolia); Naito, 2019 (Japan))												
10	observational studies	serious [d]	serious [e]	serious [b]	not serious	none	not estimable	not estimable	not estimable	not estimable	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval

Explanations

a. Bias in measurement of the outcome.
b. Indirect evidence.
c. Unable to assess the number of events as outcome data are ordinal.
d. Some methodological considerations and key potential confounding variables not measured nor adjusted statistically.
e. Mixed results were obtained among included studies.

Question: Are mothers satisfied with the information provided by home-based records (intervention) compared to no use of any home-based records (control)?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Satisfaction with the information provided by home-based records (RCT) (study: Grøvdal, 2006 (Norway))												
1	randomised trials	serious [a]	not serious	serious [b]	very serious [c]	none	Not reported	Not reported	Not reported	Some 65% of parents were satisfied with the record and 92% were in favor of making its availability permanent. Satisfaction and support were especially high among parents of children with chronic diseases.	⨁◯◯◯ VERY LOW	IMPORTANT
Satisfaction with the information provided related to newborn and childcare (observational study) (studies: Shah, 1993 (multi-countries); Jeffs, 1994 (Australia); McMaster, 1996 (Bosnia and Herzegovina); Harrison, 1998 (South Africa); Hokama, 2000 (Japan); Takeda, 2002 (Japan); Hampshire, 2004 (UK); Grippo, 2007 (Brazil); Walton, 2007 (UK); Aoki, 2009 (Japan); Engida, 2013 (Ethiopia); Umeda, 2015 (Mongolia); Du Plessis, 2017 (South Africa); Ikeda, 2020 (Japan); Ogawa, 2021 (Japan))											
15	observational studies	serious [d]	serious [e]	serious [b]	not serious	none	not estimable	not estimable	not estimable	not estimable	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval

Explanations

a. Bias in measurement of the outcome.
b. Indirect evidence.
c. The number of cases not reported.
d. Some methodological considerations and key potential confounding variables not measured nor adjusted statistically.
e. Mixed results were obtained among included studies.

Question: Are mothers satisfied with services/provider performance via home-based records (intervention) compared to no use of any home-based records (control)?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Satisfaction with the newborn and child health services received via records (studies: Sugi, 1985 (Japan); O'Flaherty, 1987 (Australia); Polnay, 1989 (UK); Fujimoto, 2001 (Japan); Wright, 2005 (UK); Aihara, 2006 (Thailand); Yuge, 2010 (Japan))												
7	observational studies	serious [a]	serious [b]	serious [c]	not serious	none	not estimable	not estimable	not estimable	not estimable	⨁◯◯◯ VERY LOW	IMPORTANT
Satisfaction with the newborn and child health services received via records (studies: Gholipour, 2018 (Iran))												
1	randomized trials	serious [a]	not serious	not serious	not serious	none	92	93	Total mean SQ scores: Control = 7.63 (0.91) Intervention: 8.91 (0.76) Total mean CQ scores: Control = 82.63 (7.21) Intervention = 87.47 (6.75)	not estimable	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval; **SQ:** Service Quality; **CQ:** Customer Quality

Explanations

a. Some methodological considerations and key potential confounding variables not measured nor adjusted statistically.
b. Mixed results were obtained among included studies.
c. Indirect evidence.

Question: Do home-based records (intervention) compared to no use of any home-based records (control) foster mother-child bonding?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Mother-child bonding (studies: Matsumoto, 1996 (Japan); Yuge, 2010 (Japan); Tanabe, 2011 (Japan); Akiba, 2016 (Japan); Ogasawara, 2016 (Japan)												
5	observational studies	serious [a]	not serious	serious [b]	not serious	none	not estimable	not estimable	not estimable	not estimable	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval

Explanations

a. Some methodological considerations and key potential confounding variables not measured nor adjusted statistically.
b. Indirect evidence.

Question: Does a different type of home-based record (intervention) compare to a standard home-based record (control) facilitate communication within the household?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Communication within the household (study: Elbourne, 1987 (UK))												
1	randomised trials	serious [a]	not serious	serious [b]	serious [c]	none	Number of events not reported	Number of events not reported	not estimable	No significant difference was observed between mothers in the case note group and cooperation card group with regard to involvement of baby's father.	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval

Explanations

a. Bias due to deviations from intended intervention, missing outcome data, and selection of the reported result.
b. Indirect evidence.
c. Unable to assess the number of events as not reported.

Question: Does a different type of home-based record (intervention) compare to a standard home-based record (control) facilitate communication between mothers and healthcare providers?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Communication between mothers and healthcare providers (study: (study: Elbourne, 1987 (UK))												
1	randomised trials	serious [a]	not serious	serious [b]	serious [c]	none	Number of events not reported	Number of events not reported	not estimable	Expectant mothers felt in control of their antenatal care (RR=1.45, 95% CI: 1.08-1.95) and it was easier to talk to doctors and midwives (RR=1.73, 95% CI: 1.16-2.59).	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval

Explanations

a. Bias due to deviations from intended intervention, missing outcome data, and selection of the reported result.
b. Indirect evidence
c. Unable to assess the number of events as not reported.

Question: Are mothers satisfied with the information provided by a different type of home-based record (intervention) compared to a standard home-based record (control)?

Quality assessment							№ of participants		Effect		Certainty	Importance
№ of studies	Study design	Risk of bias	Inconsistency	Indirectness	Imprecision	Other considerations	Intervention	Control	Relative (95% CI)	Absolute (95% CI)		
Satisfaction with the information provided by home-based records (Bhuiyan, 2006 (Bangladesh))												
1	observational studies	serious [a]	not serious	serious [b]	serious [c]	none	Number of events not reported	Number of events not reported	not estimable	Most of the mothers (78%) perceived the MCH handbook as a useful tool.	⨁◯◯◯ VERY LOW	IMPORTANT

CI: Confidence interval

Explanations

a. Some methodological considerations and key potential confounding variables not measured nor adjusted statistically.
b. Indirect evidence.
c. Unable to assess the number of events as not reported.