| Study or Subgroup | Experimental Events | Experimental Total | Control Events | Control Total | Odds Ratio GLMM, Fixed + Random, 95% CI |
|---|---|---|---|---|---|
| **Type = RCT** | | | | | |
| Lanzoni, G. 2020 | 8 | 12 | 11 | 12 | 0.18 [0.02, 1.95] |
| Ventura−Carmenate, Y. 2020 | 50 | 69 | 51 | 70 | 0.98 [0.46, 2.07] |
| Shi, L. 2022 | 54 | 65 | 26 | 35 | 1.70 [0.63, 4.61] |
| Zhu, R. 2021 | 3 | 29 | 13 | 29 | 0.14 [0.03, 0.58] |
| **Total (fixed effect, 95% CI)** | | **175** | | **146** | **0.72 [0.43, 1.22]** |
| **Total (random effects, 95% CI)** | | | | | **0.57 [0.21, 1.60]** |
| Heterogeneity: $Tau^2$ = 0.636; $Chi^2$ = 9.82, df = 3 (P = 0.02); $I^2$ = 69% | | | | | |
| Test for overall effect (fixed effect): Z = −1.22 (P = 0.22) | | | | | |
| Test for overall effect (random effects): Z = −1.06 (P = 0.29) | | | | | |
| **Type = NRCT** | | | | | |
| Xu, X. 2021 | 20 | 26 | 18 | 18 | 0.09 [0.00, 1.62] |
| Test for overall effect (fixed effect): Z = NA (P = NA) | | | | | |
| Test for overall effect (random effects): Z = NA (P = NA) | | | | | |
| **Total (fixed effect, 95% CI)** | | **201** | | **164** | **0.63 [0.38, 1.05]** |
| **Total (random effects, 95% CI)** | | | | | **0.39 [0.12, 1.33]** |
| Heterogeneity: $Tau^2$ = 1.061; $Chi^2$ = 9.63, df = 4 (P = 0.05); $I^2$ = 58% | | | | | |
| Test for overall effect (fixed effect): Z = −1.77 (P = 0.08) | | | | | |
| Test for overall effect (random effects): Z = −1.50 (P = 0.13) | | | | | |
| Test for subgroup differences (fixed effect): $Chi^2$ = 0.00, df = 1 (P = 1.00) | | | | | |
| Test for subgroup differences (random effects): $Chi^2$ = 0.00, df = 1 (P = 1.00) | | | | | |




a. Subgroup analysis of AEs




b. Subgroup analysis of mortality




c. Subgroup analysis of length of hospital stay

| Study or Subgroup | Experimental Mean | SD | Total | Control Mean | SD | Total | Weight | Std. Mean Difference IV, Random, 95% CI |
|---|---|---|---|---|---|---|---|---|
| **Type = NRCT** | | | | | | | | |
| Lanzoni, G. 2021 | 9.74 | 4.2700 | 8 | 13.40 | 5.9500 | 9 | 12.0% | −0.66 [−1.65, 0.32] |
| Ventura−Carmenate, Y. 2021 | 4.30 | 15.6700 | 51 | 7.27 | 23.4100 | 35 | 62.8% | −0.15 [−0.58, 0.28] |
| **Total (95% CI)** | | | 59 | | | 44 | 74.8% | −0.24 [−0.63, 0.16] |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 0.86$, df = 1 (P = 0.35); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = −1.17 (P = 0.24) | | | | | | | | |
| **Type = RCT** | | | | | | | | |
| Wei, F. 2021 | 4.45 | 3.1000 | 12 | 4.69 | 2.4800 | 13 | 18.9% | −0.08 [−0.87, 0.70] |
| O.Ercelen, N.2020 2020 | 15.19 | 9.4900 | 8 | 9.90 | 4.3900 | 3 | 6.3% | 0.56 [−0.80, 1.92] |
| **Total (95% CI)** | | | 20 | | | 16 | 25.2% | 0.08 [−0.60, 0.76] |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 0.65$, df = 1 (P = 0.42); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = 0.23 (P = 0.82) | | | | | | | | |
| **Total (95% CI)** | | | **79** | | | **60** | **100.0%** | **−0.16 [−0.50, 0.19]** |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 2.12$, df = 3 (P = 0.55); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = −0.90 (P = 0.37) | | | | | | | | |
| Test for subgroup differences: $Chi^2 = 0.61$, df = 1 (P = 0.43) | | | | | | | | |




d. Subgroup analysis of neutrophils (day5-8)

| Study or Subgroup | Experimental Mean | SD | Total | Control Mean | SD | Total | Weight | Std. Mean Difference IV, Random, 95% CI |
|---|---|---|---|---|---|---|---|---|
| **Type = RCT** | | | | | | | | |
| Lanzoni, G. 2021 | 1.38 | 1.0700 | 8 | 0.80 | 0.4100 | 9 | 12.0% | 0.70 [−0.29, 1.69] |
| Ventura−Carmenate, Y. 2021 | 2.10 | 2.9500 | 51 | 1.64 | 2.7200 | 35 | 63.2% | 0.16 [−0.27, 0.59] |
| **Total (95% CI)** | | | 59 | | | 44 | 75.2% | 0.25 [−0.15, 0.64] |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 0.95$, df = 1 (P = 0.33); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = 1.22 (P = 0.22) | | | | | | | | |
| **Type = NRCT** | | | | | | | | |
| Wei, F. 2021 | 1.57 | 0.6000 | 12 | 1.35 | 0.9600 | 13 | 18.9% | 0.26 [−0.53, 1.05] |
| O.Ercelen, N.2020 2020 | 1.32 | 0.8300 | 8 | 0.60 | 0.2200 | 3 | 6.0% | 0.89 [−0.51, 2.29] |
| **Total (95% CI)** | | | 20 | | | 16 | 24.8% | 0.41 [−0.27, 1.10] |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 0.58$, df = 1 (P = 0.45); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = 1.18 (P = 0.24) | | | | | | | | |
| **Total (95% CI)** | | | 79 | | | 60 | 100.0% | 0.29 [−0.06, 0.63] |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 1.71$, df = 3 (P = 0.63); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = 1.64 (P = 0.10) | | | | | | | | |
| Test for subgroup differences: $Chi^2 = 0.17$, df = 1 (P = 0.68) | | | | | | | | |




e. Subgroup analysis of lymphocytes (day5-8)




f. Subgroup analysis of PLT (day5-8)




g. Subgroup analysis of CRP (day5-8)

| Study or Subgroup | Experimental Mean | SD | Total | Control Mean | SD | Total | Weight | Std. Mean Difference IV, Random, 95% CI |
|---|---|---|---|---|---|---|---|---|
| **Type = RCT** | | | | | | | | |
| Lanzoni, G. 2021 | 6.20 | 11.2900 | 9 | 4.69 | 3.3800 | 10 | 13.5% | 0.18 [−0.73, 1.08] |
| Ventura−Carmenate, Y. 2021 | 0.20 | 3.9400 | 49 | 1.51 | 588.1600 | 31 | 54.5% | −0.00 [−0.45, 0.45] |
| Adas, G. 2021 | 3.20 | 2.7000 | 10 | 1.90 | 1.1000 | 10 | 13.6% | 0.60 [−0.30, 1.50] |
| **Total (95% CI)** | | | 68 | | | 51 | 81.6% | 0.13 [−0.24, 0.50] |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 1.41$, df = 2 (P = 0.49); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = 0.68 (P = 0.50) | | | | | | | | |
| **Type = NRCT** | | | | | | | | |
| Meng, F. 2020 | 0.63 | 0.4000 | 9 | 1.38 | 1.8200 | 9 | 12.3% | −0.54 [−1.49, 0.40] |
| O.Ercelen, N.2020 2020 | 7.10 | 4.5500 | 8 | 4.61 | 2.9700 | 3 | 6.0% | 0.54 [−0.82, 1.89] |
| **Total (95% CI)** | | | 17 | | | 12 | 18.4% | −0.12 [−1.15, 0.91] |
| Heterogeneity: $Tau^2 = 0.225$; $Chi^2 = 1.63$, df = 1 (P = 0.20); $I^2 = 39\%$ | | | | | | | | |
| Test for overall effect: Z = −0.22 (P = 0.82) | | | | | | | | |
| **Total (95% CI)** | | | 85 | | | 63 | 100.0% | 0.07 [−0.26, 0.40] |
| Heterogeneity: $Tau^2 = 0$; $Chi^2 = 3.57$, df = 4 (P = 0.47); $I^2 = 0\%$ | | | | | | | | |
| Test for overall effect: Z = 0.41 (P = 0.68) | | | | | | | | |
| Test for subgroup differences: $Chi^2 = 0.19$, df = 1 (P = 0.66) | | | | | | | | |




h. Subgroup analysis of D-dimer (day5-8)