Supplementary Tables (Tables S1-S6)

Supplementary Table S1. *Genetic Variants.*

List of all genetic variants studied and explicitly reported in the manuscript of retrieved articles. Supplementary material was not accessed for the making of this list. DM: Differential methylation, CNV: Copy number variation, PVs: Pathogenic Variants.

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
ABCB1	rs2032582	Abraham	2014
CYP2C8	rs1058930	Abraham	2014
CYP1B1	rs1056836	Abraham	2014
EPHA6	rs301927	Abraham	2014
ABCB1	rs3213619	Abraham	2014
TUBB2A	rs9501929	Abraham	2014
ABCC2	rs8187710	Abraham	2014
SLCO1B1	rs3829306	Abraham	2014
C19orf21	rs8110536	Abraham	2014
CYP2C8	rs10509681	Apellaniz-Ruiz	2017
CYP2C8	rs1058930	Apellaniz-Ruiz	2017
CYP2C8	rs11572080	Apellaniz-Ruiz	2017
CYP3A4	rs35599367	Apellaniz-Ruiz	2017
EPHA5	rs7349683	Apellaniz-Ruiz	2017
EPHA6	rs301927	Apellaniz-Ruiz	2017
TUBB2A	rs909964	Apellaniz-Ruiz	2017
SLCO1B1	rs4149056	Apellaniz-Ruiz	2017
SLCO1B3	rs4149117	Apellaniz-Ruiz	2017
TUBB2A	rs909965	Apellaniz-Ruiz	2017
ABCB1	rs9282564	Apellaniz-Ruiz	2017
CYP3A4	rs67666821	Apellaniz-Ruiz	2017
EPHA4	rs17348202	Apellaniz-Ruiz	2017
EPHA5	rs33932471	Apellaniz-Ruiz	2017
EPHA5	rs36050417	Apellaniz-Ruiz	2017
EPHA8	rs144329757	Apellaniz-Ruiz	2017
EPHA8	rs209709	Apellaniz-Ruiz	2017
EPHA8	rs45498698	Apellaniz-Ruiz	2017
EPHA8	rs62618734	Apellaniz-Ruiz	2017
EPHA8	rs999765	Apellaniz-Ruiz	2017
SBF2	rs7102464	Apellaniz-Ruiz	2017
SLCO1B3	rs7311358	Apellaniz-Ruiz	2017
ABCB1	rs2229109	Apellaniz-Ruiz	2017
ABCB1	rs55852620	Apellaniz-Ruiz	2017

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
CYP2C8	rs41286886	Apellaniz-Ruiz	2017
EPHA6	rs4857276	Apellaniz-Ruiz	2017
FGD4	rs144693221	Apellaniz-Ruiz	2017
SBF2	rs117957652	Apellaniz-Ruiz	2017
SBF2	rs12574508	Apellaniz-Ruiz	2017
SLCO1B1	rs11045819	Apellaniz-Ruiz	2017
SLCO1B1	rs2306283	Apellaniz-Ruiz	2017
SLCO1B1	rs34671512	Apellaniz-Ruiz	2017
SLCO1B3	rs60140950	Apellaniz-Ruiz	2017
SEPTIN9	rs34587622	Apellaniz-Ruiz	2017
AARS	rs147319762	Apellaniz-Ruiz	2017
AARS	rs149377346	Apellaniz-Ruiz	2017
AARS	rs35744709	Apellaniz-Ruiz	2017
ARHGEF10	rs17683288	Apellaniz-Ruiz	2017
ARHGEF10	rs2294039	Apellaniz-Ruiz	2017
ARHGEF10	rs61752020	Apellaniz-Ruiz	2017
ARHGEF10	rs9657362	Apellaniz-Ruiz	2017
ARHGEF10	rs9657362	Apellaniz-Ruiz	2017
CCT5	rs11557652	Apellaniz-Ruiz	2017
CCT5	rs141675330	Apellaniz-Ruiz	2017
DHTKD1	rs147571909	Apellaniz-Ruiz	2017
DHTKD1	rs2062988	Apellaniz-Ruiz	2017
DHTKD1	rs34644609	Apellaniz-Ruiz	2017
DHTKD1	rs3740015	Apellaniz-Ruiz	2017
FAM134B	rs78314670	Apellaniz-Ruiz	2017
FIG4	rs2295837	Apellaniz-Ruiz	2017
FIG4	rs9885672	Apellaniz-Ruiz	2017
GARS	rs62636572	Apellaniz-Ruiz	2017
IKBKAP	rs1140064	Apellaniz-Ruiz	2017
IKBKAP	rs1538660	Apellaniz-Ruiz	2017
IKBKAP	rs17853166	Apellaniz-Ruiz	2017
IKBKAP	rs2230792	Apellaniz-Ruiz	2017
IKBKAP	rs2230793	Apellaniz-Ruiz	2017
IKBKAP	rs2230794	Apellaniz-Ruiz	2017
IKBKAP	rs2230798	Apellaniz-Ruiz	2017
IKBKAP	rs3204145	Apellaniz-Ruiz	2017
IKBKAP	rs838827	Apellaniz-Ruiz	2017
KIF1B	rs2297881	Apellaniz-Ruiz	2017
KIF1B	rs77172218	Apellaniz-Ruiz	2017
LITAF	rs149712652	Apellaniz-Ruiz	2017

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
LITAF	rs4280262	Apellaniz-Ruiz	2017
LRSAM1	rs1539567	Apellaniz-Ruiz	2017
MED25	rs145770066	Apellaniz-Ruiz	2017
MED25	rs193291405	Apellaniz-Ruiz	2017
MFN2	rs142271930	Apellaniz-Ruiz	2017
MTMR2	rs61735578	Apellaniz-Ruiz	2017
NGF	rs11466111	Apellaniz-Ruiz	2017
NGF	rs6330	Apellaniz-Ruiz	2017
NTRK1	rs1007211	Apellaniz-Ruiz	2017
NTRK1	rs35669708	Apellaniz-Ruiz	2017
NTRK1	rs6336	Apellaniz-Ruiz	2017
NTRK1	rs6339	Apellaniz-Ruiz	2017
PMP22	rs104894619	Apellaniz-Ruiz	2017
PRX	rs118071705	Apellaniz-Ruiz	2017
PRX	rs146789340	Apellaniz-Ruiz	2017
PRX	rs201389706	Apellaniz-Ruiz	2017
PRX	rs268671	Apellaniz-Ruiz	2017
PRX	rs268673	Apellaniz-Ruiz	2017
PRX	rs268674	Apellaniz-Ruiz	2017
SCN9A	rs141268327	Apellaniz-Ruiz	2017
SCN9A	rs182650126	Apellaniz-Ruiz	2017
SCN9A	rs41268673	Apellaniz-Ruiz	2017
SCN9A	rs58022607	Apellaniz-Ruiz	2017
SCN9A	rs74401238	Apellaniz-Ruiz	2017
SH3TC2	rs17722293	Apellaniz-Ruiz	2017
SH3TC2	rs55853803	Apellaniz-Ruiz	2017
SH3TC2	rs6875902	Apellaniz-Ruiz	2017
SPTLC1	rs45461899	Apellaniz-Ruiz	2017
TRPV4	rs3742030	Apellaniz-Ruiz	2017
TRPV4	rs55728855	Apellaniz-Ruiz	2017
TRPV4	rs56177950	Apellaniz-Ruiz	2017
NR1I3	rs11584174	Arbitrio	2019
UGT2B7	rs7438284	Arbitrio	2019
UGT2B7	rs7439366	Arbitrio	2019
UGT2B7	rs7662029	Arbitrio	2019
UGT2B7	rs7668258	Arbitrio	2019
BDNF	rs6265	Azoulay	2015
EPHA5	rs7349683	Baldwin	2012
FGD4	rs10771973	Baldwin	2012
BCL6/	rs1903216	Baldwin	2012

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
CACNB2	rs16916932	Baldwin	2012
FZD3	rs7001034	Baldwin	2012
FZD3	rs7833751	Baldwin	2012
GRIP1/CAND1	rs17781082	Baldwin	2012
NDRG1	rs2233335	Baldwin	2012
PITPNA	rs16948748	Baldwin	2012
XKR4	rs4737264	Baldwin	2012
BCAT1	rs7973533	Baldwin	2012
SHROOM2	rs5934683	Baldwin	2012
ZFPM2	rs2941627	Baldwin	2012
BRCA1	PVs	Bayraktar	2020
BRCA2	PVs	Bayraktar	2020
ABCB1	rs1045642	Boora	2016
ABCB1	rs2032582	Boora	2016
CYP2C8	rs10509681	Boora	2016
CYP2C8	rs1058930	Boora	2016
CYP2C8	rs11572080	Boora	2016
CYP1B1	rs1056836	Boora	2016
EPHA5	rs7349683	Boora	2016
ABCB1	rs3213619	Boora	2016
FGD4	rs10771973	Boora	2016
ABCC2	rs8187710	Boora	2016
BCL6	rs1903216	Boora	2016
CACNB2	rs16916932	Boora	2016
CAND1	rs17781082	Boora	2016
FZD3	rs7001034	Boora	2016
FZD3	rs7833751	Boora	2016
NDRG1	rs2233335	Boora	2016
PITPNA	rs16948748	Boora	2016
XKR4	rs4737264	Boora	2016
ABCC2	rs17222723	Boora	2016
ERBB4	rs10932374	Boora	2016
LIMK2	rs4141404	Boora	2016
MISP/C19orf21	rs8110536	Boora	2016
ERCC1	rs3212986	Bosó	2015
SOD2	rs4880v2	Bosó	2015
ABCB1	rs1045642	Chang	2009
ABCB1	rs2032582	Chang	2009
ABCB1	rs1045642	Ciruelos	2019
CYP2C8	rs11572080	Ciruelos	2019

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
CYP3A4	rs35599367	Ciruelos	2019
EPHA5	rs7349683	Ciruelos	2019
EPHA6	rs301927	Ciruelos	2019
CYP3A4	rs67666821	Ciruelos	2019
EPHA8	rs209709	Ciruelos	2019
ABCB1	rs1045642	DeGraan	2013
CYP2C8	rs10509681	DeGraan	2013
CYP2C8	rs1058932	DeGraan	2013
CYP3A4	rs35599367	DeGraan	2013
ABCB1	rs1045642	DiFrancia	2017
ABCB1	rs2032582	DiFrancia	2017
CYP2C8	rs10509681	DiFrancia	2017
CYP3A4	rs2740574	DiFrancia	2017
CYP3A4	rs35599367	DiFrancia	2017
GSTP1	rs1695	DiFrancia	2017
SLCO1B1	rs4149056	DiFrancia	2017
ERCC2	rs13181	DiFrancia	2017
ABCG2	rs2231137	DiFrancia	2017
XRCC3	rs1799794	DiFrancia	2017
ABCB1	rs1045642	Eckhoff	2014
ABCB1	rs2032582	Eckhoff	2014
CYP3A4	rs2740574	Eckhoff	2014
CYP3A4	rs2740574	Eckhoff	2014
ABCB1	rs1128503	Eckhoff	2014
CYP3A5	rs776746	Eckhoff	2014
TUBB2A	rs909964	Eckhoff	2014
GSTP1	rs1695	Eckhoff	2014
TUBB2A	rs909965	Eckhoff	2014
TUBB2A	rs9501929	Eckhoff	2014
ERCC1	rs3212986	Eckhoff	2014
GSTP1	rs1138272	Eckhoff	2014
SLCO1B3	rs11045585	Eckhoff	2014
TUBB2A	rs13219681	Eckhoff	2014
TUBB2A	rs3734492	Eckhoff	2014
ATP7A	rs2227291	Eckhoff	2014
CHST3	rs1871450	Eckhoff	2014
CHST3	rs4148950	Eckhoff	2014
NAT2	rs1799931	Eckhoff	2014
SLC10A2	rs2301159	Eckhoff	2014
CYP2C8	rs10509681	Hertz	2013

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
ABCB1	rs1045642	Hertz	2012
ABCB1	rs2032582	Hertz	2012
CYP2C8	rs10509681	Hertz	2012
CYP2C8	rs11572080	Hertz	2012
CYP3A4	rs2740574	Hertz	2012
ABCB1	rs1128503	Hertz	2012
CYP1B1	rs1056836	Hertz	2012
CYP3A5	rs776746	Hertz	2012
CYP2C8	rs10509681	Hertz	2014
CYP2C8	rs1058930	Hertz	2014
CYP2C8	rs11572103	Hertz	2014
ABCC1	rs246221	Hertz	2014
ABCG1	rs3788007	Hertz	2014
ABCG1	rs492338	Hertz	2014
CBR1	rs998383	Hertz	2014
CYP4A11	rs11211402	Hertz	2014
CYP17A1	rs6163	Hertz	2014
CYP4B1	rs4646487	Hertz	2014
GSTA1	rs4715332	Hertz	2014
GSTA5	rs4715354	Hertz	2014
SLC16A1	rs1049434	Hertz	2014
Mknk1	DM	Kober	2020
Map2k2	DM	Kober	2020
Egln1	DM	Kober	2020
Rbx1	DM	Kober	2020
Rbx1	DM	Kober	2020
Cul2	DM	Kober	2020
Ldha	DM	Kober	2020
Pfkl	DM	Kober	2020
AIPL1	rs11651916	Komatsu	2015
AIPL1	rs3892315	Komatsu	2015
AIPL1	rs3892316	Komatsu	2015
NA	rs11595500	Komatsu	2015
NA	rs264124	Komatsu	2015
ABCB1	rs1045642	Kus	2016
CYP3A4	rs2740574	Kus	2016
ERCC2	rs13181	Kus	2016
CYP2C8	rs1934951	Kus	2016
ERBB2	rs1136201	Kus	2016
ERCC1	rs3212935	Kus	2016

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
FDGF4	rs351855	Kus	2016
P53	rs1042522	Kus	2016
CYP2C8	rs11572080	Lam	2016
CYP3A4	rs35599367	Lam	2016
EPHA5	rs7349683	Lam	2016
TUBB2A	rs909964	Lam	2016
FGD4	rs10771973	Lam	2016
TUBB2A	rs909964	Leandro-García	2012
TUBB2A	rs909965	Leandro-García	2012
TUBB2A	rs9501929	Leandro-García	2012
CYP2C8	rs11572080	Lee	2015
ABCB1	rs1045642	Lee	2013
ABCB1	rs2032582	Lee	2013
ABCB1	rs1128503	Lee	2013
CYP1B1	rs1056836	Lee	2013
CYP3A5	rs776746	Lee	2013
CYP2C8	NA	Lee	2013
CYP3A4	rs28371759	Lee	2013
CDA	rs1048977	Lee	2013
CDA	rs2072671	Lee	2013
CDA	rs60369023	Lee	2013
CDA	rs818194	Lee	2013
CMPK	rs11211524	Lee	2013
CMPK	rs4492666	Lee	2013
DAPK1	rs11141915	Lee	2013
DCK	rs12648166	Lee	2013
DCK	rs4694362	Lee	2013
IL17F	rs763780	Lee	2013
PDE4B	rs12046844	Lee	2013
RRM1	rs1042927	Lee	2013
RRM1	rs11030918	Lee	2013
RRM1	rs720106	Lee	2013
RRM1	rs9937	Lee	2013
SLC28A1	rs2242046	Lee	2013
SLC28A3	rs7867504	Lee	2013
SLC29A1	rs747199	Lee	2013
SLC29A1	rs760370	Lee	2013
BDNF	rs6265	Leibovici	2018
ABCB1	rs1045642	Leskela	2011
ABCB1	rs2032582	Leskela	2011

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
CYP2C8	rs11572080	Leskela	2011
CYP2C8	rs1058930	Leskela	2011
CYP3A4	rs2740574	Leskela	2011
ABCB1	rs1128503	Leskela	2011
CYP3A5	rs776746	Leskela	2011
SLCO1B1	rs4149056	Leskela	2011
SLCO1B3	rs4149117	Leskela	2011
ABCB1	rs9282564	Leskela	2011
SLCO1B3	rs7311358	Leskela	2011
CYP2C8	rs1113129	Leskela	2011
CYP2C8	rs7909236	Leskela	2011
EPHA5	rs7349683	Marcath	2019
EPHA4	rs17348202	Marcath	2019
EPHA5	rs33932471	Marcath	2019
EPHA5	rs36050417	Marcath	2019
EPHA8	rs144329757	Marcath	2019
EPHA8	rs45498698	Marcath	2019
EPHA8	rs62618734	Marcath	2019
EPHA8	rs999765	Marcath	2019
EPHA4	rs768964879	Marcath	2019
EPHA8	rs147795823	Marcath	2019
EPHA8	rs149515751	Marcath	2019
EPHA8	rs200304246	Marcath	2019
EPHA8	rs569320402	Marcath	2019
BDNF	rs6265	Ng	2016
ABCB1	rs1045642	Öfverholm	2010
ABCB1	rs2032582	Öfverholm	2010
CYP2C8	rs10509681	Öfverholm	2010
CYP3A4	rs2740574	Öfverholm	2010
GSK3B	rs6438552	Park	2014
MAPT	rs242557	Park	2014
IL-1α	rs 1800587	Peila	2016
IL-1β	rs16944	Peila	2016
ABCB1	rs1045642	Rizzo	2010
ABCB1	rs2032582	Rizzo	2010
ABCB1	rs2032582	Rizzo	2010
CYP2C8	rs10509681	Rizzo	2010
CYP2C8	rs1058930	Rizzo	2010
CYP2C8	rs11572080	Rizzo	2010
CYP2C8	rs11572103	Rizzo	2010

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
ABCB1	rs1128503	Rizzo	2010
CYP1B1	rs1056836	Rizzo	2010
KCNN3	CNV	Rua	2018
FCAMR	rs1856746	Schneider	2015
None	rs3125923	Schneider	2015
None	rs9862208	Schneider	2015
SBF2	rs7102464	Schneider	2016
SBF2	rs117957652	Schneider	2016
SBF2	rs141368249	Schneider	2016
SBF2	rs149501654	Schneider	2016
SBF2	rs146987383	Schneider	2016
COMT	rs4680	Small	2010
BRCA1	rs16942	Sucheston	2011
BRCA1	rs1799950	Sucheston	2011
BRCA1	rs3737559	Sucheston	2011
BRCA1	rs3765640	Sucheston	2011
BRCA1	rs4986850	Sucheston	2011
BRCA1	rs799905	Sucheston	2011
BRCA1	rs799923	Sucheston	2011
BRCA1	rs8070179	Sucheston	2011
BRCA1	rs8176077	Sucheston	2011
BRCA1	rs8176098	Sucheston	2011
BRCA1	rs8176109	Sucheston	2011
BRCA1	rs8176160	Sucheston	2011
BRCA1	rs8176161	Sucheston	2011
BRCA1	rs8176237	Sucheston	2011
BRCA1	rs8176242	Sucheston	2011
BRCA1	rs8176257	Sucheston	2011
BRCA1	rs8176305	Sucheston	2011
FANCD2	rs12152512	Sucheston	2011
FANCD2	rs1552244	Sucheston	2011
FANCD2	rs2272123	Sucheston	2011
FANCD2	rs2272124	Sucheston	2011
FANCD2	rs2272125	Sucheston	2011
FANCD2	rs3172415	Sucheston	2011
FANCD2	rs3172417	Sucheston	2011
FANCD2	rs3846177	Sucheston	2011
FANCD2	rs3895942	Sucheston	2011
FANCD2	rs6442150	Sucheston	2011
FANCD2	rs6786638	Sucheston	2011

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
FANCD2	rs6786638	Sucheston	2011
FANCD2	rs6805869	Sucheston	2011
FANCD2	rs6807485	Sucheston	2011
FANCD2	rs7610821	Sucheston	2011
FANCD2	rs7637888	Sucheston	2011
FANCD2	rs7647987	Sucheston	2011
FANCD2	rs7648104	Sucheston	2011
FANCD2	rs9849434	Sucheston	2011
FANCD2	rs9875081	Sucheston	2011
FANCD2	rs9879080	Sucheston	2011
FANCD2	rs9881859	Sucheston	2011
FGD2	rs12202642	Sucheston	2018
GNGT1	rs1858826	Sucheston	2018
MIR5684	rs1857798	Sucheston	2018
NXN	rs910920	Sucheston	2018
ABCB1	rs1045642	Tanabe	2017
ABCB1	rs2032582	Tanabe	2017
CYP2C8	rs10509681	Tanabe	2017
ABCB1	rs1128503	Tanabe	2017
SLCO1B3	rs4149117	Tanabe	2017
SCN10A	rs12632942	Tanabe	2020
SCN10A	rs6795970	Tanabe	2020
SCN9A	rs12994338	Tanabe	2020
SCN9A	rs13017637	Tanabe	2020
SCN9A	rs7607967	Tanabe	2020
LOC154449	rs3012437	Tolaney	2019
GSTP1	rs1695	Van Rossum	2017
GSTP1	rs1138272	Van Rossum	2017
RWDD3	rs2296308	Van Rossum	2017
TECTA	rs1829	Van Rossum	2017
C12orf42	rs10778237	Wheeler	2012
C12orf42	rs11111539	Wheeler	2012
C12orf42	rs7306825	Wheeler	2012
DIS3	rs8002545	Wheeler	2012
KCNIP1	rs4868011	Wheeler	2012
KIAA1328	rs323285	Wheeler	2012
RFX2	rs7254081	Wheeler	2012
RICH2	rs8069856	Wheeler	2012
TMEM44	rs10933663	Wheeler	2012
TMEM44	rs7642318	Wheeler	2012

Gene	Variant	Author	Year
ABCB1	rs1045642	Abraham	2014
XYLT1	rs4782010	Wheeler	2012

Supplementary Table S2. *Clinical Variables.*

Extracted clinical variables for studies included in our systematic review. CP: Cyclophosphamide, MTX: Methotrexate, EPR: Epirubicin, GEM:Gemcitabine, CAPE: Capecitabine, TRA: Trastuzumab, CARB: carboplatin, DOX: Doxorubicin, H: Hydroxydaunorubicin, BLE: Bleomycin, VBL: Vinblastine, DTIC: Dacarbazine, VCR: Vincristine, PRED: Prednisone, PRDL: Prednisolone, CIS: Cisplatin, ANT: Anthracyclines, BVZ: Bevacizumab, TAM: Tamoxifen, 5-FU: 5-fluorouracil, LAP: Lapatinib, CMAB: Cetuximab, PER: Pertuzumab, DPH: Diphenhydramine, DMZ: Dexamethasone, GLN: Glutamine, VBC: Vitamin B complex, VB6: Vitamin B6, GPN: Gabapentin, AMI: Amitriptyline,P: Paclitaxel, D: Docetaxel, -: not reported, *:Calculated Mean, †: Neurotoxic agent.

Author	Year	Title	Journal/ Impact Factor	Study Design	N	Type of toxicity	Cancer type	Other cancers: If not breast exclusively	Treatment (Taxane)	Frequency	Dosage (mg/m2)	Concomitant drugs used	Age (Mean)	SD	Age (Median)	Range	Neuropathy Scale	Scale Version	Cutoff values	Ethnicity	Country	Genotyping Method
Dorling	2016	The Relationship between Common Genetic Markers of Breast Cancer Risk and Chemotherapy-Induced Toxicity: A Case-Control Study	Plos One / 2.74	Case -control nested RCT	1279	Peripheral	Breast cancer only		Paclitaxel	Weekly	175	CP, MTX, 5-FU, EPR, GEM	-	-	-	-	NCI-CTCAE	v. 2.0 or v. 3.0	1	Caucasian	UK	Microarray
Ng	2016	Brain-derived neurotrophic factor genetic polymorphism (rs6265) is protective against chemotherapy-associated cognitive impairment in patients with early-stage breast cancer	Neuro-Oncology / 10.091	Cohort	145	Central	Breast cancer only		Both	-	-	ANT	50.8	8.8			Central	v. 3.0	-	Asian	Singapore	Sequencing
Öfverholm	2010	The ABCB1 3435 T allele does not increase the risk of paclitaxel-induced neurotoxicity	Oncology Letters/ 1.91	Case-control	36	Peripheral	Combined	Breast and ovarian	Paclitaxel	Weekly	-	EPR, CAPE, CARB † and TRA	58.44*	10.46	58	40-80	NCI-CTCAE	v. 3.0	0	Caucasian	Sweden	PCR-RFLP
Park	2014	Paclitaxel-induced neuropathy: potential association of MAPT and GSK3B genotypes	BMC cancer / 3.288	Case-control	21	Peripheral	Breast cancer only		Paclitaxel	Weekly	80	DOX and CP	51.4	2.1			NCI-CTCAE		1	Caucasian	Australia	-
Peila	2016	Chemotherapy-Induced Neurotoxicity: Evidence of a Protective Role of CC Homozygous in the Interleukin-1β Gene-511 C>T Polymorphism	Neurotoxicity Research / 3.538	Case-control	49	Peripheral and Central	Combined	Breast, duodenal rectal, lung and others	Both	-	-	DOX, H, BLE, VBL, DTIC, CP, VCR, PRED, PRDL, 5-FU, CARB† and CIS†	53	14			NCI-CTCAE	-	-	Caucasian	Italy	PCR-RFLP
Rizzo	2010	Association of CYP1B1 with hypersensitivity induced by Taxane therapy in breast cancer patients	Breast Cancer Res Treat / 3.94	Cohort	95	Peripheral	Breast cancer only		Both	Weekly or every 3 weeks	80 or 75-100	ANT, CARB† and PRED	57	10			NCI-CTCAE	v. 3.0	0	Caucasian	Italy	TaqMan
Rua	2018	SK3 Gene Polymorphism Is Associated with Taxane Neurotoxicity and Cell Calcium Homeostasis	Clinical Cancer Research / 10.107	Cohort	176	Peripheral	Breast cancer only		Both	P every 3 weeks D every 3 weeks	P 60 D 100		54.2	11.5			NCI-CTCAE		-	Caucasian	France	PCR
Schneider	2015	Genome-Wide Association Studies for Taxane-Induced Peripheral Neuropathy in ECOG-5103 and ECOG-1199	Clinical Cancer Research / 10.107	Case-control nested RCT	5838	Peripheral	Breast cancer only		Paclitaxel	Every 2-3 weeks	80	DOX, CP, BVZ and TAM	-	-	-	-	NCI-CTCAE		2	Combined and Stratified (White, African American and Other)	USA	Microarray
Small	2010	Catechol-O-Methyltransferase Genotype Modulates Cancer Treatment-Related Cognitive	Cancer / 5.742	Case-control	72	Central	Breast cancer only		Both	-	-		-	-	-	-	Central		-	-	USA	TaqMan

		Deficits in Breast Cancer Survivors																			
Tanabe	2017	Paclitaxel-induced sensory peripheral neuropathy is associated with an ABCB1 single nucleotide polymorphism and older age in Japanese	Cancer Chemotherapy & Pharmacology / 2.97	Cohort	127	Peripheral	Breast cancer only		Paclitaxel	Weekly	80	TRA, CP, DOX, EPR and 5-FU	50*	10.35	50	25-75	NCI-CTCAE	v. 4.0	1	Asian	Japan	Microarray
Tanabe	2020	Taxane-induced sensory peripheral neuropathy is associated with an SCN9A single nucleotide polymorphism in Japanese patients	BMC cancer / 3.288	Cohort	135	Peripheral	Breast cancer only		Both	Weekly or every 3 weeks	P 80 D 75	DOX, CP, EPR, 5-FU and TRA	52.67*	11.49	52	25-81	NCI-CTCAE	v. 4.0	1	Asian	Japan	TaqMan
Tolaney	2019	Seven-Year Follow-Up Analysis of Adjuvant Paclitaxel and Trastuzumab Trial for Node-Negative, Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer	Journal of Clinical Oncology / 32.956	Cohort nested RCT	230	Peripheral	Breast cancer only		Paclitaxel	Weekly	80	TRA	54.67*	11.62	55	24-85	-	-	1	Caucasian	USA	Microarray
Van Rossum	2017	Independent replication of polymorphisms predicting toxicity in breast cancer patients randomized between dose-dense and docetaxel-containing adjuvant chemotherapy	Oncotarget / 3.71	Cohort nested RCT	646	Peripheral	Breast cancer only		Docetaxel	Every 3 weeks	75	DOX and CP	-	-	-	-	NCI-CTCAE	v. 3.0	1	Caucasian	Netherlands	MassARRAY
Hertz	2013	CYP2C8 3 increases risk of neuropathy in breast cancer patients treated with paclitaxel+	Annals of Oncology / 18.274	Cohort	411	Peripheral	Breast cancer only		Paclitaxel	Weekly, every 2 weeks, or every 3 weeks	80-90, 175 or 175	TRA, BVZ, CARB†, LAP and CP	52*	11.01	50	22-84	NCI-CTCAE	-	1	Combined (Caucasian, African American)	USA	Microarray
Kober	2020	Differential methylation and expression of genes in the hypoxia-inducible factor 1 signaling pathway are associated with paclitaxel-induced peripheral neuropathy in breast cancer survivors and with preclinical models of chemotherapy-induced neuropathic pain	Molecular Pain / 3.774	Case-control	50	Peripheral	Breast cancer only		Paclitaxel	-		-	-	-	-	-	-	-	-	Combined (Caucasian, Asian, African American, Hispanic, Other)	USA	Microarray
Komatsu	2015	Pharmacoethnicity in Paclitaxel-Induced Sensory Peripheral Neuropathy	Clinical Cancer Research / 10.107	Case-control nested RCT	183	Peripheral	Combined	Breast, stomach, lung, esophageal, colorectal, prostate, ovarian, uterine, cervix and hematopoietic	Paclitaxel	-		-	-	-	-	-	NCI-CTCAE	v. 2.0	1	Asian	Japan	Microarray
Kus	2016	Polymorphism of CYP3A4 and ABCB1 genes increase the risk of neuropathy in breast cancer patients treated with paclitaxel and docetaxel	OncoTargets and Therapy / 3.05	Case-control	219	Peripheral	Breast cancer only		Both	Weekly or every 3 weeks	P 80 or 175, D 100	None	49.7*	11.12	49.1	21-79	NCI-CTCAE	v. 4.03	1	Middle Eastern	Turkey	Microarray
Lam	2016	Genotypes of CYP2C8 and FGD4 and their association with peripheral neuropathy or early dose reduction in paclitaxel-treated breast cancer patients	British Journal of Cancer / 5.791	Cohort nested RCT	188	Peripheral	Breast cancer only		Paclitaxel	Weekly	90	BVZ and CAPE	55*	8.61	57	32-76	NCI-CTCAE	v. 3.0	0	Caucasian	Netherlands	TaqMan
Leandro-García	2012	Regulatory polymorphisms in β-tubulin IIa are associated with paclitaxel-induced peripheral neuropathy	Clinical Cancer Research / 10.107	Cohort	214	Peripheral	Combined	Breast, ovary, lung and others	Paclitaxel	Variable, different regiments	Variable, different regimens (80-175 mg/m2)	None	59.33*	11.16	62	29-87	NCI-CTCAE	v. 2.0	1	Caucasian	Spain, Sweden	Microarray
Lee	2015	Role of cytochrome P450 2C8 3 (CYP2C8 3) in paclitaxel	The Pharmacogen	Cohort	343	Peripheral	Combined	Breast and ovarian	Paclitaxel	-	-	None	-	-	-	-	-	-	-	Caucasian	Spain	Microarray

		metabolism and paclitaxel-induced neurotoxicity	omics Journal / 4.229																		
Lee	2013	Genetic polymorphisms of SLC28A3, SLC29A1 and RRM1 predict clinical outcome in patients with metastatic breast cancer receiving gemcitabine plus paclitaxel chemotherapy	European journal of cancer / 7.275	Cohort	85	Peripheral	Breast cancer only		Paclitaxel	-	-	GEM	49.59*	10.39	49	29–76	-	-	-	Asian	Korea	MassARRAY
Leibovici	2018	BDNF Val66Met is Associated with Pre-existing but not with Paclitaxel-induced Peripheral Neuropathy in an Israeli Cohort of Breast Cancer Patients	Israel Medical Association Journal / 0.978	Cohort	35	Peripheral	Breast cancer only		Paclitaxel	-	-	None	58.17	10.55			TNSr		1	Middle Eastern	Israel	Sequencing
Leskelä	2011	Polymorphisms in cytochromes P450 2C8 and 3A5 are associated with paclitaxel neurotoxicity	The Pharmacogenomics Journal / 4.229	Case-control	118	Peripheral	Combined	Breast, lung and, ovarian	Paclitaxel	Weekly or every 3 weeks	80-150, 150-175	CARB †, GEM, BVZ, TRA, CIS†, LAP and CMAB	60.7	11.5			NCI-CTCAE	v. 2.0	1	Caucasian	Spain	Microarray
Abraham	2014	Replication of Genetic Polymorphisms Reported to Be Associated with Taxane-Related Sensory Neuropathy in Patients with Early Breast Cancer Treated with Paclitaxel	Clinical Cancer Research / 10.107	Cohort nested RCT	1303	Peripheral	Breast cancer only		Paclitaxel	Every 2 weeks or every 3 Weeks	175	EPR, CP and GEM.	-	-	-	-	NCI-CTCAE	-	1	Caucasian	England, Scotland, Wales, Ireland, N Ireland	Microarray
Apellaniz-Ruiz	2016	Targeted Sequencing Reveals Low-Frequency Variants in EPHA Genes as Markers of Paclitaxel-Induced Peripheral Neuropathy	Clinical cancer research / 10.107	Cohort	430	Peripheral	Combined	Breast and ovarian	Paclitaxel	Weekly or every 3 Weeks	80-100, 175	DOX, CP, 5-FU, EPR and CARB†	-	-	-	-	NCI-CTCAE	v. 4.0	1	Caucasian	Spain, Sweden	Sequencing
Arbitrio	2019	Polymorphic Variants in NR1I3 and UGT2B7 Predict Taxane Neurotoxicity and Have Prognostic Relevance in Patients With Breast Cancer: A Case-Control Study	Clinical Pharmacology & Therapeutics / 6.565	Case-control	133	Peripheral	Breast cancer only		Both	P weekly or D every 3 weeks	P 80 D 75	DOX and CP	56	12	56	18-80	NCI-CTCAE	v. 2.0	1	Caucasian	Italy	Microarray
Baldwin	2012	A Genome-Wide Association Study Identifies Novel Loci for Paclitaxel-Induced Sensory Peripheral Neuropathy in CALGB 40101	Clinical Cancer Research / 10.107	Cohort nested RCT	1126	Peripheral	Breast cancer only		Paclitaxel	Weekly or every 2 weeks	80,175	None	53.7	9.6			NCI-CTCAE	v. 2.0	1	Combined (Caucasian, African American)	USA	Microarray
Bayraktar	2020	Clinical outcome and toxicity from taxanes in breast cancer patients with BRCA1 and BRCA2 pathogenic germline mutations	The Breast Journal - Wiley	Cohort	719	Peripheral	Breast cancer only		Both	P weekly or D every 3 weeks	P 80 D 75 or 100	5-FU, EPR, CP, DOX, TRA, EPR, CARB† and PER	-	-	-	-	NCI-CTCAE	v. 4.03	0	Combined (White, Hispanic, African American and Other)	USA	-
Boora	2016	Testing of candidate single nucleotide variants associated with paclitaxel neuropathy in the trial NCCTG N08C1 (Alliance)	Cancer Medicine / 3.362	Case-control	119	Peripheral	Combined	Breast, ovarian, fallopian, lung, head/neck, endometrial and others	Paclitaxel	Weekly	70-90	None	-	-	-	-	CIPN20		-	Combined (Caucasian, African American and other)	USA	TaqMan
Bosó	2014	SNPs and taxane toxicity in breast cancer patients	Pharmacogenomics / 2.339	Cohort	113	Peripheral	Breast cancer only		Both	P Weekly or D every 3 weeks	P 80, D 75	DOX, BVZ, TRA, and CP	-	-	-	-	NCI-CTCAE	v. 4.0	1	Caucasian	Spain	MassARRAY
Chang	2009	Association of the ABCB1 gene polymorphisms 2677G>T/A and 3435C>T with clinical outcomes of paclitaxel monotherapy in metastatic breast cancer patients	Annals of Oncology / 18.274	Cohort	103	Peripheral	Breast cancer only		Paclitaxel	Every 3 weeks	175	DPH, DMZ and GEM	49.43*	8.35	49	32-71	NCI-CTCAE	v. 3.0	-	-	-	Sequencing

Ciruelos	2019	A Pilot, Phase II, Randomized, Open-Label Clinical Trial Comparing the Neurotoxicity of Three Dose Regimens of Nab-Paclitaxel to That of Solvent-Based Paclitaxel as the First-Line Treatment for Patients with Human Epidermal Growth Factor Receptor Type 2-Negative Metastatic Breast Cancer	The Oncologist / 5.025	Cohort nested RCT	60	Peripheral	Breast cancer only		Paclitaxel	Weekly or every 2 weeks	80 or 150	None	-	-	-	-	NCI-CTCAE	v. 4.0	1	Caucasian	Spain	Microarray
DeGraan	2013	CYP3A4*22 genotype and systemic exposure affect paclitaxel-induced neurotoxicity	Clinical Cancer Research / 10.107	Cohort nested RCT	500	Peripheral	Combined	Breast, esophagus, ovary, cervix, endometrial, lung, head/neck, and others	Paclitaxel	Weekly or every 3 weeks	-	None	53.67*	12	61	18-82	NCI-CTCAE	-	0	Caucasian	Netherlands	TaqMan
DiFrancia	2017	Assessment of Pharmacogenomic Panel Assay for Prediction of Taxane Toxicities: Preliminary Results	Frontiers in Pharmacology / 4.23	Case-control nested RCT	35	Peripheral	Combined	Breast, genitourinary, gastric and others	Both	P Weekly or every 3 weeks / D weekly	P 80, 175 D 100	None	-	-	-	-	NCI-CTCAE	-	0	Caucasian	Italy	TaqMan
Eckhoff	2014	Docetaxel-induced neuropathy: a pharmacogenetic case-control study of 150 women with early-stage breast cancer	Acta Oncologica / 3.701	Case-control	150	Peripheral	Breast cancer only		Docetaxel	Every 3 weeks	75 - 100	EPR and CP	52*	9.09	53	29-74	NCI-CTCAE	v. 2.0	1	Caucasian	Denmark	TaqMan
Hertz	2012	CYP2C8*3 predicts benefit/risk profile in breast cancer patients receiving neoadjuvant paclitaxel	Breast Cancer Research and Treatment / 3.94	Cohort	109	Peripheral	Breast cancer only		Paclitaxel	Weekly, every 2 weeks, every 3 weeks or every 2-5 weeks	80-90, 175, 175 or 175	DOX and CP	49.61*	10.74	50	27-78	NCI-CTCAE	v. 4.0	2	Combined (Caucasian, African American)	USA	Sequencing
Hertz	2014	Genetic heterogeneity beyond CYP2C8*3 does not explain differential sensitivity to paclitaxel-induced neuropathy	Breast Cancer Research and Treatment / 3.94	Cohort	412	Peripheral	Breast cancer only		Paclitaxel	Weekly, every 2 weeks or every 3 weeks	80-90, 175 or 175	TRA, BVZ, CARB †, CP, LAP, GLN, VBC, VB6, GPN and AMI	53.33*	10.65	52	24-84	NCI-CTCAE	v. 4.0	1	Combined (Caucasian, African American, other)	USA	Microarray
Marcath	2019	Genetic variation in EPHA contributes to sensitivity to paclitaxel-induced peripheral neuropathy	British Journal of Clinical Pharmacology / 3.867	Cohort	60	Peripheral	Breast cancer only		Paclitaxel		80	None	52.5	10.31		28-71	CIPN20	CIPN8	30	Caucasian	USA	TaqMan
Schneider	2016	Charcot-Marie-Tooth gene, SBF2, associated with taxane-induced peripheral neuropathy in African Americans	Oncotarget / 3.71	Case-control nested RCT	213	Peripheral	Breast cancer only		Paclitaxel	Weekly	80	DOX, CP and BVZ	-	-	-	-	NCI-CTCAE	v. 3.0	1	Black	USA	Microarray
Sucheston	2011	Genetic predictors of taxane-induced neurotoxicity in a SWOG phase III intergroup adjuvant breast cancer treatment trial (S0221)	Breast Cancer Research and Treatment / 3.831	Cohort nested RCT	888	Peripheral	Breast cancer only		Paclitaxel	Weekly or every 2 weeks	Depends on regimen	DOX and CP	51.33*	9.33	51	23-80	NCI-CTCAE and FACT-TAX	v. 3.0	2	Combined (Caucasian, African American, Asian, Other)	USA	Microarray
Sucheston-Campbell	2018	Genome-wide meta-analyses identifies novel taxane-induced peripheral neuropathy-associated loci	Pharmacogenetics and Genomics / 2.94	Cohort nested RCT	1408	Peripheral	Breast cancer only		Paclitaxel	Weekly or every 2 weeks	Depends on regimen	DOX and CP	-	-	-	-	NCI-CTCAE	v. 3.0	2	Combined (Caucasian, African American, Asian, Other)	USA	Microarray
Wheeler	2012	Integration of cell line and clinical trial genome-wide analyses supports a polygenic architecture of Paclitaxel-induced sensory peripheral neuropathy	Clinical Cancer Research / 10.107	Cohort nested RCT	855	Peripheral	Breast cancer only		Paclitaxel	Depends on regimen	Depends on regimen	None	-	-	-	-	NCI-CTCAE	v. 2.0	1	Caucasian	USA	Microarray

Supplementary Table S3. *Genetic Variables.*

Extracted genetic variables known to be relevant in genetic association studies for all genes included in our meta-analyses. HWE: Hardy-Weinberg Equilibrium, CI: Confidence Interval, P: Major Allele Count, Q: Minor Allele Count, PP: Homozygous Major Allele Count, PQ: Heterozygous Count, QQ: Homozygous Minor Allele Count -: not reported, *:PQ+QQ, †: PQ+QQ

Author	Cohort	Year	Gene	RS	N	Major Allele	Minor Allele	MAF	HWE (p-Value or Yes/No)	Model	Effect type	Effect Size	Lower 95% CI limit	Upper 95% CI limit	p-value	P	Q	PP-Cases	Pq-Cases	QQ-Cases	PP-Controls	PQ-Controls	QQ-Controls
DeGraan		2013	ABCB1	rs1045642	255	C	T	0.5059	0.2383	Additive	OR	0.9615	0.6747	1.3704		252	258	24	54	24	42	66	45
Boora		2016	ABCB1	rs1045642	119	G	A	0.48	0.58	Additive	OR	1.08	0.62	1.88	0.79	154	0						
Tanabe		2017	ABCB1	rs1045642	127	C	T	0.3937	0.625	Additive	OR	1.0706	0.6467	1.7722		154	100	24	31	11	24	27	10
Öfverholm		2010	ABCB1	rs1045642	86	C	T	0.4767	0.697676	Additive	OR	0.8	0.4355	1.4695		90	82	12	16	8	11	28	11
Eckhoff		2014	ABCB1	rs1045642	150	C	T	0.5633	0.8576	Additive	OR	1.3481	0.853	2.1305		131	169	14	32	29	18	35	22
Ciruelos		2019	ABCB1	rs1045642	57	C	T	0.44	Yes	Additive	HR	0.89	0.53	1.51	0.675	0	0						
Hertz		2012	ABCB1	rs1045642	109	C	T	0.42	0.533	Dominant	OR	6.71	0.83	54.19	0.074	0	0						
Kus		2016	ABCB1	rs1045642	219	C	T	0.5000	-	Dominant	OR	2.759	1.17	6.49	0.017	219	219						
Leskela		2011	ABCB1	rs1045642	118	C	T	0.4100	-	Additive	HR	0.74	0.5	1.11	0.142	0	0						
Abraham		2014	ABCB1	rs1045642	1303	G	A	-	-	-	OR	1.2	1.02	1.41	0.03	0	0						
DiFrancia		2017	CYP2C8	rs10509681	35	T	C	0.1714	0.7866	AAvs.Aa	OR	1.62	0.49	5.35	0.19	58	12	15	8	0	8	4	0
Boora		2016	CYP2C8	rs10509681	119	T	C	0.1	0.6	Additive	OR	1.49	0.55	4.48	0.5	0	0						
Hertz	European-American cohort	2013	CYP2C8	rs10509681	209	T	C	-	0.77	Additive	HR	1.93	1.05	3.55	0.032	0	0						
Hertz	African-American cohort	2013	CYP2C8	rs10509681	107	T	C	-	0.79	Additive	HR	3.3	1.04	10.45	0.043	0	0						
DeGraan		2013	CYP2C8	rs10509681	102	T	C	0.1122	0.3493	Dominant	OR	1.2175	0.6707	2.2104		451	57	77	25*		120	32†	
Hertz		2012	CYP2C8	rs10509681	109	T	C	0.11	0.574	Dominant	OR	3.13	0.89	11.01	0.075	0	0						
Apellaniz-Ruiz		2017	CYP2C8	rs10509681	228	T	C	0.18860	Yes	Additive	OR	0.98	0.59	1.62	1	370	86	87	39	5	64	29	4
Boora		2016	CYP1B1	rs1056836	119	G	C	0.4400	0.02	Additive	OR	0.66	0.38	1.15	0.14	0	0						
Hertz		2012	CYP1B1	rs1056836	111	C	G	0.5300	0.136	Dominant	OR	0.76	0.18	2.41	0.537	0	0						
Abraham		2014	CYP1B1	rs1056836	1303	G	C	-	-	Additive	OR	0.81	0.68	0.96	0.02	0	0						
Boora		2016	CYP2C8	rs1058930	119	G	C	0.04	1	Additive	OR	0.26	0.04	1.16	0.05	418	0						

Apellaniz-Ruiz		2017	CYP2C8	rs1058930	228	G	C	0.08333	Yes	Additive	OR	0.45	0.21	0.93	0.03	418	38	116	15	0	76	19	2
Leskela		2011	CYP2C8	rs1058930	118	G	A	0.0700	-	Additive	HR	0.68	0.29	1.57	0.361	0	0						
Abraham		2014	CYP2C8	rs1058930	1303	G	C	-	-	Additive	OR	1.48	1.02	2.15	0.04	0	0						
DeGraan		2013	CYP2C8	rs1058932	98	C	G	0.046	0.7659	Dominant	OR	0.5179	0.1968	1.363		477	23	92	6*		135	17†	
Boora		2016	FGD4	rs10771973	119	G	A	0.25	0.22	Additive	OR	0.56	0.29	1.07	0.06	0	0						
Baldwin	African American Replication	2012	FGD4	rs10771973	117	G	A	0.17000	-	Additive	HR	1.93	1.13	3.28	6.7 × 10^−3	0	0						
Baldwin	Discovery	2012	FGD4	rs10771973	885	G	A	0.31000	-	Additive	HR	1.57	1.3	1.91	0.0000026	0	0						
Baldwin	European	2012	FGD4	rs10771973	154	G	A	0.33000	-	Additive	HR	1.72	1.06	2.8	0.013	0	0						
Eckhoff		2014	SLCO1B3	rs11045585	150	A	G	0.1467	0.249865	Additive	OR	1.2381	0.6515	2.3527		256	44	52	22	1	58	14	3
Apellaniz-Ruiz		2017	SLCO1B1	rs11045819	228	C	A	0.13596	Yes	Additive	OR	0.71	0.4	1.25	0.255	394	62	102	27	2	68	27	2
Leskela		2011	CYP2C8	rs1113129	0	G	C	-	-	Additive	HR	0.55	0.34	0.89	0.014	0	0						
Eckhoff		2014	ABCB1	rs1128503	150	C	T	0.4367	0.839875	Additive	OR	1.5038	0.9505	2.3793		169	131	20	37	18	27	38	10
Hertz		2012	ABCB1	rs1128503	111	C	T	0.38	0.913	Dominant	OR	0.76	0.15	3.8	0.74	0	0						
Tanabe		2017	ABCB1	rs1128503	127	C	T	0.5866	0.533	Recessive	OR	2.404	1.067	5.419	0.034	105	149	9	30	27	11	35	15
Leskela		2011	ABCB1	rs1128503	118	C	T	0.4000	-	Additive	HR	1.01	0.7	1.46	0.97	0	0						
Eckhoff		2014	GSTP1	rs1138272	150	C	T	0.0933	0.1982	Dominant	OR	3.3	1.29	8.4	0.01	272	28	56	18	1	68	6	1
Van Rossum		2017	GSTP1	rs1138272	642	C	T	0.1016691958	Yes	Dominant	OR	2.04	1.13	3.68	0.018	1184	134	43	18*		482	99†	
Boora		2016	CYP2C8	rs11572080	119	C	T	0.1	0.6	Additive	OR	1.49	0.55	4.48	0.5	0	0						
Ciruelos		2019	CYP2C8	rs11572080	57	G	A	0.15	Yes	Additive	HR	0.93	0.43	2.04	0.856	0	0						
Lam		2016	CYP2C8	rs11572080	188	G	A	0.0944	0.16	Dominant	HR	1.59	1.01	2.52	0.045	326	34						
Apellaniz-Ruiz		2017	CYP2C8	rs11572080	228	C	T	0.16667	Yes	Additive	OR	0.96	0.57	1.63	0.966	380	76	92	35	4	67	27	3
Lee		2015	CYP2C8	rs11572080	148	C	T	0.0944	-	Additive	HR	1.7	0.94	3.05	0.078	326	34						
Leskela		2011	CYP2C8	rs11572080	118	G	A	0.1800	-	Additive	HR	1.54	0.96	2.47	0.072	0	0						
Schneider		2016	SBF2	rs117957652	177	G	C	-	-	Dominant	OR	3.7942	0.2067	69.6506		0	0						
Apellaniz-Ruiz		2017	SBF2	rs117957652	228	G	C	0.01754	Yes	Additive	OR	0.44	0.07	2.29	0.294	448	8	128	3	0	92	5	0
Apellaniz-Ruiz		2017	SBF2	rs12574508	228	G	C	0.11184	Yes	Additive	OR	0.81	0.44	1.53	0.588	405	51	106	23	2	76	18	3
DiFrancia		2017	ERCC2	rs13181	35	T	G	0.3857	0.5134	Dominant	OR	1.76	0.66	4.71	0.41	43	27	10	11*	2	4	4†	4

Kus		2016	ERCC2	rs13181	219	A	C	0.4526	-	Dominant	OR	0.55	0.34	1.28	0.161	208	172						
Eckhoff		2014	TUBB2A	rs13219681	150	G	A	0.0544	0.911588	Additive	OR	1.304	0.4727	3.5972		278	16	65	9	0	66	7	0
Schneider		2016	SBF2	rs141368249	177	G	A	-	-	Dominant	OR	3.0865	0.1637	58.1814		0	0						
Apellaniz-Ruiz		2017	FGD4	rs144693221	228	C	A	0.00439	Yes	Additive	OR	0.74	0.01	58.32	1	454	2	130	1	0	96	1	0
Schneider		2016	SBF2	rs149501654	177	C	G	0.002118644068	-	Dominant	OR	1.0113	0.0406	25.162		471	1	176	1*		59	0†	
Boora		2016	CACNB2	rs16916932	119	C	T	0.04	1	Additive	OR	0.29	0.05	1.39	0.08	0	0						
Baldwin	Discovery	2012	CACNB2	rs16916932	855	C	T	0.06	-	Additive	HR	2.08	1.51	2.87	4.3 ×10^−6	0	0						
Baldwin	European	2012	CACNB2	rs16916932	154	C	T	0.06	-	Dominant	HR	0.38	0.09	1.58	0.082	0	0						
Baldwin	African American Replication	2012	CACNB2	rs16916932	117	C	T	0.08	-	Dominant	HR	1.13	0.47	2.74	0.39	0	0						
Boora		2016	PITPNA	rs16948748	119	T	G	0.06	1	Additive	OR	0.6	0.17	2.1	0.4	0	0						
Baldwin	Discovery	2012	PITPNA	rs16948748	855	T	G	0.04	-	Additive	HR	2.37	1.63	3.44	2.37 × 10^−6	0	0						
Baldwin	European	2012	PITPNA	rs16948748	154	T	G	0.02	-	Dominant	HR	2.65	0.63	11.1	0.083	0	0						
Baldwin	African American Replication	2012	PITPNA	rs16948748	117	T	G	0.07	-	Dominant	HR	1.07	0.41	2.77	0.45	0	0						
Eckhoff		2014	GSTP1	rs1695	150	A	G	0.35906	0.9073	Additive	OR	1.0292	0.6429	1.6477		191	107	30	35	10	32	32	11
Van Rossum		2017	GSTP1	rs1695	638	A	G	0.28997	Yes	Dominant	OR	1.5	0.86	2.64		906	370	20	40*		248	330†	
DiFrancia		2017	GSTP1	rs1695	35	A	G	0.24138	0.6768	Recessive	OR	1.25	0.44	3.6	0.71	44	14	11	6*		4	8†	
Boora		2016	ABCC2	rs17222723	119	T	A	0.05	1	Additive	OR	1.94	0.47	11.46	0.38	0	0						
Boora		2016	GRIP1_CAND1	rs17781082	119	C	T	0.34	0.41	Additive	OR	0.82	0.45	1.51	0.56	0	0						
Baldwin	African American Replication	2012	GRIP1_CAND1	rs17781082	117	C	T	0.21	-	Additive	HR	1.32	0.76	2.3	0.16	0	0						
Baldwin	Discovery	2012	GRIP1_CAND1	rs17781082	855	C	T	0.42	-	Additive	HR	1.6	1.31	1.96	4.3 × 10^−6	0	0						
Baldwin	European	2012	GRIP1_CAND1	rs17781082	154	C	T	0.43	-	Additive	HR	1.22	0.74	1.99	0.22	0	0						
Boora		2016	BCL6	rs1903216	119	G	A	0.42	0.44	Additive	OR	0.91	0.51	1.63	0.78	0	0						
Baldwin	Discovery	2012	BCL6	rs1903216	855	G	A	0.48	-	Additive	HR	1.59	1.3	1.95	5.6 ×10^−6	0	0						
Baldwin	African American Replication	2012	BCL6	rs1903216	117	G	A	0.03	-	Recessive	HR	3.02	1.04	8.73	0.016	0	0						
Baldwin	European	2012	BCL6	rs1903216	154	G	A	0.41	-	Recessive	HR	2.08	0.99	4.37	0.024	0	0						
Kus		2016	CYP2C8	rs1934951	89	C	T	-	-	Dominant	OR	0.973	0.33	2.87	0.96	0	0						
Tanabe		2017	ABCB1	rs2032582	127	G	T	0.3504	0.535	Additive	OR	1.1289	0.6734	1.8924		165	89	26	32	8	26	29	6

Boora		2016	ABCB1	rs2032582	119	C	A	0.4	0.7	Additive	OR	0.97	0.54	1.73	1	171	0					
Eckhoff		2014	ABCB1	rs2032582	150	G	T	0.43	0.8399	Additive	OR	1.4256	0.9008	2.2561		171	129	22	35	18	27	38	10
Hertz		2012	ABCB1	rs2032582	109	G	T	0.34	0.14	Dominant	OR	2.41	0.6	9.61	0.214	0	0					
Leskela		2011	ABCB1	rs2032582	118	G	T	0.3500	-	Additive	HR	1.22	0.84	1.78	0.295	0	0					
Abraham		2014	ABCB1	rs2032582	1303	C	A	-	-	Additive	OR	1.22	1.03	1.45	0.02	0	0					
Apellaniz-Ruiz		2017	ABCB1	rs2229109	228	C	T	0.03728	0.866534	Additive	OR	0.51	0.16	1.5	0.257	439	17	124	7	0	87	10	0
Boora		2016	NDRG1	rs2233335	119	T	G	0.31	1	Additive	OR	1.06	0.57	2	0.88	0	0					
Baldwin	African American Replication	2012	NDRG1	rs2233335	117	T	G	0.23	-	Additive	HR	1.4	0.75	2.6	0.14	0	0					
Baldwin	Discovery	2012	NDRG1	rs2233335	855	T	G	0.38	-	Additive	HR	0.65	0.52	0.8	5.2 × 10^−5	0	0					
Baldwin	European	2012	NDRG1	rs2233335	154	T	G	0.39	-	Additive	HR	0.94	0.58	1.53	0.41	0	0					
Apellaniz-Ruiz		2017	SLCO1B1	rs2306283	228	A	G	0.42105	Yes	Additive	OR	0.79	0.54	1.18	0.265	264	192	49	60	22	33	40	24
Eckhoff		2014	CYP3A4	rs2740574	150	A	G	0.05	0.1982	Additive	OR	0.8689	0.3069	2.4598		285	15	68	7	0	68	6	1
Eckhoff		2014	CYP3A4	rs2740574	150	A	G	0.05	0.1982	Additive	OR	0.8689	0.3069	2.4598		285	15	68	7	0	68	6	1
Hertz		2012	CYP3A4	rs2740574	109	A	G	0.8	0.001	Dominant	OR	1.01	0.25	4.05	0.984	0	0					
Leskela		2011	CYP3A4	rs2740574	118	A	G	0.0600	-	Additive	HR	1.62	0.76	3.43	0.209	0	0					
Kus		2016	CYP3A4	rs2740574	219	A	G	0.5507	-	Recessive	OR	2.259	1.03	4.94	0.038	195	239					
Ciruelos		2019	EPHA6	rs301927	57	A	G	0.1100	Yes	Dominant	HR	2.25	0.89	5.67	0.087	0	0					
Abraham		2014	EPHA6	rs301927	1303	A	G	-	-	Additive	OR	1.35	1.07	1.7	0.01	0	0					
Eckhoff		2014	ERCC1	rs3212986	150	C	A	0.31	1	Additive	OR	0.8888	0.5129	1.5402	0.88	0	0					
Bosó		2015	ERCC1	rs3212986	12	C	A	0.45	-	Dominant	OR	4.75	1.0671	21.1436		65	21	3	9*		19	12†	
Boora		2016	ABCB1	rs3213619	119	A	G	0.03	0.06	Additive	OR	0.12	0.0001	1.11	0.03	0	0					
Abraham		2014	ABCB1	rs3213619	1303	A	G	-	-	Additive	OR	0.47	0.28	0.79	0.004	0	0					
Apellaniz-Ruiz		2017	EPHA5	rs33932471	228	T	G	0.05482	Yes	Additive	OR	1.34	0.54	3.51	0.636	431	25	115	16	0	88	9	0
Apellaniz-Ruiz		2017	SLCO1B1	rs34671512	228	A	C	0.05921	Yes	Additive	OR	0.67	0.28	1.58	0.419	429	27	119	11	1	84	12	1
DiFrancia		2017	CYP3A4	rs35599367	35	C	T	0.4400	0.9456	AAvs.Aa	OR	2.17	0.48	9.79	0.3	65	5	20	3*		10	2†	
Ciruelos		2019	CYP3A4	rs35599367	57	C	T	0.04	Yes	Additive	HR	1.43	0.43	4.79	0.562	0	0					
DeGraan		2013	CYP3A4	rs35599367	215	C	T	0.0621	0.6135	Dominant	OR	1.2816	0.7491	2.1927		921	61	185	30*		245	31†	

Apellaniz-Ruiz		2017	EPHA5	rs36050417	228	C	T	0.02851	Yes	Additive	OR	0.86	0.24	3.15	1	443	13	124	7	0	91	6	0
Eckhoff		2014	TUBB2A	rs3734492	150	G	A	0.0102	0.992984	Additive	OR	0.4966	0.0446	5.5363		291	3	73	1	0	71	2	0
Abraham		2014	SLCO1B1	rs3829306	1303	C	T	-	-	Additive	OR	0.66	0.44	1.01	0.05	0	0						
Apellaniz-Ruiz		2017	CYP2C8	rs41286886	228	C	T	0.00439	0.998699	Additive	OR	0.74	0.01	58.32	1	454	2	130	1	0	96	1	0
DiFrancia		2017	SLCO1B1	rs4149056	35	T	C	0.13793	0.6926	Dominant	OR	1.03	0.35	3.06	0.62	50	8	16	4*		5	4†	
Leskela		2011	SLCO1B1	rs4149056	118	T	C	0.15000	-	-	HR	0.91	0.52	1.57	0.726	0	0						
Apellaniz-Ruiz		2017	SLCO1B1	rs4149056	228	T	C	0.14912	Yes	-	OR	1.15	0.66	2.02	0.704	388	68	96	29	6	70	27	0
Tanabe		2017	SLCO1B3	rs4149117	127	T	G	0.75591	0.491	Dominant	OR	5.379	0.987	29.32	0.052	62	192	7	23	36	2	21	38
Leskela		2011	SLCO1B3	rs4149117	118	G	T	0.17000	-	Additive	HR	1.15	0.68	1.94	0.596	0	0						
Apellaniz-Ruiz		2017	SLCO1B3	rs4149117	228	T	G	0.85307	Yes	Additive	OR	1.04	0.59	1.83	0.999	67	389	6	27	98	4	20	73
Boora		2016	XKR4	rs4737264	119	A	C	0.23	1	Additive	OR	0.86	0.44	1.72	0.74	0	0						
Baldwin	African American Replication	2012	XKR4	rs4737264	117	A	C	0.18	-	Additive	HR	1.23	0.69	2.21	0.24	0	0						
Baldwin	Discovery	2012	XKR4	rs4737264	855	A	C	0.22	-	Additive	HR	1.68	1.36	2.09	1.9 × 10^−6	0	0						
Baldwin	European	2012	XKR4	rs4737264	154	A	C	0.24	-	Additive	HR	1.84	1.02	3.33	0.021	0	0						
Apellaniz-Ruiz		2017	EPHA6	rs4857276	228	C	T	0.00439	Yes	Additive	OR	1.01	0.99	1.02	0.51	454	2	129	2	0	97	0	0
Apellaniz-Ruiz		2017	ABCB1	rs55852620	228	T	G	0.00439	0.866534	Additive	OR	1.01	0.99	1.02	0.51	454	2	129	2	0	97	0	0
Apellaniz-Ruiz		2017	SLCO1B3	rs60140950	228	G	C	0.14035	Yes	Additive	OR	0.76	0.43	1.34	0.372	392	64	101	27	3	69	25	3
Apellaniz-Ruiz		2017	CYP3A4	rs67666821	228	G	GT	0.00439	Yes	Additive	OR	3.7332	0.1782	78.2028		454	2	129	2	0	97	0	0
Ciruelos		2019	CYP3A4	rs67666821	57	G	GT	0.02	Yes	Additive	HR	2.26	0.52	9.76	0.276	0	0						
Boora		2016	FZD3	rs7001034	119	G	A	0.39	0.55	Additive	OR	0.9	0.5	1.63	0.78	0	0						
Baldwin	Discovery	2012	FZD3	rs7001034	855	G	T	0.4	-	Additive	OR	0.57	0.48	0.69	3.1 ×10^−9	0	0						
Schneider		2016	SBF2	rs7102464	177	C	T	-	-	Dominant	OR	1.9833	0.56	7.0239		0	0						
Apellaniz-Ruiz		2017	SBF2	rs7102464	228	C	T	0.09430	Yes	Additive	OR	0.93	0.47	1.85	0.947	413	43	107	24	0	78	19	0
Leskela		2011	SLCO1B3	rs7311358	118	A	G	0.17	-	Additive	HR	1.15	0.68	1.94	0.596	0	0						
Apellaniz-Ruiz		2017	SLCO1B3	rs7311358	228	A	G	0.87939	Yes	Additive	OR	0.95	0.52	1.76	0.977	55	401	2	27	102	1	22	74
Boora		2016	EPHA5	rs7349683	119	C	T	0.2800	0.5	Additive	OR	2.07	1.08	4.1	0.03	0	0						
Baldwin	African American Replication	2012	EPHA5	rs7349683	117	C	T	0.1300	-	Additive	HR	1.16	0.55	2.42	0.35	0	0						

Baldwin	European	2012	EPHA5	rs7349683	154	C	T	0.3200	-	Additive	HR	0.96	0.57	1.6	0.43	0	0					
Baldwin	Discovery	2012	EPHA5	rs7349683	855	C	T	0.3600	-	Additive	HR	1.63	1.34	1.98	9.6 x 10^-7	0	0					
Ciruelos		2019	EPHA5	rs7349683	57	G	A	0.3800	Yes	Recessive	HR	3.08	1.34	7.08	0.008	0	0					
Eckhoff		2014	CYP3A5	rs776746	150	A	G	0.9133	0.94986	Additive	OR	1.404	0.6226	3.1665		26	274	1	9	65	1	13	61
Hertz		2012	CYP3A5	rs776746	111	A	G	0.8000	<0.001	Dominant	OR	1.19	0.3	4.8	0.806	0	0					
Leskela		2011	CYP3A5	rs776746	118	A	G	0.9200	-	Additive	HR	0.55	0.33	0.94	0.027	0	0					
Boora		2016	FZD3	rs7833751	119	G	T	0.45	0.35	Additive	OR	1.3	0.73	2.32	0.41	0	0					
Baldwin	Discovery	2012	FZD3	rs7833751	855	G	T	0.4	-	Additive	OR	0.58	0.49	0.7	7.5 × 10^−9	0	0					
Baldwin	European	2012	FZD3	rs7833751	855	G	T	0.41	-	Additive	OR	1.67	0.88	3.19	0.058	0	0					
Leskela		2011	CYP2C8	rs7909236	118	G	T	-	-	Additive	HR	0.86	0.49	1.52	0.611	0	0					
Boora		2016	ABCC2	rs8187710	119	G	A	0.07	1	Additive	OR	1.97	0.57	8.63	0.3	0	0					
Abraham		2014	ABCC2	rs8187710	1303	G	A	-	-	Additive	OR	0.63	0.42	0.93	0.02	0	0					
Eckhoff		2014	TUBB2A	rs909964	150	C	T	0.7449	0.847825	Additive	OR	1.1068	0.6646	1.8433		75	219	4	29	41	4	30	39
Eckhoff		2014	TUBB2A	rs909965	150	A	G	0.25170	0.8478	Additive	OR	0.9307	0.5505	1.5736		220	74	42	28	4	39	30	4
Apellaniz-Ruiz		2017	ABCB1	rs9282564	228	T	C	0.05	-	Additive	OR	0.76	0.37	1.59	0.272	0	0					
Leskela		2011	ABCB1	rs9282564	118	A	G	0.0811	Yes	Additive	HR	0.62	0.26	1.46	0.542	419	37	112	19	0	80	16	1
Eckhoff		2014	TUBB2A	rs9501929	150	A	G	0.05782	0.210816	Additive	OR	1.133	0.425	3.0202		277	17	65	9	0	66	6	1
Abraham		2014	TUBB2A	rs9501929	1303	T	C	-	-	Additive	OR	1.8	1.2	2.72	0.005	0	0					

Supplementary Table S4. *Genetic model stratified meta-analyses.*

Genetic Model	k (No. of studies)	Effect size (CI95%)	I^2	*p*-value
	ABCB1			
rs1045642 All	10	1.08 (0.89, 1.30)	41%	0.00158*
Additive	8	1.06 (0.92, 1.22)	11%	
Dominant	2	3.14 (1.42, 6.93)	0%	
rs1128503 All	4	1.33 (0.90, 1.95)	37%	0.278
Additive	2	1.20 (0.82, 1.77)	43%	
Dominant	1	0.76 (0.15, 3.83)	NA	
Recessive	1	2.40 (1.07, 5.42)	NA	
rs2032582 All	6	1.22 (1.07, 1.40)	0%	0.00256*
Additive	5	1.21 (1.06, 1.39)	0%	
Dominant	1	2.41 (0.60, 9.64)	NA	
rs9282564 All = Additive	2	0.7 (0.40, 1.22)	0%	
rs2229109 All = Additive	1	0.51 (0.17, 1.56)	NA	
rs3213619 All = Additive	2	0.46 (0.28, 0.77)	0%	
rs55852620 All = Additive	1	1.01 (1.00, 1.03)	NA	
	ABCC2			
rs17222723 All = Additive	1	1.94 (0.39, 9.58)	NA	
rs8187710 All = Additive	2	0.92 (0.32, 2.63)	60%	
	BCL6			
rs1903216 All	4	1.56 (1.07, 2.26)	44%	0.154
Additive	2	1.29 (0.76, 2.19)	68%	
Recessive	2	2.35 (1.28, 4.32)	0%	
	CACNB2			
rs16916932 All	4	0.91 (0.37, 2.24)	72%	0.71
Additive	2	0.93 (0.14, 6.19)	81%	
Dominant	2	0.76 (0.27, 2.13)	38%	
	CAND1			
rs17781082 All = Additive	4	1.32 (1.01, 1.73)	39%	
	CYP1B1			
rs1056836 All	2	0.81 (0.68, 0.96)	0%	
Additive	1	0.81 (0.68, 0.96)	NA	
Dominant	1	0.76 (0.21, 2.78)	NA	
	CYP2C8			
rs10509681 All	7	1.48 (1.08, 2.03)	13%	0.917
Additive	4	1.55 (0.94, 2.53)	41%	
Dominant	2	1.65 (0.69, 3.91)	43%	
AAvs.Aa	1	1.62 (0.49, 5.35)	NA	

Genetic Model	k (No. of studies)	Effect size (CI95%)	I^2	*p*-value
rs1058930 All = Additive	4	0.69 (0.32, 1.50)	74%	
rs1113129 All = Additive	1	0.55 (0.34, 0.89)	NA	
rs11572080 All	6	1.37 (1.09, 1.73)	0%	0.531
Additive	5	1.30 (0.99, 1.71)	0%	
Dominant	1	1.59 (1.01, 2.51)	NA	
rs7909236 All = Additive	1	0.86 (0.49, 1.51)	NA	
rs1934951 All = Dominant	1	0.97 (0.33, 2.87)	NA	
rs41286886 All = Additive	1	0.74 (0.01, 56.51)	NA	
rs1058932 All = Dominant	1	0.52 (0.20, 1.36)	NA	
	CYP3A4			
rs2740574 All	3	1.60 (0.98, 2.62)	3%	0.363
Additive	2	1.31 (0.71, 2.41)	0%	
Recessive	1	2.26 (1.03, 4.94)	NA	
rs35599367 All	3	1.37 (0.86, 2.18)	0%	
Additive	1	1.43 (0.43, 4.77)	NA	
Dominant	1	1.28 (0.75, 2.19)	NA	
AAvs.Aa	1	2.17 (0.48, 9.79)	NA	
rs67666821 All = Additive	2	2.48 (0.66, 9.31)	0%	
	CYP3A5			
rs776746 All = Additive	2	0.83 (0.33, 2.07)	72%	
	EPHA5			
rs7349683 All	5	1.55 (1.13, 2.14)	46%	0.0613
Additive	4	1.44 (1.07, 1.94)	38%	
Recessive	1	3.08 (1.34, 7.08)	NA	
rs33932471 All = Additive	1	1.34 (0.53, 3.42)	NA	
rs36050417 All = Additive	1	0.86 (0.24, 3.12)	NA	
	EPHA6			
rs301927 All	2	1.42 (1.05, 1.92)	9%	
Additive	1	1.35 (1.07, 1.70)	NA	
Dominant	1	2.25 (0.89, 5.67)	NA	
rs4857276 All = Additive	1	1.01 (1.00, 1.03)	NA	
	ERCC1			
rs3212986 All	2	1.77 (0.35, 8.90)	77%	
Additive	1	0.89 (0.51, 1.54)	NA	
Dominant	1	4.75 (1.07, 21.14)	NA	

Genetic Model	k (No. of studies)	Effect size (CI95%)	I^2	*p*-value
ERCC2				
rs13181 All = Dominant	2	0.93 (0.30, 2.88)	73%	
FGD4				
rs10771973 All = Additive	4	1.39 (0.93, 2.07)	70%	
rs144693221 All = Additive	1	0.74 (0.01, 56.51)	NA	
FZD3				
rs7001034 All = Additive	2	0.65 (0.43, 0.99)	52%	
rs7833751 All = Additive	3	1.03 (0.49, 2.15)	87%	
GSTP1				
rs1138272 All = Dominant	2	2.34 (1.42, 3.85)	0%	
rs1695 All	3	1.21 (0.86, 1.70)	0%	
Additive	1	1.03 (0.64, 1.65)	NA	
Dominant	1	1.50 (0.86, 2.63)	NA	
Recessive	1	1.25 (0.44, 3.60)	NA	
NDRG1				
rs2233335 All = Additive	4	0.90 (0.63, 1.30)	60%	
PITPNA				
rs16948748 All	4	1.56 (0.81, 2.99)	51%	0.782
Additive	2	1.37 (0.37, 5.11)	76%	
Dominant	2	1.43 (0.62, 3.27)	6%	
SBF2				
rs117957652 All	2	0.93 (0.12, 6.96)	35%	
Additive	1	0.44 (0.08, 2.52)	NA	
Dominant	1	3.79 (0.21, 69.64)	NA	
rs7102464 All	2	1.12 (0.59, 2.12))	6%	
Additive	1	0.93 (0.47, 1.85)	NA	
Dominant	1	1.98 (0.56, 7.02)	NA	
rs12574508 All = Additive	1	0.81 (0.43, 1.51)	NA	
rs149501654 All = Dominant	1	1.01 (0.04, 25.17)	NA	
rs141368249 All = Dominant	1	3.09 (0.16, 58.18)	NA	
SLCO1B1				
rs4149056 All	3	1.02 (0.71, 1.48)	0%	1
Additive	2	1.02 (0.69, 1.51)	0%	
Dominant	1	1.03 (0.35, 3.06)	NA	

Genetic Model	k (No. of studies)	Effect size (CI95%)	I^2	*p*-value
rs11045819 All = Additive	1	1.71 (0.40, 1.26)	NA	
rs2306283 All = Additive	1	1.79 (0.53, 1,17)	NA	
rs34671512 All = Additive	1	0.67 (0.28, 1.59)	NA	
rs3829306 All = Additive	1	0.66 (0.44, 1.01)	NA	
SLCO1B3				
rs4149117 All	3	1.26 (0.74, 2.15)	39%	0.0142*
Additive	2	1.10 (0.75, 1.61)	0%	
Dominant	1	5.38 (0.99, 29.32)	NA	
rs60140950 All = Additive	1	0.76 (0.43, 1.34)	NA	
rs7311358 All = Additive	2	1.06 (0.71, 1.58)	0%	
rs11045585 All = Additive	1	1.24 (0.65, 2.35)	NA	
TUBB2A				
rs9501929 All = Additive	2	1.68 (1.15, 2.45)	0%	
rs13219681 All = Additive	1	1.30 (0.47, 3.60)	NA	
rs3734492 All = Additive	1	0.50 (0.04, 5.53)	NA	
rs909964 All = Additive	1	1.11 (0.66, 1.84)	NA	
rs909965 All = Additive	1	0.93 (0.55, 1.57)	NA	
XKR4				
rs4737264 All = Additive	4	1.48 (1.12, 1.95)	31%	

Supplementary Table S5. *EphA5-rs7349683 meta-regression results.*

Variable	I^2	R^2	Residual I^2	Intercept	CI95%	*p*-value
rs7349683	46%					
Year		59.08%	26.42%	-222.6305	(-455.58, 10.33)	0.0605
Strega Score		14.37%	46.39%	-1.6838	(-4.96, 1.59)	0.2024
N		0%	58.25%	0.4612	(-0.15, 1.08)	0.9748
Impact factor		22.89%	39.43%	1.2281	(0.21, 2.25)	0.1117
Ethnicity		0%	55.55%	0.1484	(-0.77, 1.07)	0.4976
Country		36.84%	38.30%	1.1249	(0.21, 2.04)	0.1210
Cancer Type		0%	55.68%	0.3882	(0.002, 0.77)	0.4853
Dose Frequency		0%	55.68%	0.3882	(0.002, 0.77)	0.4853
Genotype Method		0%	55.68%	0.3882	(0.002, 0.77)	0.4853
Approach		0%	57.40%	0.4395	(-0.08, 0.96)	0.9200

Supplementary Table S6. *Sensitivity Analyses.*

Variable	No. of studies	No. of participants	Effect size (CI95%)	I^2	*p*-value
		rs1045642 Additive			
All studies	8	2215	0.89 (0.79, 1.01)	0%	
Effect Type					
HR	2	175	0.79 (0.58, 1.09)	0%	0.122
OR	6	2040	1.14 (1.00, 1.30)	0%	
Cancer Type					
Breast Cancer	4	1637	1.18 (1.02, 1.36)	0%	0.111
Combined	4	578	0.88 (0.71, 1.10)	0%	
		rs2032582 Additive			
All studies	5	1817	1.21 (1.06, 1.39))	0%	
Effect Type					
HR	1	118	1.22 (0.84, 1.78)	NA	0.884
OR	4	1699	1.21 (1.05, 1.41)	0%	
Cancer Type					
Breast Cancer	3	1580	1.23 (1.06, 1.44)	0%	0.347
Combined	2	237	1.14 (0.83, 1.56)	0%	

		rs10509681			
All studies	7	909	1.48 (1.08, 2.03)	13%	
Effect Type					
HR	2	316	2.17 (1.27, 3.72)	0%	0.259
OR	5	593	1.24 (0.88, 1.72)	0%	
Cancer Type					
Breast Cancer	3	425	2.30 (1.40, 3.77)	0%	0.0145*
Combined	4	484	1.15 (0.81, 1.63)	0%	
		rs11572080			
All studies	6	858	1.37 (1.09, 1.73)	0%	
Effect Type					
HR	4	511	1.50 (1.14, 1.96)	0%	0.522
OR	2	347	1.05 (0.66, 1.68)	0%	
Cancer Type					
Breast Cancer	2	245	1.34 (0.82, 2.19)	26%	0.632
Combined	4	613	1.36 (1.02, 1.82)	0%	
		rs7349683			
All studies	5	1302	1.55 (1.13, 2.14)	46%	
Effect Type					
HR	4	1183	1.47 (1.00, 2.17)	56%	0.757
OR	1	119	2.07 (1.06, 4.03)	NA	
Cancer Type					
Breast Cancer	4	1183	1.47 (1.00, 2.17)	56%	0.757
Combined	1	119	2.07 (1.06, 4.03)	NA	