Supplementary table 1 Preferred Reporting Items for Systematic review and Meta-Analysis Protocols (PRISMA-P) checklist: recommended items to address in a systematic review protocol.[27]

Section/topic	#	Checklist item	Information reported		Section where item is reported
			Yes	No	
ADMINISTRATIVE INFORMATION					
Title					
Identification	1a	Identify the report as a protocol of a systematic review	Yes		Title
Update	1b	If the protocol is for an update of a previous systematic review, identify as such		No	
Registration	2	If registered, provide the name of the registry (such as PROSPERO) and registration number in the Abstract	Yes		Abstract and Methods and Analysis
Authors					
Contact	3a	Provide name, institutional affiliation, e-mail address of all protocol authors; provide physical mailing address of corresponding author	Yes		First page
Contributions	3b	Describe contributions of protocol authors and identify the guarantor of the review	Yes		Author contribution
Amendments	4	If the protocol represents an amendment of a previously completed or published protocol, identify as such and list changes; otherwise, state plan for documenting important protocol amendments		No	
Support					
Sources	5a	Indicate sources of financial or other support for the review		No	
Sponsor	5b	Provide name for the review funder and/or sponsor		No	
Role of sponsor or funder	5c	Describe roles of funder(s), sponsor(s), and/or institution(s), if any, in developing the protocol		No	
INTRODUCTION					
Rationale	6	Describe the rationale for the review in the context of what is already known	Yes		Introduction
Objectives	7	Provide an explicit statement of the question(s) the review will address with reference to participants, interventions, comparators, and outcomes (PICO)	Yes		Eligibility criteria
METHODS					
Eligibility criteria	8	Specify the study characteristics (such as PICO, study design, setting, time frame) and report characteristics (such as years considered, language, publication status) to be used as criteria for eligibility for the review	Yes		Inclusion and exclusion criteria
Information sources	9	Describe all intended information sources (such as electronic databases, contact with study authors, trial registers or other grey literature sources) with planned dates of coverage	Yes		Information sources
Search strategy	10	Present draft of search strategy to be used for at least one electronic database, including planned limits, such that it could be repeated	Yes		Search strategy
STUDY RECORDS					

Data management	11a	Describe the mechanism(s) that will be used to manage records and data throughout the review	Yes		Data management and selection process
Selection process	11b	State the process that will be used for selecting studies (such as two independent reviewers) through each phase of the review (that is, screening, eligibility and inclusion in meta-analysis)	Yes		Data management and selection process
Data collection process	11c	Describe planned method of extracting data from reports (such as piloting forms, done independently, in duplicate), any processes for obtaining and confirming data from investigators	Yes		Data collection process
Data items	12	List and define all variables for which data will be sought (such as PICO items, funding sources), any pre-planned data assumptions and simplifications		No	
Outcomes and prioritization	13	List and define all outcomes for which data will be sought, including prioritization of main and additional outcomes, with rationale	Yes		Primary and secondary outcomes
Risk of bias in individual studies	14	Describe anticipated methods for assessing risk of bias of individual studies, including whether this will be done at the outcome or study level, or both; state how this information will be used in data synthesis	Yes		Risk of bias
DATA					
Synthesis	15a	Describe criteria under which study data will be quantitatively synthesized	Yes		Data synthesis
	15b	If data are appropriate for quantitative synthesis, describe planned summary measures, methods of handling data and methods of combining data from studies, including any planned exploration of consistency (such as I^2, Kendall's τ)	Yes		Data synthesis
	15c	Describe any proposed additional analyses (such as sensitivity or subgroup analyses, meta-regression)		No	
	15d	If quantitative synthesis is not appropriate, describe the type of summary planned	Yes		Data synthesis
Meta-bias(es)	16	Specify any planned assessment of meta-bias(es) (such as publication bias across studies, selective reporting within studies)		No	
Confidence in cumulative evidence	17	Describe how the strength of the body of evidence will be assessed (such as GRADE)	Yes		Confidence in cumulative evidence

n, number.

Supplementary table 2 Final search strategy for the six investigated databases (no limits and/or filters have been used).

Database	String number	Researched outcome	Search strings
PUBMED	#1	Medication adherence/MNA	("Hematopoietic Stem Cell Transplantation"[Mesh] OR "Transplantation, Homologous"[Mesh] OR stem cell transplant* OR bone marrow transplant* OR haematopoietic stem cell transplant* OR hematopoietic stem cell transplant* OR allogeneic transplant* OR haploidentical transplant*) AND ("Medication Adherence"[Mesh] OR medication adherence OR adherence medication OR medication nonadherence OR medication non-adherence OR medication non adherence OR Drug Adherence OR Medication Persistence OR medication noncompliance OR medication compliance OR medication non-compliance OR compliance OR adherence) AND (pharmaceutic* OR pharmaceutical preparation* OR pharmaceutical product* OR drug* OR "Pharmaceutical Preparations"[Mesh] OR pharmaceutical regime* OR regime* OR "oral therapy" OR pill* OR tablet* OR capsule OR "Immunosuppressive Agents"[Mesh] OR immunosuppressant* OR nonimmunosuppressant* OR non-immunosuppressant*)
	#2	MNA and risk factor	(#1 OR pre-transplant*) AND ("Risk Factors"[Mesh] OR risk factor* OR social risk factor* OR health correlate* OR risk score* OR risk factor score* OR predictor* OR screening OR "screening tool" OR psychosocial assessment* OR evaluation* OR psychosocial* OR facilitate* OR barrier*)
	#3	Interventions increasing medication adherence	#1 AND ("Psychosocial Intervention"[Mesh] OR intervention* OR psychological intervention* OR "Patient Education as Topic"[Mesh] OR "patient education" OR education OR consultation* OR counselling* OR implementation OR self-medication)
	#4	Medication adherence/MNA and GvHD	#1 AND ("Graft vs Host Disease"[Mesh] OR graft-versus-host disease* OR graft-versus-host OR graft versus host disease* OR graft-vs-host disease*)
	#5	Medication adherence/MNA and infections	#1 AND ("Infections"[Mesh] OR viral infection* OR bacterial infection* OR fungal infection* OR sepsis*)
	#6	Medication adherence/MNA and hospital readmission	#1 AND ("Patient Readmission"[Mesh] OR patient readmission* OR unplanned readmission OR hospital readmission* OR rehospitalization OR intensive care unit admission* OR intensive care unit OR emergency room visit*)
	#7	Medication adherence/MNA and survival	#1 AND ("Survival"[Mesh] OR "Mortality"[Mesh] OR survival OR survivor* OR mortality OR death OR mortality rate* OR progression-free survival)
	#8	Medication adherence/MNA and disease relapse	#1 AND ("Recurrence"[Mesh] OR recurrence* OR recrudescence* OR relapse* OR disease relapse*)
CINAHL	#1	Medication adherence/MNA	(stem cell transplant* OR bone marrow transplant* OR haematopoietic stem cell transplant* OR hematopoietic stem cell transplant* OR allogeneic transplant* OR haploidentical transplant* OR (MH "Bone Marrow Transplantation") OR (MH "Bone Marrow Transplantation, Allogeneic")) AND ((MH "Medication Compliance") OR (MH "Compliance with Medical Regimen (Saba CCC)") OR (MH "Compliance with Medication Regimen (Saba CCC)" OR medication adherence OR adherence medication OR medication nonadherence OR medication non-adherence OR medication non adherence OR Drug Adherence OR Medication Persistence OR medication noncompliance OR medication compliance OR medication non-compliance OR compliance OR adherence) AND (pharmaceutic* OR pharmaceutical preparation* OR pharmaceutical product* OR drug* OR pharmaceutical regime* OR regime* OR "oral therapy" OR pill* OR tablet* OR capsule OR Immunosuppressive Agent* OR immunosuppressant* OR nonimmunosuppressant* OR non-immunosuppressant* OR (MH "Immunosuppressive Agents") OR (MH "Immunosuppression"))

	#2	MNA and risk factor	(#1 OR pre-transplant*) AND (risk factor* OR social risk factor* OR health correlate* OR risk score* OR risk factor score* OR predictor* OR screening OR "screening tool" OR psychosocial assessment* OR evaluation* OR psychosocial* OR facilitate* OR barrier* OR (MH "Risk Factors") OR (MH "Social Factors"))
	#3	Interventions increasing medication adherence	#1 AND (Psychosocial Intervention* OR intervention* OR psychological intervention* OR patient education OR education* OR consultation* OR counselling* OR implementation OR self-medication OR (MH "Psychosocial Intervention") OR (MH "Nursing Interventions") OR (MH "Intervention Trials") OR (MH "Patient Education") OR (MH "Counseling"))
	#4	Medication adherence/MNA and GvHD	#1 AND (Graft vs Host Disease OR graft-versus-host disease* OR graft-versus-host OR graft versus host disease* OR graft-vs-host disease* OR (MH "Graft Versus Host Disease"))
	#5	Medication adherence/MNA and infections	#1 AND (Infection* OR viral infection* OR bacterial infection* OR fungal infection* OR sepsis* OR (MH "Sepsis") OR (MH "Infection"))
	#6	Medication adherence/MNA and hospital readmission	#1 AND (patient readmission* OR unplanned readmission* OR hospital readmission* OR rehospitalization OR intensive care unit admission* OR intensive care unit OR emergency room visit* OR (MH "Readmission") OR (MH "Intensive Care Units"))
	#7	Medication adherence/MNA and survival	#1 AND (survival OR survivor* OR mortality OR death OR mortality rate* OR progression-free survival OR (MH "Survival") OR (MH "Mortality") OR (MH "Death"))
	#8	Medication adherence/MNA and disease relapse	#1 AND (recurrence* OR recrudescence* OR relapse* OR disease relapse* OR (MH "Recurrence"))
Cochrane Library	#1	Medication adherence/MNA	(stem cell transplant* OR bone marrow transplant* OR haematopoietic stem cell transplant* OR hematopoietic stem cell transplant* OR allogeneic transplant* OR haploidentical transplant*) AND (medication adherence OR adherence medication OR medication nonadherence OR medication non-adherence OR medication non adherence OR Drug Adherence OR Medication Persistence OR medication noncompliance OR medication compliance OR medication non-compliance OR compliance OR adherence) AND (pharmaceutic* OR pharmaceutical preparation* OR pharmaceutical product* OR drug* OR pharmaceutical regime* OR regime* OR "oral therapy" OR pill* OR tablet* OR capsule OR Immunosuppressive Agent* OR immunosuppressant* OR non immunosuppressant* OR non-immunosuppressant*)
	#2	MNA and risk factor	(#1 OR pre-transplant*) AND (risk factor* OR social risk factor* OR health correlate* OR risk score* OR risk factor score* OR predictor* OR screening OR "screening tool" OR psychosocial assessment* OR evaluation* OR psychosocial* OR facilitate* OR barrier*)
	#3	Interventions increasing medication adherence	#1 AND (Psychosocial Intervention* OR intervention* OR psychological intervention* OR patient education OR education* OR consultation* OR counselling* OR implementation OR self-medication)
	#4	Medication adherence/MNA and GvHD	#1 AND (Graft vs Host Disease OR graft-versus-host disease* OR graft-versus-host OR graft versus host disease* OR graft-vs-host disease*)
	#5	Medication adherence/MNA and infections	#1 AND (Infection* OR viral infection* OR bacterial infection* OR fungal infection* OR sepsis*)
	#6	Medication adherence/MNA and hospital readmission	#1 AND (patient readmission* OR unplanned readmission* OR hospital readmission* OR rehospitalization OR intensive care unit admission* OR intensive care unit OR emergency room visit*)
	#7	Medication adherence/MNA and survival	#1 AND (survival OR survivor* OR mortality OR death OR mortality rate* OR progression-free survival)
	#8	Medication adherence/MNA and disease relapse	#1 AND (recurrence* OR recrudescence* OR relapse* OR disease relapse*)
PsychINFO	#1	Medication adherence/MNA	(stem cell transplant* OR bone marrow transplant* OR haematopoietic stem cell transplant* OR hematopoietic stem cell transplant* OR allogeneic transplant* OR haploidentical transplant*) AND (medication

			adherence OR adherence medication OR medication nonadherence OR medication non-adherence OR medication non adherence OR Drug Adherence OR Medication Persistence OR medication noncompliance OR medication compliance OR medication non-compliance OR compliance OR adherence) AND (pharmaceutic* OR pharmaceutical preparation* OR pharmaceutical product* OR drug* OR pharmaceutical regime* OR regime* OR oral therapy OR pill* OR tablet* OR capsule OR Immunosuppressive Agent* OR immunosuppressant* OR non immunosuppressant* OR non-immunosuppressant*)
	#2	MNA and risk factor	(#1 OR pre-transplant*) AND (risk factor* OR social risk factor* OR health correlate* OR risk score* OR risk factor score* OR predictor* OR screening OR screening tool OR psychosocial assessment* OR evaluation* OR psychosocial* OR facilitate* OR barrier*)
	#3	Interventions increasing medication adherence	#1 AND (Psychosocial Intervention* OR intervention* OR psychological intervention* OR patient education OR education* OR consultation* OR counselling* OR implementation OR self-medication)
	#4	Medication adherence/MNA and GvHD	#1 AND (Graft vs Host Disease OR graft-versus-host disease* OR graft-versus-host OR graft versus host disease* OR graft-vs-host disease*)
	#5	Medication adherence/MNA and infections	#1 AND (Infection* OR viral infection* OR bacterial infection* OR fungal infection* OR sepsis*)
	#6	Medication adherence/MNA and hospital readmission	#1 AND (patient readmission* OR unplanned readmission* OR hospital readmission* OR rehospitalization OR intensive care unit admission* OR intensive care unit OR emergency room visit*)
	#7	Medication adherence/MNA and survival	#1 AND (survival OR survivor* OR mortality OR death OR mortality rate* OR progression-free survival)
	#8	Medication adherence/MNA and disease relapse	#1 AND (recurrence* OR recrudescence* OR relapse* OR disease relapse*)
SCOPUS	#1	Medication adherence/MNA	(stem cell transplant* OR bone marrow transplant* OR haematopoietic stem cell transplant* OR hematopoietic stem cell transplant* OR allogeneic transplant* OR haploidentical transplant*) AND (medication adherence OR adherence medication OR medication nonadherence OR medication non-adherence OR medication non adherence OR Drug Adherence OR Medication Persistence OR medication noncompliance OR medication compliance OR medication non-compliance OR compliance OR adherence) AND (pharmaceutic* OR pharmaceutical preparation* OR pharmaceutical product* OR drug* OR pharmaceutical regime* OR regime* OR “oral therapy” OR pill* OR tablet* OR capsule OR Immunosuppressive Agent* OR immunosuppressant* OR non immunosuppressant* OR non-immunosuppressant*)
	#2	MNA and risk factor	(#1 OR pre-transplant*) AND (risk factor* OR social risk factor* OR health correlate* OR risk score* OR risk factor score* OR predictor* OR screening OR “screening tool” OR psychosocial assessment* OR evaluation* OR psychosocial* OR facilitate* OR barrier*)
	#3	Interventions increasing medication adherence	#1 AND (Psychosocial Intervention* OR intervention* OR psychological intervention* OR patient education OR education* OR consultation* OR counselling* OR implementation OR self-medication)
	#4	Medication adherence/MNA and GvHD	#1 AND (Graft vs Host Disease OR graft-versus-host disease* OR graft-versus-host OR graft versus host disease* OR graft-vs-host disease*)
	#5	Medication adherence/MNA and infections	#1 AND (Infection* OR viral infection* OR bacterial infection* OR fungal infection* OR sepsis*)
	#6	Medication adherence/MNA and hospital readmission	#1 AND (patient readmission* OR unplanned readmission* OR hospital readmission* OR rehospitalization OR intensive care unit admission* OR intensive care unit OR emergency room visit*)
	#7	Medication adherence/MNA and survival	#1 AND (survival OR survivor* OR mortality OR death OR mortality rate* OR progression-free survival)

	#8	Medication adherence/MNA and disease relapse	#1 AND (recurrence* OR recrudescence* OR relapse* OR disease relapse*)
EMBASE	#1	Medication adherence/MNA	('stem cell transplant*':ti,ab,kw OR 'bone marrow transplant*':ti,ab,kw OR 'haematopoietic stem cell transplant*':ti,ab,kw OR 'hematopoietic stem cell transplant*':ti,ab,kw OR 'allogeneic transplant*':ti,ab,kw OR 'haploidentical transplant*':ti,ab,kw) AND ('medication adherence':ti,ab,kw OR 'adherence medication':ti,ab,kw OR 'medication nonadherence':ti,ab,kw OR 'medication non-adherence':ti,ab,kw OR 'medication non adherence':ti,ab,kw OR 'drug adherence':ti,ab,kw OR 'medication persistence':ti,ab,kw OR 'medication noncompliance':ti,ab,kw OR 'medication compliance':ti,ab,kw OR 'medication non-compliance':ti,ab,kw OR compliance:ti,ab,kw OR adherence:ti,ab,kw) AND (pharmaceutic*:ti,ab,kw OR 'pharmaceutical preparation*':ti,ab,kw OR 'pharmaceutical product*':ti,ab,kw OR drug*:ti,ab,kw OR 'pharmaceutical regime*':ti,ab,kw OR regime*:ti,ab,kw OR 'oral therapy':ti,ab,kw OR pill*:ti,ab,kw OR tablet*:ti,ab,kw OR capsule:ti,ab,kw OR 'immunosuppressive agent*':ti,ab,kw OR immunosuppressant*:ti,ab,kw OR nonimmunosuppressant*:ti,ab,kw OR 'non immunosuppressant*':ti,ab,kw)
	#2	MNA and risk factor	('risk factor*':ti,ab,kw OR 'social risk factor*':ti,ab,kw OR 'health correlate*':ti,ab,kw OR 'risk score*':ti,ab,kw OR 'risk factor score*':ti,ab,kw OR predictor*:ti,ab,kw OR screening:ti,ab,kw OR 'screening tool':ti,ab,kw OR 'psychosocial assessment*':ti,ab,kw OR evaluation*:ti,ab,kw OR psychosocial*:ti,ab,kw OR facilitate*:ti,ab,kw OR barrier*:ti,ab,kw) AND ('pre transplant*':ti,ab,kw OR 'stem cell transplant*':ti,ab,kw OR 'bone marrow transplant*':ti,ab,kw OR 'haematopoietic stem cell transplant*':ti,ab,kw OR 'hematopoietic stem cell transplant*':ti,ab,kw OR 'allogeneic transplant*':ti,ab,kw OR 'haploidentical transplant*':ti,ab,kw) AND ('medication adherence':ti,ab,kw OR 'adherence medication':ti,ab,kw OR 'medication nonadherence':ti,ab,kw OR 'medication non-adherence':ti,ab,kw OR 'medication non adherence':ti,ab,kw OR 'drug adherence':ti,ab,kw OR 'medication persistence':ti,ab,kw OR 'medication noncompliance':ti,ab,kw OR 'medication compliance':ti,ab,kw OR 'medication non-compliance':ti,ab,kw OR compliance:ti,ab,kw OR adherence:ti,ab,kw) AND (pharmaceutic*:ti,ab,kw OR 'pharmaceutical preparation*':ti,ab,kw OR 'pharmaceutical product*':ti,ab,kw OR drug*:ti,ab,kw OR 'pharmaceutical regime*':ti,ab,kw OR regime*:ti,ab,kw OR 'oral therapy':ti,ab,kw OR pill*:ti,ab,kw OR tablet*:ti,ab,kw OR capsule:ti,ab,kw OR 'immunosuppressive agent*':ti,ab,kw OR immunosuppressant*:ti,ab,kw OR nonimmunosuppressant*:ti,ab,kw OR 'non immunosuppressant*':ti,ab,kw)
	#3	Interventions increasing medication adherence	('psychosocial intervention*':ti,ab,kw OR intervention*:ti,ab,kw OR 'psychological intervention*':ti,ab,kw OR 'patient education':ti,ab,kw OR education*:ti,ab,kw OR consultation*:ti,ab,kw OR counselling*:ti,ab,kw OR implementation:ti,ab,kw OR 'self medication':ti,ab,kw) AND ('stem cell transplant*':ti,ab,kw OR 'bone marrow transplant*':ti,ab,kw OR 'haematopoietic stem cell transplant*':ti,ab,kw OR 'hematopoietic stem cell transplant*':ti,ab,kw OR 'allogeneic transplant*':ti,ab,kw OR 'haploidentical transplant*':ti,ab,kw) AND ('medication adherence':ti,ab,kw OR 'adherence medication':ti,ab,kw OR 'medication nonadherence':ti,ab,kw OR 'medication non-adherence':ti,ab,kw OR 'medication non adherence':ti,ab,kw OR 'drug adherence':ti,ab,kw OR 'medication persistence':ti,ab,kw OR 'medication noncompliance':ti,ab,kw OR 'medication compliance':ti,ab,kw OR 'medication non-compliance':ti,ab,kw OR compliance:ti,ab,kw OR adherence:ti,ab,kw) AND (pharmaceutic*:ti,ab,kw OR 'pharmaceutical preparation*':ti,ab,kw OR 'pharmaceutical product*':ti,ab,kw OR drug*:ti,ab,kw OR 'pharmaceutical regime*':ti,ab,kw OR regime*:ti,ab,kw OR 'oral therapy':ti,ab,kw OR pill*:ti,ab,kw OR tablet*:ti,ab,kw OR capsule:ti,ab,kw OR 'immunosuppressive agent*':ti,ab,kw OR immunosuppressant*:ti,ab,kw OR nonimmunosuppressant*:ti,ab,kw OR 'non immunosuppressant*':ti,ab,kw)
	#4	Medication adherence/MNA and GvHD	(('stem cell'/exp OR 'stem cell' OR (('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR 'bone marrow'/exp OR 'bone marrow' OR (('bone'/exp OR bone) AND ('marrow'/exp OR marrow) AND transplant*) OR 'haematopoietic stem cell'/exp OR 'haematopoietic stem cell' OR (haematopoietic AND

		('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR 'hematopoietic stem cell'/exp OR 'hematopoietic stem cell' OR (hematopoietic AND ('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR allogeneic) AND transplant* OR haploidentical) AND transplant* AND ('medication adherence'/exp OR 'medication adherence' OR (('medication'/exp OR medication) AND ('adherence'/exp OR adherence)) OR 'adherence medication' OR (('adherence'/exp OR adherence) AND ('medication'/exp OR medication)) OR 'medication nonadherence' OR (('medication'/exp OR medication) AND nonadherence) OR 'medication non-adherence' OR (('medication'/exp OR medication) AND 'non adherence') OR 'medication non adherence' OR (('medication'/exp OR medication) AND non AND ('adherence'/exp OR adherence)) OR 'drug adherence'/exp OR 'drug adherence' OR (('drug'/exp OR drug) AND ('adherence'/exp OR adherence)) OR 'medication persistence'/exp OR 'medication persistence' OR (('medication'/exp OR medication) AND ('persistence'/exp OR persistence)) OR 'medication noncompliance' OR (('medication'/exp OR medication) AND noncompliance) OR 'medication compliance'/exp OR 'medication compliance' OR (('medication'/exp OR medication) AND ('compliance'/exp OR compliance)) OR 'medication non-compliance' OR (('medication'/exp OR medication) AND 'non compliance') OR 'compliance'/exp OR compliance OR 'adherence'/exp OR adherence) AND (((((pharmaceutic* OR pharmaceutical) AND preparation* OR pharmaceutical) AND product* OR drug* OR pharmaceutical) AND regime* OR regime* OR 'oral therapy' OR pill* OR tablet* OR 'capsule'/exp OR capsule OR immunosuppressive) AND agent* OR immunosuppressant* OR nonimmunosuppressant* OR 'non immunosuppressant*') AND (('graft vs host disease'/exp OR 'graft vs host disease' OR (('graft'/exp OR graft) AND vs AND ('host'/exp OR host) AND ('disease'/exp OR disease)) OR 'graft versus host') AND disease* OR 'graft versus host' OR (('graft'/exp OR graft) AND versus AND ('host'/exp OR host) AND disease*) OR 'graft vs host') AND disease*
#5	Medication adherence/MNA and infections	(('stem cell'/exp OR 'stem cell' OR (('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR 'bone marrow'/exp OR 'bone marrow' OR (('bone'/exp OR bone) AND ('marrow'/exp OR marrow) AND transplant*) OR 'haematopoietic stem cell'/exp OR 'haematopoietic stem cell' OR (haematopoietic AND ('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR 'hematopoietic stem cell'/exp OR 'hematopoietic stem cell' OR (hematopoietic AND ('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR allogeneic) AND transplant* OR haploidentical) AND transplant* AND ('medication adherence'/exp OR 'medication adherence' OR (('medication'/exp OR medication) AND ('adherence'/exp OR adherence)) OR 'adherence medication' OR (('adherence'/exp OR adherence) AND ('medication'/exp OR medication)) OR 'medication nonadherence' OR (('medication'/exp OR medication) AND nonadherence) OR 'medication non-adherence' OR (('medication'/exp OR medication) AND 'non adherence') OR 'medication non adherence' OR (('medication'/exp OR medication) AND non AND ('adherence'/exp OR adherence)) OR 'drug adherence'/exp OR 'drug adherence' OR (('drug'/exp OR drug) AND ('adherence'/exp OR adherence)) OR 'medication persistence'/exp OR 'medication persistence' OR (('medication'/exp OR medication) AND ('persistence'/exp OR persistence)) OR 'medication noncompliance' OR (('medication'/exp OR medication) AND noncompliance) OR 'medication compliance'/exp OR 'medication compliance' OR (('medication'/exp OR medication) AND ('compliance'/exp OR compliance)) OR 'medication non-compliance' OR (('medication'/exp OR medication) AND 'non compliance') OR 'compliance'/exp OR compliance OR 'adherence'/exp OR adherence) AND (((((pharmaceutic* OR pharmaceutical) AND preparation* OR pharmaceutical) AND product* OR drug* OR pharmaceutical) AND regime* OR regime* OR 'oral therapy' OR pill* OR tablet* OR 'capsule'/exp OR capsule OR immunosuppressive) AND agent* OR immunosuppressant* OR nonimmunosuppressant* OR 'non immunosuppressant*') AND ((((infection* OR viral) AND infection* OR bacterial) AND infection* OR fungal) AND infection* OR sepsis*)

#6	Medication adherence/MNA and hospital readmission	('stem cell transplant*':ti,ab,kw OR 'bone marrow transplant*':ti,ab,kw OR 'haematopoietic stem cell transplant*':ti,ab,kw OR 'hematopoietic stem cell transplant*':ti,ab,kw OR 'allogeneic transplant*':ti,ab,kw OR 'haploidentical transplant*':ti,ab,kw) AND ('medication adherence':ti,ab,kw OR 'adherence medication':ti,ab,kw OR 'medication nonadherence':ti,ab,kw OR 'medication non-adherence':ti,ab,kw OR 'medication non adherence':ti,ab,kw OR 'drug adherence':ti,ab,kw OR 'medication persistence':ti,ab,kw OR 'medication noncompliance':ti,ab,kw OR 'medication compliance':ti,ab,kw OR 'medication non-compliance':ti,ab,kw OR compliance:ti,ab,kw OR adherence:ti,ab,kw) AND (pharmaceutic*:ti,ab,kw OR 'pharmaceutical preparation*':ti,ab,kw OR 'pharmaceutical product*':ti,ab,kw OR drug*:ti,ab,kw OR 'pharmaceutical regime*':ti,ab,kw OR regime*:ti,ab,kw OR 'oral therapy':ti,ab,kw OR pill*:ti,ab,kw OR tablet*:ti,ab,kw OR capsule:ti,ab,kw OR 'immunosuppressive agent*':ti,ab,kw OR immunosuppressant*:ti,ab,kw OR nonimmunosuppressant*:ti,ab,kw OR 'non immunosuppressant*':ti,ab,kw) AND ('patient readmission*':ti,ab,kw OR 'unplanned readmission*':ti,ab,kw OR 'hospital readmission*':ti,ab,kw OR rehospitalization:ti,ab,kw OR 'intensive care unit admission*':ti,ab,kw OR 'intensive care unit':ti,ab,kw OR 'emergency room visit*':ti,ab,kw)
#7	Medication adherence/MNA and survival	('stem cell transplant*':ti,ab,kw OR 'bone marrow transplant*':ti,ab,kw OR 'haematopoietic stem cell transplant*':ti,ab,kw OR 'hematopoietic stem cell transplant*':ti,ab,kw OR 'allogeneic transplant*':ti,ab,kw OR 'haploidentical transplant*':ti,ab,kw) AND ('medication adherence':ti,ab,kw OR 'adherence medication':ti,ab,kw OR 'medication nonadherence':ti,ab,kw OR 'medication non-adherence':ti,ab,kw OR 'medication non adherence':ti,ab,kw OR 'drug adherence':ti,ab,kw OR 'medication persistence':ti,ab,kw OR 'medication noncompliance':ti,ab,kw OR 'medication compliance':ti,ab,kw OR 'medication non-compliance':ti,ab,kw OR compliance:ti,ab,kw OR adherence:ti,ab,kw) AND (pharmaceutic*:ti,ab,kw OR 'pharmaceutical preparation*':ti,ab,kw OR 'pharmaceutical product*':ti,ab,kw OR drug*:ti,ab,kw OR 'pharmaceutical regime*':ti,ab,kw OR regime*:ti,ab,kw OR 'oral therapy':ti,ab,kw OR pill*:ti,ab,kw OR tablet*:ti,ab,kw OR capsule:ti,ab,kw OR 'immunosuppressive agent*':ti,ab,kw OR immunosuppressant*:ti,ab,kw OR nonimmunosuppressant*:ti,ab,kw OR 'non immunosuppressant*':ti,ab,kw) AND (survival:ti,ab,kw OR survivor*:ti,ab,kw OR mortality:ti,ab,kw OR death:ti,ab,kw OR 'mortality rate*':ti,ab,kw OR 'progression-free survival':ti,ab,kw)
#8	Medication adherence/MNA and disease relapse	(('stem cell'/exp OR 'stem cell' OR (('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR 'bone marrow'/exp OR 'bone marrow' OR (('bone'/exp OR bone) AND ('marrow'/exp OR marrow) AND transplant*) OR 'haematopoietic stem cell'/exp OR 'haematopoietic stem cell' OR (haematopoietic AND ('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR 'hematopoietic stem cell'/exp OR 'hematopoietic stem cell' OR (hematopoietic AND ('stem'/exp OR stem) AND ('cell'/exp OR cell) AND transplant*) OR allogeneic) AND transplant* OR haploidentical) AND transplant* AND ('medication adherence'/exp OR 'medication adherence' OR (('medication'/exp OR medication) AND ('adherence'/exp OR adherence)) OR 'adherence medication' OR (('adherence'/exp OR adherence) AND ('medication'/exp OR medication)) OR 'medication nonadherence' OR (('medication'/exp OR medication) AND nonadherence) OR 'medication non-adherence' OR (('medication'/exp OR medication) AND 'non adherence') OR 'medication non adherence' OR (('medication'/exp OR medication) AND non AND ('adherence'/exp OR adherence)) OR 'drug adherence'/exp OR 'drug adherence' OR (('drug'/exp OR drug) AND ('adherence'/exp OR adherence)) OR 'medication persistence'/exp OR 'medication persistence' OR (('medication'/exp OR medication) AND ('persistence'/exp OR persistence)) OR 'medication noncompliance' OR (('medication'/exp OR medication) AND noncompliance) OR 'medication compliance'/exp OR 'medication compliance' OR (('medication'/exp OR medication) AND ('compliance'/exp OR compliance)) OR 'medication non-compliance' OR (('medication'/exp OR medication) AND 'non compliance') OR 'compliance'/exp OR compliance OR 'adherence'/exp OR adherence) AND (((((pharmaceutic* OR pharmaceutical) AND preparation* OR pharmaceutical) AND product* OR drug* OR pharmaceutical) AND regime* OR regime* OR 'oral therapy' OR pill* OR tablet* OR 'capsule'/exp

		OR capsule OR immunosuppressive) AND agent* OR immunosuppressant* OR nonimmunosuppressant* OR 'non immunosuppressant*') AND (recurrence* OR recrudescence* OR relapse* OR 'disease'/exp OR disease) AND relapse*

GvHD, Graft-versus-Host Disease; MNA, medication non-adherence.