Lipid Profile as an Indicator of COVID-19 Severity: A Systematic Review and Meta-analysis

Roshan Kumar Mahat, Vedika Rathore, Neelima Singh, Nivedita Singh, Sanjeev Kumar Singh, Rakesh Kumar Shah, Chanchal Garg

Supplement-1: Search strategies in databases.

Supplement-2: Sensitivity analysis (A-D). Sensitivity analysis between severe and non-severe groups for levels of TC (A), HDL-C (B), LDL-C (C) and TG (D).


Supplement-3: Sensitivity analysis (A-D). Sensitivity analysis between survivor and non-survivor groups for levels of TC (A), HDL-C (B), LDL-C (C) and TG (D).

Supplement-4: Funnel plots for lipid profile in severity studies. (A) Funnel plot for TC. (B) Funnel plot for HDL-C. (C) Funnel plot for LDL-C. (E) Funnel plot for TG.


Supplement-1: Search strategies in databases.

PubMed/Medline	(("COVID-19"[All Fields] OR "2019-nCOV"[All Fields] OR "SARS-COV-2"[All Fields] OR "novel coronavirus disease"[All Fields] OR "novel coronavirus 2019"[All Fields] OR "coronavirus disease-2019"[All Fields]) AND ("lipid profile"[All Fields] OR "lipid parameters"[All Fields] OR "dyslipidemia"[All Fields]))
Europe PMC	(“COVID-19” OR “2019-nCOV” OR “SARS-COV-2” OR “novel coronavirus disease” OR “novel coronavirus 2019” OR “coronavirus disease-2019”) AND (“lipid profile” OR “lipid parameters” OR “dyslipidemia”)
Google Scholar	(“COVID-19” OR “2019-nCOV” OR “SARS-COV-2” OR “novel coronavirus disease” OR “novel coronavirus 2019” OR “coronavirus disease-2019”) AND (“lipid profile” OR “lipid parameters” OR “dyslipidemia”)


A. Total Cholesterol (TC)




B. High density lipoprotein cholesterol (HDL-C)



C. Low density lipoprotein cholesterol (LDL-C)




D) Triacylglycerol (TG)




Supplement-2: Sensitivity analysis (A-D). Sensitivity analysis between severe and non-severe groups for levels of TC (A), HDL-C (B), LDL-C (C) and TG (D).


A. Total Cholesterol (TC)




B. High density lipoprotein cholesterol (HDL-C)



C. Low density lipoprotein cholesterol (LDL-C)




D) Triacylglycerol (TG)




Supplement-3: Sensitivity analysis (A-D). Sensitivity analysis between survivor and non-survivor groups for levels of TC (A), HDL-C (B), LDL-C (C) and TG (D).


A. Total Cholesterol (TC)




B. High density lipoprotein cholesterol (HDL-C)



C. Low density lipoprotein cholesterol (LDL-C)



D) Triacylglycerol (TG)



Supplement-4: Funnel plots for lipid profile in severity studies. (A) Funnel plot for TC. (B) Funnel plot for HDL-C. (C) Funnel plot for LDL-C. (E) Funnel plot for TG.