
		Type of data used				Source population
Study	Year	Survey	Hospital records	Birth certificates/registry	Claims data	
University vs non-teaching hospital						
Murray[48]	2000	x				All births in 2 hopitals in Santiago, Chile
Garcia et al.[50]	2001		x		x	All births in 36 hospitals in Maryland, United States
Zhang et al.[58]	2010		x			All births in 12 clinical centres in United States
University vs other teaching hospital						
Hoxha et al.[18]	2019	x	x			All births in 5 public hospitals in Kosovo
University vs unspecified hospital						
David et al.[49]	2001		x			All births in 149 hospitals in France
Carayol et al.[53]	2007	x	x			All births in 138 hospitals in France and 36 hospitals in Belgium
Snyder et al.[60]	2011			x		All births in 129 hospitals in Ohio, United States
Oner et al.[66]	2016	x				All births in 82 hospitals in Burdur Province, Turkey
Faisal-Cury et al.[67]	2017	x	x			All births in 10 hospitals in Sao Paolo, Brazil
Other teaching vs non-teaching hospital						
Garcia et al.[50]	2001		x		x	All births in 36 hospitals in Maryland, United States
Zhang et al.[58]	2010		x			All births in 12 clinical centres in United States
Unspecified teaching hospital vs non-teaching hospital						
Sanchez-Ramos[44]	1994	x				All births is 236 hospitals in United States
Braveman et al.[45]	1995			x		All births in California, United States
Irwin et al.[46]	1996		x			All births in 75 military hospitals in United States
Chanrachakul et al.[47]	2000	x				All births in 227 hospitals inThailand
Korst et al.[51]	2005		x			All births in California, United States
Linton et al.[52]	2005		x			All births in 66 military hospitals in United States
Tamim[54]	2007	x	x			All births in 9 hospitals in Beirut, Lebanon
Xirasagar et al.[55]	2007				x	All births in 942 hospitals in Taiwan
Chen et al.[56]	2008				x	All births in Taiwan
Liu et al.[57]	2008					All births in Taiwan
Taljaard et al.[59]	2009	x				All births in 119 hospitals in South America
Aman et al.[61]	2014		x			All births in 6 hospitals in Addis Ababa, Ethiopia
Stivanello et al.[62]	2014		x	x		All births in 36 hospitals in Emilia-Romagna, Italy
Bommarito et al.[63]	2016		x			All births in 1051 hospitals in United States
Kim et al.[64]	2016					All births in 674 hospitals in Korea
Lorthe et al.[68]	2017		x			All births in 546 hospitals in France
Clapp et al.[69]	2018		x			All births in 1206 hospitals in 21 states in United States
Zimmo et al. A[72]	2018					All births in 3 hospitals in Gaza, Palestine
Zimmo et al. B[71]	2018					All births in 2 hospitals in Palestine
del Carmen et al.[73]	2019		x		x	All births in California, United States
Unspecified teaching hospital vs unspecified hospital						
Oleske et al.[27]	1991		x			All births in 198 hospitals in Illinois, United States
Meda et al.[65]	2016	x				All births in Burkina Faso
Lorthe et al.[68]	2017		x			All births in 546 hospitals in France
Zbiri et al.[70]	2018			x		All births in 11 hospitals in France

	Population by Robson criteria						Population by Robson groups								
Study	**Parity**	**Previous CS**	**Number of fetuses**	**Fetal presentation or lie**	**Gestational age**	**Onset of labour (induction)**									
University vs non-teaching hospital															
Murray[48]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Garcia et al.[50]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Zhang et al.[58]	Any	No	Any	Any	Any	Any	1	2	3	4		6	7	8	9	10
University vs other teaching hospital																
Hoxha et al.[18]	0	No	1	Cephalic	>=37	Any	1	2								
University vs unspecified hospital																
David et al.[49]	0	Any	1	Any	Any	Any	1	2				6			9	10
Carayol et al.[53]	Any	No	1	Cephalic and breach	>=37	Any	1	2	3	4		6	7			
Snyder et al.[60]	Any	Any	Any	Any	>=37	Any	1	2	3	4	5	6	7	8	9	
Oner et al.[66]	0	No	Any	Any	Any	Any	1	2				6		8	9	10
Faisal-Cury et al.[67]	Any	Any	1	Any	Any	Any	1	2	3	4	5	6	7		9	10
Other teaching vs non-teaching hospital																
Garcia et al.[50]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Zhang et al.[58]	Any	No	Any	Any	Any	Any	1	2	3	4		6	7	8	9	10
Unspecified teaching hospital vs non-teaching hospital																
Sanchez-Ramos[44]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Braveman et al.[45]	0	No	1	Any	Any	Any	1	2				6			9	10
Irwin et al.[46]	0	No	1	Any	Any	Any	1	2				6			9	10
Chanrachakul et al.[47]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Korst et al.[51]	Any	No	Any	Any	Any	Any	1	2	3	4		6	7	8	9	10
Linton et al.[52]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Tamim[54]	0	Any	Any	Any	Any	Any	1	2				6		8	9	10
Xirasagar et al.[55]	Any	Any	1	Any	>=37	Any	1	2	3	4	5	6	7		9	
Chen et al.[56]	Any	Any	1	Any	Any	Any	1	2	3	4	5	6	7		9	10
Liu et al.[57]	Any	Any	1	Any	Any	Any	1	2	3	4	5	6	7		9	10
Taljaard et al.[59]	Any	Any	Any	Any	>=37	Any	1	2	3	4	5	6	7	8	9	
Aman et al.[61]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Stivanello et al.[62]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Bommarito et al.[63]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Kim et al.[64]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Lorthe et al.[68]	Any	Any	1	Breach	Any	Any						6	7			
Clapp et al.[69]	Any	No	1	Cephalic	>=37	Any	1	2	3	4						
Zimmo et al. A[72]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Zimmo et al. B[71]	Any	Any	1	Any	Any	Any	1	2	3	4	5	6	7		9	10
del Carmen et al.[73]	Any	No	1	Cephalic	>=37	spontaneo	1		3							
Unspecified teaching hospital vs unspecified hospital																
Oleske et al.[27]	Any	No	Any	Any	Any	Any	1	2	3	4		6	7	8	9	10
Meda et al.[65]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10
Lorthe et al.[68]	Any	Any	1	Breach	Any	Any						6	7			
Zbiri et al.[70]	Any	Any	Any	Any	Any	Any	1	2	3	4	5	6	7	8	9	10


	Covariates used for statistical adjustment																					QUIPS risk of bias					
	Maternal preconception status										Maternal clinical status				Foetus characteristics												
Study	Ethnicity/Race	Educational level	Marital status	Economic status	Insurances status	Urban status	Weight	Height	Body mass index	Age	Parity	Previous caesarean section	Pre-existing (before pregnancy) conditi	Conditions developed during pregna	Gestational age	Birth weight	Other characteristics	Prenatal care	Birth characteristics	Provider characteristics	Other variables	Total number of covariates	Study Participa	Study Attrition	Prognostic Factl	Outcome Meas	Study Confoun	Statistical Anal
University vs non-teaching hospital																											
Murray[48]																						0	moderate	low	low	low	high	low
Garcia et al.[50]	x		x		x	x				x		x								xx	xx	11	low	low	low	low	high	low
Zhang et al.[58]																						0	low	low	low	low	high	low
University vs other teaching hospital																												
Hoxha et al.[18]		x		x	x	x				x						x		x		xx	xx	12	moderate	low	low	low	low	low
University vs unspecified hospital																												
David et al.[49]										x	x	x	x	x	x				xx	xx	xx	16	low	low	low	low	low	low
Carayol et al.[53]		x								x	x										x	4	low	low	low	low	low	low
Snyder et al.[60]												x	xx	xx			x					6	low	low	low	low	moderate	low
Oner et al.[66]																					xx	3	low	low	low	low	high	low
Faisal-Cury et al.[67]	x	x	x	x					x	x	x			x						x	xx	13	moderate	low	low	low	high	low
Other teaching vs non-teaching hospital																												
Garcia et al.[50]	x		x		x	x				x		x								xx	xx	11	low	low	low	low	high	low
Zhang et al.[58]																						0	low	low	low	low	high	low
Unspecified teaching hospital vs non-teaching hospital																												
Sanchez-Ramos[44]																						0	low	low	low	low	high	moderate
Braveman et al.[45]	x	x	x	x	x					x			x			x	xx	x		xx	x	15	low	low	low	low	moderate	low
Irwin et al.[46]	x	x	x											x						x	x	6	low	low	low	low	moderate	low
Chanrachakul et al.[47]																						0	low	low	low	low	high	moderate
Korst et al.[51]	x				x					x										xx		7	low	low	low	low	moderate	low
Linton et al.[52]												x	xx	xx			x				xx	12	low	low	low	low	low	low
Tamim[54]					x				x	x	x			x	x	x		x				11	low	low	low	low	low	low
Xirasagar et al.[55]																						0	low	low	low	low	high	low
Chen et al.[56]				x		x				x		x								xx	xx	9	low	low	low	low	high	low
Liu et al.[57]										x										xx		5	low	low	low	low	high	low
Taljaard et al.[59]											x	x	x	x			xx			xx	xx	10	low	low	low	low	high	low
Aman et al.[61]																						0	low	low	low	low	high	low
Stivanello et al.[62]																						0	low	low	low	low	high	low
Bommarito et al.[63]					x	x				x		x	xx	xx			xx	x	xx	xx	xx	0	low	low	low	low	high	low
Kim et al.[64]																						6	low	low	low	low	high	low
Lorthe et al.[68]			x							x	x				x					xx	xx	15	low	low	low	low	moderate	low
Clapp et al.[69]				x	x					x			xx	xx						xx		14	low	low	low	low	low	low
Zimmo et al. A[72]																						0	low	low	low	low	high	low
Zimmo et al. B[71]		x				x			x	x		x	x					x	x		xx	10	low	low	low	low	moderate	low
del Carmen et al.[73]	x				x	x				x			xx	xx			x		x	xx	xx	17	low	low	low	low	moderate	low
Unspecified teaching hospital vs unspecified hospital																												
Oleske et al.[27]					x					x										x	xx	5	low	low	low	low	moderate	low
Meda et al.[65]						x				x	x									xx	xx	7	moderate	low	low	low	high	low
Lorthe et al.[68]			x							x	x				x					xx	xx	15	low	low	low	low	moderate	low
Zbiri et al.[70]										x	x	x			x	x	x		x	xx	x	17	low	low	low	low	moderate	low

For Medline (PubMed)
https://www.ncbi.nlm.nih.gov/pubmed/
(((((((causes OR determinants OR factors OR decision* OR physician* OR midwife* OR gender OR socioeconomic OR evidence-based OR hospital OR hospitals OR teaching hospital OR uncertain* OR educational status OR social class OR race OR convenience OR shift OR obstetric* OR gynecolog* OR health system OR supply OR distribut* OR utilization OR practice OR insurance OR choice OR attitude OR patient OR maternal OR accessib* OR health service* [Title/Abstract])) NOT medline[sb])) OR ("Decision Making"[Mesh] OR "Physician's Practice Patterns"[Mesh] OR "Socioeconomic Factors"[Mesh] OR "Evidence-Based Medicine"[Mesh] OR "Hospitals"[Mesh] OR "Uncertainty"[Mesh] OR "Educational Status"[Mesh] OR "Hospital Costs"[Mesh] OR "Physician Incentive Plans"[Mesh] OR "Social Class"[Mesh] OR "Obstetrics and Gynecology Department, Hospital"[Mesh] OR "supply and distribution"[Subheading] OR "utilization"[Subheading] OR "Insurance"[Mesh] OR "Choice Behavior"[Mesh] OR "Attitude to Health"[Mesh] OR "Patient Participation"[Mesh] OR "Physician-Patient Relations"[Mesh] OR "Economics, Hospital"[Mesh] OR "Maternal Health Services"[Mesh] OR "Health Services Accessibility"[Mesh]))) OR factors OR causes OR determinants AND (((((operative delivery OR caesarean section OR cesarean section OR c-section OR c section OR caesarean OR cesarean OR caesarean delivery OR cesarean delivery)))) OR cesarean section [MeSH Terms])) AND ((((("Health Services Research"[Mesh])))) OR ((((medical practice variation OR regional variation OR regional rates OR hospital variation OR hospital rates))))) AND (“Cohort Study” OR “Studies, Cohort”, OR “Study, Cohort” OR “Cross Sectional Studies” OR “Cross-Sectional Study” OR “Studies, Cross-Sectional” OR “Study, Cross-Sectional” OR review OR “systematic review”)

Subgroup analysis for university vs unspecified hospital group



Subgroup analysis for unspecified teaching hospital vs non-teaching hospital group



Subgroup analysis for unspecified teaching hospital vs unspecified hospital group

