



D

Home Add data Docker metrics




Docker metrics

The docker Metricbeat module fetches metrics from the Docker server. [Learn more.](#)

[View exported fields](#)

Self managed

Elastic Cloud



Getting Started

macOS DEB RPM Windows

1 Download and install Metricbeat

First time using Metricbeat? See the [Getting Started Guide](#).

[Copy snippet](#)

```
curl -L -O
https://artifacts.elastic.co/downloads/beats/metricbeat/metricbeat-
7.6.1-darwin-x86_64.tar.gz
tar xzvf metricbeat-7.6.1-darwin-x86_64.tar.gz
cd metricbeat-7.6.1-darwin-x86_64/
```

2 Edit the configuration

Modify `metricbeat.yml` to set the connection information:

[Copy snippet](#)



D

Home Add data Docker metrics



```
username: "elastic"  
password: "<password>"  
setup.kibana:  
  host: "<kibana_url>"
```

Where `<password>` is the password of the `elastic` user, `<es_url>` is the URL of Elasticsearch, and `<kibana_url>` is the URL of Kibana.

3 Enable and configure the docker module

From the installation directory, run:

[Copy snippet](#)

```
./metricbeat modules enable docker
```

Modify the settings in the `modules.d/docker.yml` file.

4 Start Metricbeat

The `setup` command loads the Kibana dashboards. If the dashboards are already set up, omit this command.

[Copy snippet](#)

```
./metricbeat setup  
./metricbeat -e
```

Module status

Check that data is received from the Metricbeat `docker` module

[Check data](#)



D

Home

Add data

Docker metrics



Data successfully received from this module

When all steps are complete, you're ready to explore your data.

Docker metrics dashboard

