1 Monodomain model: without level set

Conservation of energy (Nonlinear Heat Transfer)

$$\frac{\partial \langle \rho h \rangle}{\partial t} + \nabla \cdot \langle \rho h \vec{v} \rangle + \nabla \cdot \left(\langle \kappa \rangle \vec{\nabla} T \right) = 0$$

Conservation of liquid momentum (Navier Stokes)

$$\frac{\partial}{\partial t} \left(\rho^l g^l \vec{v}^l \right) + \vec{\nabla} \cdot \left(\rho^l g^l \vec{v}^l \times \vec{v}^l \right) = \vec{\nabla} \cdot \left(g^l \overline{\overline{\sigma^l}} \right) + g^l \vec{F}^l_{\rm v} + \vec{\Gamma}^l$$

Conservation of chemical species (Macrosegregation)

$$\frac{\partial \langle \rho w_i \rangle}{\partial t} + \nabla \cdot \langle \rho w_i \vec{v} \rangle + \nabla \cdot \left(g^l D^l \vec{\nabla} w_i^l \right) = 0$$

Microsegregation

2 Multidomain model: with level set

Property mixing in the diffuse interface

$$\widehat{\kappa} = H^M \langle \kappa \rangle + H^A \kappa^A$$

$$\widehat{\mu} = H^M \mu^l + H^A \mu^A$$

Conservation of energy (Nonlinear Heat Transfer)

$$\frac{\partial \langle \rho h \rangle}{\partial t} + \nabla \cdot \langle \rho h \vec{v} \rangle + \nabla \cdot \left(\hat{\kappa} \vec{\nabla} T \right) = 0$$

Conservation of liquid momentum (Navier Stokes)

$$\frac{\partial}{\partial t} \left(\rho^l g^l \vec{v}^l \right) + \vec{\nabla} \cdot \left(\rho^l g^l \vec{v}^l \times \vec{v}^l \right) = \vec{\nabla} \cdot \left(g^l \overline{\overrightarrow{\sigma^l}} \right) + g^l \vec{F}^l_{\rm v} + \vec{\Gamma}^l$$

Conservation of chemical species (Macrosegregation)

$$\frac{\partial \langle \rho w_i \rangle}{\partial t} + \nabla \cdot \langle \rho w_i \vec{v} \rangle + \nabla \cdot \left(g^l D^l \vec{\nabla} w_i^l \right) = 0$$

Microsegregation