


ES 221 MECHANICS I (STATICS) RECITATION IV

Q1)

Three forces are applied to a bracket as shown. Determine (a) the moment of force F_C about point B, (b) the moment of force F_D about point A, (c) the moment of force F_B about point C.



Answer to Q1


$$(a) M_{C/B} = r \times F = 0.28 \text{ m} \times 90 \text{ N} = 25.2 \text{ Nm } \curvearrowright$$

$$(b) M_{D/A} = 0.55 \text{ m} \times 120 \text{ N} = 66 \text{ Nm } \curvearrowright$$

$$(c) M_{B/C} = 0.28 \text{ m} \times 150 \cos 30^\circ \approx 36.4 \text{ Nm } \curvearrowright$$

Q2)

Four forces are applied to a square plate as shown. Determine the total moment produced by each of the forces about the origin O of the xy-coordinate system.




Answer to Q2

$$\circlearrowleft \sum M_O = 60 \cos 60^\circ \times 20 - 60 \sin 60^\circ \times 5 - 100 \cos 30^\circ \times 20 + 100 \sin 30^\circ \times 5 + 80 \cos 40^\circ \times 10 + 80 \sin 40^\circ \times 5 - 75 \cos 40^\circ \times 10 + 75 \sin 40^\circ \times 5 = -605.4 \text{ lb.in}$$

$$\sum M_O = 605.4 \text{ lb.in} \circlearrowright$$

Q3)

A bar is bent and loaded as shown. Determine (a) the moment of force F about point O, (b) the perpendicular distance d from point O to the line of action of the force.



Answer to Q3

Coordinates of Points

$$A(200, 250, 150) \text{ mm}$$

$$C(275, 400, 290) \text{ mm}$$

(a)

$$\vec{r}_{AC} = \{75 \vec{i} + 150 \vec{j} + 140 \vec{k}\} \text{ mm}, \quad |r_{AC}| = \sqrt{75^2 + 150^2 + 140^2} = 218.5 \text{ mm}$$

$$\vec{u}_{AC} = \frac{\vec{r}_{AC}}{r_{AC}} = 0.343 \vec{i} + 0.686 \vec{j} + 0.641 \vec{k}$$

$$\vec{F}_{AC} = 875 \times \{0.343 \vec{i} + 0.686 \vec{j} + 0.641 \vec{k}\} = \{300 \vec{i} + 600 \vec{j} + 561 \vec{k}\} \text{ N}$$

$$M_O = \begin{vmatrix} i & j & k \\ 0.2 & 0.25 & 0.15 \\ 300 & 600 & 561 \end{vmatrix} = \{50.25 \vec{i} - 67.2 \vec{j} + 45 \vec{k}\} Nm$$

(b)


$$M = \sqrt{50.25^2 + (-67.2)^2 + 45^2} = 95.2 Nm$$

$$95.2 Nm = d \times 875 N$$

$$d = 109 mm$$

Q4)

An 800-N force is applied to a lever-shaft assembly as shown. Determine (a) the moment of force F about point O, (b) the perpendicular distance d from point O to the line of action of the force.



Answer to Q4

(a)

$$\vec{r}_{BA} = \{-5 \vec{i} + 35 \vec{j} - 40 \vec{k}\} mm, \quad |r_{BA}| = \sqrt{(-5)^2 + 35^2 + (-40)^2} = 53.4 mm$$

$$\vec{u}_{BA} = \frac{\vec{r}_{BA}}{r_{BA}} = -0.094 \vec{i} + 0.656 \vec{j} - 0.749 \vec{k}$$

$$\vec{F}_{BA} = 800 \times \{-0.094 \vec{i} + 0.656 \vec{j} - 0.749 \vec{k}\} = \{-75.2 \vec{i} + 526.4 \vec{j} - 601.6 \vec{k}\} N$$

$$M_o = \begin{vmatrix} i & j & k \\ 0.0325 & 0 & 0.04 \\ -75.2 & 526.4 & -601.6 \end{vmatrix} = \{-21.1 \vec{i} + 16.5 \vec{j} + 17.1 \vec{k}\} Nm$$

(b)

$$M = \sqrt{(-21.1)^2 + 16.5^2 + 17.1^2} = 31.8 Nm$$

$$31.8 Nm = d \times 800 N$$

$$d = 39.7 mm$$