

Case IZiCIAnlkqiHnjXi7675 — Questions

Case Details

Demographics 38-year-old Asian male; business analyst

Chief complaint itchy eyes

History of present illness

Secondary complaints/symptoms none

Patient ocular history last eye exam 3 years ago; unremarkable; does not wear vision correction

Family ocular history father: LASIK

Patient medical history unremarkable

Medications taken by patient none

Patient allergy history NKDA

Family medical history father: prostate cancer

Review of systems

Mental status

Clinical findings

Uncorrected visual acuity

Pupils: PERRL, negative APD

EOMs: full, no restrictions OU

Confrontation fields: full to finger counting OD, OS

Slit lamp

IOPs: OD: 11 mmHg, OS: 11 mmHg @ 1:30 pm by Goldmann applanation tonometry

Fundus OD

Fundus OS

Blood pressure: 122/82 mmHg, right arm, sitting

Pulse: 78 bpm, regular

- Character/signs/symptoms: red, itchy eyes and swollen eyelids
- Location: OD, OS
- Severity: severe
- Nature of onset: acute
- Duration: 2 hours
- Frequency: constant
- Exacerbations/remissions: none
- Relationship to activity or function: none
- Accompanying signs/symptoms: none
- Constitutional/general health: denies
- Ear/nose/throat: denies
- Cardiovascular: denies
- Pulmonary: denies
- Dermatological: itching and swelling of eyelids
- Gastrointestinal: denies
- Genitourinary: denies
- Musculoskeletal: denies
- Neuropsychiatric: denies
- Endocrine: denies
- Hematologic: denies
- Immunologic: denies
- Orientation: oriented to time, place, and person
- Mood: appropriate
- Affect: appropriate
- OD: VA distance: 20/20-2
- OS: VA distance: 20/20-2
- lids/lashes/adnexa: see image 1 OD, see image 2 OS
- conjunctiva: 1+ chemosis OD, OS
- cornea: clear OD, OS
- anterior chamber: deep and quiet OD, OS
- iris: normal OD, OS
- lens: clear OD, OS
- vitreous: clear OD, OS
- C/D: 0.30 H/0.30 V
- macula: normal
- posterior pole: normal
- periphery: unremarkable
- C/D: 0.30 H/0.30 V

- macula: normal
- posterior pole: normal
- periphery: unremarkable



Question 1 / 5

What is the MOST appropriate diagnosis of the patient's ocular condition?

- A) Bilateral chalazia
- B) Blepharitis
- C) Contact dermatitis
- D) Angioedema
- E) Bacterial conjunctivitis

Question 2 / 5

What is the MOST appropriate treatment of this patient's ocular condition?

- A) Ocuflor® q.i.d. OU for seven days
- B) Warm compresses and eyelid massage q.i.d.
- C) Blephamide® q.i.d. OU for seven days
- D) Zyrtec® q.d. and cool compresses
- E) Prednisolone acetate q.i.d. OU for seven days

Question 3 / 5

After the initiation of treatment, when should the patient follow-up with you?

- A) A follow-up appointment is not needed unless symptoms worsen
- B) 3-4 weeks
- C) 2-3 months
- D) 1 year
- E) 2-3 days
- F) 6 months

Question 4 / 5

The patient's blood pressure measurement at this visit is categorized as which of the following?

- A) Hypertensive crisis
- B) Stage II hypertension
- C) Normal
- D) Stage I hypertension
- E) Pre-hypertension

Question 5 / 5

Which of the following situations requires the need for a compounding pharmacist?

- A) The patient needs counsel on the medication that you prescribed
- B) The patient requires a medication but is allergic to one of the inactive ingredients
- C) The patient needs to switch to a generic medication
- D) The patient is a minor and needs his/her parent present to pick up the prescribed medication