

Sorry Jan

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>I'm Sorry ❤️</title>

<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;500;700&display=swap"
rel="stylesheet">

<style>
*{
margin:0;
padding:0;
box-sizing:border-box;
font-family:'Poppins',sans-serif;
}

body{
height:100vh;
overflow:hidden;
display:flex;
justify-content:center;
align-items:center;
background:linear-gradient(-45deg,#ff758c,#ff7eb3,#ffb199,#ffd6e0);
background-size:400% 400%;
animation:bg 12s ease infinite;
}

@keyframes bg{
0%{background-position:0% 50%;}
50%{background-position:100% 50%;}
100%{background-position:0% 50%;}
}

.card{
width:90%;
max-width:420px;
background:rgba(255,255,255,.18);
backdrop-filter:blur(12px);
padding:30px;
border-radius:25px;
text-align:center;
```

```
color:white;
box-shadow:0 10px 30px rgba(0,0,0,.2);
animation:fade 1.5s ease;
position:relative;
z-index:2;
}
```

```
@keyframes fade{
from{
opacity:0;
transform:translateY(40px);
}
to{
opacity:1;
transform:translateY(0);
}
}
```

```
h1{
font-size:38px;
margin-bottom:15px;
}
```

```
p{
font-size:18px;
line-height:1.7;
margin-bottom:20px;
}
```

```
button{
padding:14px 30px;
font-size:18px;
border:none;
border-radius:50px;
background:white;
color:#ff4d79;
font-weight:bold;
cursor:pointer;
transition:.3s;
}
```

```
button:hover{
transform:scale(1.08);
background:#ffe6ef;
```

```
}
```

```
canvas{  
  position:fixed;  
  top:0;  
  left:0;  
  pointer-events:none;  
  z-index:1;  
}
```

```
.heart{  
  position:absolute;  
  bottom:-30px;  
  font-size:22px;  
  animation:float 8s linear infinite;  
  opacity:.8;  
}
```

```
@keyframes float{  
  0%{  
    transform:translateY(0) scale(0.5);  
    opacity:0;  
  }  
  20%{  
    opacity:1;  
  }  
  100%{  
    transform:translateY(-120vh) scale(1.4);  
    opacity:0;  
  }  
}
```

```
@media(max-width:480px){  
  h1{  
    font-size:30px;  
  }  
  p{  
    font-size:16px;  
  }  
  button{  
    font-size:16px;  
    padding:12px 25px;  
  }  
}
```

```
</style>
</head>
```

```
<body>
```

```
<canvas id="confetti"></canvas>
```

```
<div class="card">
<h1>I'm Sorry ❤️</h1>
```

```
<p>
I know I made mistakes and I truly regret them.
You mean the world to me, and I never wanted to hurt you.
Please forgive me and give me one more chance.
No matter what happens, you'll always have a special place in my heart. 💕
</p>
```

```
<button onclick="celebrate()">
Forgive Me ❤️
</button>
</div>
```

```
<script>
// Floating Hearts
function createHeart(){
const heart=document.createElement("div");
heart.className="heart";
heart.innerHTML="❤️";
heart.style.left=Math.random()*100+"vw";
heart.style.fontSize=(15+Math.random()*25)+"px";
heart.style.animationDuration=(5+Math.random()*5)+"s";
document.body.appendChild(heart);

setTimeout(()=>{
heart.remove();
},9000);
}
setInterval(createHeart,400);
```

```
// Confetti
const canvas=document.getElementById("confetti");
const ctx=canvas.getContext("2d");

canvas.width=window.innerWidth;
```

```

canvas.height=window.innerHeight;

let pieces=[];

function Piece(){
  this.x=Math.random()*canvas.width;
  this.y=Math.random()*canvas.height-canvas.height;
  this.r=Math.random()*6+4;
  this.d=Math.random()*50;
  this.color=`hsl(${Math.random()*360},100%,60%)`;
  this.tilt=Math.random()*10-5;
  this.speed=Math.random()*3+2;
}

for(let i=0;i<180;i++){
  pieces.push(new Piece());
}

function draw(){
  ctx.clearRect(0,0,canvas.width,canvas.height);

  pieces.forEach(p=>{
    ctx.beginPath();
    ctx.fillStyle=p.color;
    ctx.fillRect(p.x,p.y,p.r,p.r);

    p.y+=p.speed;
    p.x+=Math.sin(p.d);

    if(p.y>canvas.height){
      p.y=-20;
      p.x=Math.random()*canvas.width;
    }
  });

  requestAnimationFrame(draw);
}

draw();

window.addEventListener("resize",()=>{
  canvas.width=window.innerWidth;
  canvas.height=window.innerHeight;
});

```

```
function celebrate(){  
  alert("Thank you for giving me a chance! ❤️😭");
```

```
  for(let i=0;i<80;i++){  
    pieces.push(new Piece());  
  }  
}  
</script>
```

```
<!-- Optional Background Music -->  
<!--  
<audio autoplay loop>  
  <source src="music.mp3" type="audio/mpeg">  
</audio>  
-->
```

```
</body>  
</html>
```