

Up & Down — Operator & Player Runbook

50pick · 50pick.tz · how a round is generated, how it is resolved against Twelve Data, and how a player plays it. Every screenshot in this document is from the live platform.

Up & Down asks one question: **will the price be higher or lower when the clock runs out?** A *chain* is one asset at one duration. Once started it emits a round at every clock boundary, back to back, with no further operator action. Nobody types a price and nobody decides an outcome — the price comes from Twelve Data and the outcome is arithmetic.

Who can do what

Action	Role needed	Where
Approve a price source domain	Trading	Sources & categories
Add / edit / enable an asset	Owner (Admin)	Up & Down → Overview
Choose the price reading method	Owner (Admin)	Up & Down → Overview
Change the thresholds	Owner (Admin)	Up & Down → Overview
Create / edit / start / stop a chain	Trading	Up & Down → Overview
Watch rounds resolve	Trading	Up & Down → Rounds
Place a bet	Any signed-in player	/updown

The four Owner rows are Owner-only *in practice*: the roles that hold `accounting` authority cannot open the page those controls live on. Everything else is done as a Trading officer. Never use the Owner login for work a Trading officer can do — if you do, you stop finding out whether your own permissions work.

The navigation

 **50pick · admin**

OVERVIEW · MUHTASARI

Overview

Live ops

MARKETS · MASOKO

Event calendar

AI poll generation

AI candidates

Player proposals

Curation queue

Resolver queue

Sources & categories

UP & DOWN · JUU NA CHINI

Overview

AI proposals

Rounds

COMPLIANCE · KANUNI

Comment moderation

SYSTEM · MFUMO

2FA setup

v2.4 · deployed 2026-08-02

EN · SW · ZH

The admin sidebar. Everything in this runbook is under **Sources & categories** and the **Up & Down** group (Overview, Rounds).

Part 1 · Generating rounds

Five steps, in this order. Steps 1–3 are once per asset. Steps 4–5 are what you repeat.

Step 1 · Approve the price source domain TRADING

Sidebar → Sources & categories

Add `twelvedata.com` and enable it. An asset can only point at a domain that is an enabled trusted source, and this is checked three times: when the asset is added, when it is enabled, and again every time a chain starts.

The allowlist is **per category**. One `twelvedata.com` row does not cover both a `crypto` asset and a `macro` one — add it under each category you will use, or the chain refuses to start.

Admin / Sources

< BACK TO APP

↺

AI 3/4

TRADING

QA

Sources & categories

Vyanzo na aina

+ Add source

TRUSTED SOURCES

28

Vyanzo vinyoaminika

▲ 28 total

DISABLED SOURCES

0

Vyanzo vimezimwa

▲ not in use

GENERATABLE CATEGORIES

7

Aina zinazozalishwa

▲ of 7 · AI can generate these

DISABLED CATEGORIES

0

Aina zilizozimwa

Categories · global toggle

Aina za soko

CLICK ANY TO DISABLE SITE-WIDE

Disabling a category prevents officers from publishing new markets in it. Existing live markets continue until they resolve. Use this to e.g. ship "sports + crypto only" mode for a launch window.

SPORTS

MACRO

WEATHER

CRYPTO

CULTURE

TECH

OTHER

Sports · 10 sources

Hai

AI CAN GENERATE

SOURCE	DOMAIN	RATIONALE	ENABLED	ACTION
English Premier League added 2026-07-04 · by usr_192d5cd113_	premierleague.com	English Premier League Official website	☒	REMOVE
FIFA added 2026-07-17 · by usr_bab66dd49f_	fifa.com	FIFA	☒	REMOVE

Sources & categories.

Step 2 · Add the asset OWNER

Sidebar → Up & Down → Overview → “+ Add asset” (top right)

Field	What to put
Symbol	Twelve Data's own symbol, e.g. BTC/USD , XAU/USD
Price source URL	<code>https://api.twelvedata.com/quote</code>
Category	crypto for coins, macro for metals / FX / indices
Decimals	Price precision. 2 for BTC and gold
Min move ticks	The smallest move that counts, in ticks. 1 tick at 2 decimals = \$0.01. Gold is set to 15 = a \$0.15 floor

Then switch the asset to **Enabled**. A disabled asset cannot emit rounds.

Assets - 4 <i>Bidhaa</i>						
KEY	NAME	SOURCE	PRECISION	CHAINS	ENABLED	
BTC	Bitcoin BTC/USD · Bitcoin	api.twelvedata.com crypto	2 dp · min 1	0/1	⚙ EDIT ASSET · ACCOUNTING ONLY	⚙ ENABLED · ACCOUNTING ONLY
GOLD	Gold XAU/USD · Dhahabu	api.twelvedata.com macro	2 dp · min 15	0/1	⚙ EDIT ASSET · ACCOUNTING ONLY	⚙ ENABLED · ACCOUNTING ONLY
SNP500	S&P 500 S&P500 · S&P 500	kitco.com macro	2 dp · min 15	0/1	⚙ EDIT ASSET · ACCOUNTING ONLY	⚙ ENABLED · ACCOUNTING ONLY
XAU	Gold XAU/USD · Dhahabu	kitco.com macro	2 dp · min 1	0/2	⚙ EDIT ASSET · ACCOUNTING ONLY	⚙ DISABLED · ACCOUNTING ONLY

An asset's price source must be an approved trusted source at /admin/sources — checked when it is added, when it is enabled, and again each time a chain starts.

The Assets card. Source domain and precision are shown per asset, and the “0/1” column is how many of its chains are running.

Step 3 · Set the reading method OWNER

Up & Down → Overview → Price reading method

Set method `feed` and provider `twelvedata`.

The other provider, `mock`, is a simulator. It **refuses by construction in production** — it will never settle a real round. If every round is voiding, check this card first.

Price reading method <i>Njia ya kusoma bei</i>	
⚙ CHANGE THE PRICE READING METHOD · ACCOUNTING ONLY	

Price reading method.

Step 4 · Create the chain TRADING

Up & Down → Overview → **Chains** card → “+ Add chain”

- **Asset** and **Duration** — 5, 15 or 30 minutes.
- **Margin %** — leave *blank*. Blank inherits the measured value for that asset class and duration, and the placeholder shows you what that is.
- **Min / max stake** — blank inherits the platform defaults.

A new chain starts **stopped**. Creating it emits nothing.

ADD CHAIN

ASSET DURATION MARGIN % (OPTIONAL) MIN STAKE (OPTIONAL) MAX STAKE (OPTIONAL)

BTC · Bitcoin 5 min inherit (0.02) inherit inherit

Margin is the x winning band for this chain - blank inherits the product default (0.5%). Frozen onto each round at open.

Add chain Cancel

Add chain. The margin placeholder tracks the asset and duration you pick.

Step 5 · Start it TRADING

Chains card → the chain's row → **Start**

The row then shows **RUNNING** and a **Next boundary** time. From that moment rounds appear on their own.

Chains · 0 running								
Minyororo								
+ Add chain								
CHAIN	STATE	NEXT BOUNDARY	MARKET	MARGIN	VOID RATE	STAKE BOUNDS	CONTROLS	
BTC 5m Bitcoin	STOPPED	—	open	0.02% · sched	0% 0/7	inherit	Edit	Start
XAU 5m Gold	STOPPED	—	closed · opens 22:00 UTC	0.02% · sched	100% 50/50	inherit	Edit	Start
XAU 15m Gold	STOPPED	—	closed · opens 22:00 UTC	0.03% · sched	—	250 - 500,000	Edit	Start
GOLD 15m Gold	STOPPED	—	closed · opens 22:00 UTC	0.03% · sched	100% 50/50	inherit	Edit	Start
SNP500 15m S&P 500	PAUSED	—	closed · opens 22:00 UTC	0.03% · sched	100% 50/50	250 - 500,000	Edit	Resume STOP

The Chains card. **Market** says whether that asset's market is trading right now; **Margin** is the band actually in force (· sched means inherited); **Void rate** is how often its recent rounds refunded — the feedback on whether the margin suits the asset.

Pause stops new rounds and keeps the chain's clock. **Stop** stops new rounds entirely. Both let rounds already open finish and settle normally — no player is ever left holding an unsettled stake.

Part 2 · How resolution works

This is the part to understand before testing, because a round that refunds is not a round that failed.

One price per boundary, shared

At every clock boundary the engine reads the price **once** for that asset and that instant, from `api.twelvedata.com/quote`. That single reading is written to a write-once ledger and shared by every round edge on that instant. So:

- Round N's **close** is literally round N+1's **open** — the same number, to the digit. Adjacent rounds cannot disagree.
- A reading, once confirmed, cannot be overwritten by a retry or a second server.

The freshness rule

Twelve Data reports *when it last quoted the price*. If that time is more than **90 seconds** from the round boundary, the reading is **refused** — we never settle on a price we cannot date to the moment the round ended. A refused boundary is retried on a backoff ladder; if it never confirms, the round **voids and every stake is refunded in full**.

The winning band (the margin)

At open, the round freezes two targets: `open + margin` and `open - margin`, where margin is a percentage of the opening price. At close:

Close price	Outcome
at or above the UP target	UP — Up backers win
at or below the DOWN target	DOWN — Down backers win
anywhere between	VOID — every stake refunded in full, no fee

The band is frozen at open, so changing the margin later only affects future rounds. A bet already taken can never be re-priced.

The margin is the one setting that decides whether the game feels alive. Too wide and almost every round refunds; too narrow and a one-cent flicker decides real money. The defaults were measured against roughly a thousand real windows per duration and land at about one round in three refunding: **0.02% at 5 minutes, 0.03% at 15, 0.05% at 30**. Leave the field blank unless you are deliberately tuning one asset.

Market hours

Crypto trades 24/7. Metals, FX and indices do not: their week runs **Sunday 22:00 UTC to Friday 21:00 UTC**. Outside that window no round opens and none settles, and the Chains card says `closed · opens 22:00 UTC`. This is deliberate — a data provider will still answer at the weekend, and settling real money on a market that is shut is not something the platform will do.

What a round pays

Winners split the pool after the platform’s commission — **13% of the pool, capped at a third of the smaller side**. On a balanced TZS 10,000 pool that is TZS 1,300. Frozen onto each round at creation. The × 1.4 est. on the buttons is an *estimate*, never fixed odds, and the card says so.

Watching it happen

Admin / Up & Down / Rounds

BACK TO APP

AI 3/4

TRADING

QA

Up & Down - Rounds

Raundi za Juu na Chini

SETTLED

1,409

Zimekamiliika

▲ of 1,489 total

TURNOVER ON THIS PAGE

TZS 20,500

Mzunguko (ukurasa huu)

VOIDED

1,402

Batili

▲ refunded in full

OVERDUE

0

Zimechelewa

▲ none - all closed on time

ALL ASSETS

BTC

GOLD

SNP500

XAU

ANY OUTCOME

UP

DOWN

VOID

PENDING

1,489 ROUNDS

Rounds - 1,409

Raundi

ROUND	WINDOW (UTC)	OPEN → CLOSE	OUTCOME	VOLUME	PLAYERS	SETTLED	REMEDY
BTC 5m #7 Bitcoin	08-02 13:20Z → 08-02 13:25Z	\$63,058.00 → \$63,081.99	UP	TZS 0	0	08-02 13:25Z	-
BTC 5m #6 Bitcoin	08-02 13:15Z → 08-02 13:20Z	\$63,114.00 → \$63,058.00	DOWN	TZS 10,000	2	08-02 13:20Z	-
BTC 5m #5 Bitcoin	08-02 10:40Z → 08-02 10:45Z	\$63,206.87 → \$63,205.88	DOWN	TZS 0	0	08-02 10:46Z	-
BTC 5m #4 Bitcoin	08-02 10:35Z → 08-02 10:40Z	\$63,187.99 → \$63,206.87	UP	TZS 0	0	08-02 10:40Z	-
BTC 5m #3 Bitcoin	08-02 10:30Z → 08-02 10:35Z	\$63,132.00 → \$63,187.99	UP	TZS 0	0	08-02 10:35Z	-
BTC 5m #2 Bitcoin	08-02 10:25Z → 08-02 10:30Z	\$63,162.01 → \$63,132.00	DOWN	TZS 0	0	08-02 10:30Z	-
BTC 5m #1 Bitcoin	08-02 10:20Z → 08-02 10:25Z	\$63,268.00 → \$63,162.01	DOWN	TZS 10,000	2	08-02 10:25Z	-


Every round, its open and close prices, its band, its outcome and when it settled.

Part 3 · Playing

Top navigation → Up & Down (/updown)



Pick the asset, then the duration. The strip underneath shows the last few outcomes, oldest to newest.




A live round. Read it top to bottom: the countdown; the pool and how many players; the Up/Down split; **Target to win** — the two frozen prices and the $\pm$ band; your own position if you have one; the stake chips; the two bet buttons. The footer names the source, the time it quoted, and the opening price.

1. Pick a stake — a chip, or **Custom**.
2. Tap **Up** or **Down**.


There is **no confirmation step** on this game. The first tap places the bet and takes the money — that is the design for a five-minute round. Check the stake chip before tapping.

Betting closes *at* the boundary, because the bet is on the price at that instant.






The same card once settled: the verdict, **both prices** — open → close — and the source line naming `api.twelvedata.com` and the time it quoted. This is what makes the result checkable by the person whose money it was.



What a player sees when the chain is **not started**. If a tester reports “the game is empty”, this is it — check the chain’s state, not the feed.

Top navigation → **History** (`/updown/history`)



Every round the player has taken, with the prices and the net return.

Up & Down does **not** send a notification for each win or loss — a player running twelve rounds an hour would get twelve messages. The result is on the round card and in History. Money movements are always recorded in the wallet and on the statement.

Part 4 · Testing it, and reading a failure correctly

A test that proves the game works

1. As Trading, start a **5-minute crypto** chain (crypto so market hours cannot confuse the result).
2. As **two different players**, back opposite sides of the same round.
3. Wait for the boundary. Do nothing else — settlement is automatic.
4. Check, in this order:
 - the round has an **open price and a close price, and they differ**;
 - the outcome matches the direction those two prices moved;
 - the winner's wallet went up and the loser's stayed down;
 - stake in – paid out = the commission.

Read the **prices**, never just the outcome flag. Two identical prices with a VOID means the feed gave the same number twice; two different prices with a VOID means the move was inside the band. Those look identical in an outcome column and mean completely different things.

Every round is voiding — what to check, in order

1. **Is the chain running?** Chains card → State.
2. **Is the market open?** Chains card → Market. A shut metals market opens nothing.
3. **Is the provider** `twelvedata`, **not** `mock` ? Price reading method card.
4. **Is the margin far too wide?** Chains card → Void rate. A high void rate with healthy prices means the band, not the feed.
5. **Is the domain approved for that asset's category?** Sources & categories.
6. **Only then suspect the feed.** Round detail shows the refusal reason in words.

The refusal reasons say different things and send you to different places: *market closed* is the calendar; *stale* means a price arrived but too far from the boundary; *no-move* means the price moved less than the band; *unparseable* or *wrong source* means the asset is pointing somewhere it should not be.

What a void is not

A void is not a loss and not an error. Every stake comes back in full and no commission is taken. It is the platform declining to decide, which is the correct behaviour whenever the price cannot be established or the move was too small to call.

Prepared for operator and player testing on `50pick.tz`. Screenshots captured from the live platform, 2026-08-02. Round `udr_0c015a854aa105600373` is the worked example: opened 63,114.00, closed 63,058.00, band $\pm \$12.62$, resolved DOWN, settled 441 ms after its own boundary, paid TZS 8,700 to the Down backer against the Up backer's loss, commission TZS 1,300.