

Hotel Management Backend API

Mobile App Integration Specification & Documentation | Version 1.0.0

Base URL	http://localhost:8080/api/v1
Authentication	JWT Bearer Token (Header: Authorization: Bearer <TOKEN>)
Database Backend	Supabase PostgreSQL (Project ID: ivkeugvzjmvqfslxgtsi)
Content-Type	application/json
Test Admin Account	Username: alish2130@gmail.com Password: Alish

1. Authentication API

POST /api/v1/auth/login

Authenticates user credentials and returns a JWT Bearer token required for protected endpoints.

Request Body

```
{
  "username": "alish2130@gmail.com",
  "password": "Alish"
}
```

Response Body (200 OK)

```
{
  "token": "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhbGlnaDIxMzBAZ21haWwY29tI... ",
  "tokenType": "Bearer",
  "username": "alish2130@gmail.com",
  "role": "ADMIN"
}
```

2. Hotel Bookings API

POST /api/v1/bookings

Creates a new reservation record directly in Supabase PostgreSQL.

Request Payload (No roomNumber)

```
{
  "guestName": "Simran Kaur",
  "phone": "9123456789",
  "checkIn": "2026-10-01",
  "checkOut": "2026-10-05",
  "numberOfGuests": 2,
  "totalAmount": 8500.00
}
```

Response Payload (201 Created)

```
{
  "id": 2,
  "guestName": "Simran Kaur",
  "phone": "9123456789",
  "checkIn": "2026-10-01",
  "checkOut": "2026-10-05",
  "numberOfGuests": 2,
  "totalAmount": 8500.00,
  "status": "CONFIRMED",
  "createdAt": "2026-08-24T11:56:30.1449",
  "updatedAt": "2026-08-24T11:56:30.1449"
}
```

GET /api/v1/bookings

Search and list paginated bookings stored in Supabase.

Parameter	Type	Description
page	Integer	Zero-based page index (default: 0)

size	Integer	Page size (default: 20)
guestName	String	Filter by guest name (partial match)
phone	String	Filter by exact phone number
status	Enum	CONFIRMED, CHECKED_IN, CHECKED_OUT, CANCELLED
checkInFrom	Date (YYYY-MM-DD)	Filter check-in date from
checkInTo	Date (YYYY-MM-DD)	Filter check-in date to

3. Category & Filter Endpoints

HTTP Method & Endpoint	Description
GET /api/v1/bookings/upcoming	Returns all future active bookings sorted by check-in date ascending.
GET /api/v1/bookings/current	Returns all guests currently staying in the hotel.
GET /api/v1/bookings/past	Returns completed / past bookings sorted by check-out date descending.
GET /api/v1/bookings/today/check-ins	Returns bookings scheduled for Check-In today.
GET /api/v1/bookings/today/check-outs	Returns bookings scheduled for Check-Out today.
GET /api/v1/bookings/{id}	Returns booking details by ID.

4. Booking Action Endpoints

HTTP Method & Endpoint	Action & State Change	Valid Initial Status
PATCH /api/v1/bookings/{id}/check-in	Changes status to CHECKED_IN	CONFIRMED
PATCH /api/v1/bookings/{id}/check-out	Changes status to CHECKED_OUT	CHECKED_IN
PATCH /api/v1/bookings/{id}/cancel	Changes status to CANCELLED	CONFIRMED
PUT /api/v1/bookings/{id}	Updates booking details	CONFIRMED / CHECKED_IN

5. Error Handling & Standard Responses

HTTP Status	Error Code	Description
400 Bad Request	VALIDATION_ERROR	Validation failed (e.g. check-out <= check-in, missing required fields)
401 Unauthorized	UNAUTHORIZED	Invalid username/password or missing/expired JWT token
404 Not Found	RESOURCE_NOT_FOUND	Requested booking ID does not exist
409 Conflict	BOOKING_CONFLICT	Illegal state transition (e.g. cancelling already checked out booking)
500 Internal Error	INTERNAL_SERVER_ERROR	Unhandled internal server exception

Standard Error Response JSON Format

```
{
  "timestamp": "2026-08-24T11:45:00.708581",
  "status": 400,
  "code": "VALIDATION_ERROR",
  "message": "Check-out date must be after check-in date"
}
```