

Mobile App Integration Specification & Documentation | Version 2.1.0 (Live)

Quick Start Guide for Mobile App Developers (iOS / Android):

- ## 1. Authentication API

Authenticates user credentials and returns a JWT Bearer token required for protected endpoints.

```
{
  "username": "alish2130@gmail.com",
  "password": "Alish"
}
```

```
{
  "token": "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhbmGlzaDIxMzBAZ21haWwY29tI...\"",
  "tokenType": "Bearer",
  "username": "alish2130@gmail.com",
  "role": "ADMIN"
}
```

2. Hotel Bookings API

Creates a new reservation record directly in Supabase PostgreSQL.

Response Payload (201 Created)

```
{
  "guestName": "Simran Kaur",
  "phone": "9123456789",
  "checkIn": "2026-10-01",
  "checkOut": "2026-10-05",
  "numberOfGuests": 2,
  "totalAmount": 8925.00,
  "paymentType": "CASH"
}
```

```
{
  "id": 2,
  "guestName": "Simran Kaur",
  "phone": "9123456789",
  "checkIn": "2026-10-01",
  "checkOut": "2026-10-05",
  "numberOfGuests": 2,
  "totalAmount": 8925.00,
  "status": "CONFIRMED",
  "paymentType": "CASH",
  "createdAt": "2026-08-26T11:56:30.1449",
  "updatedAt": "2026-08-26T11:56:30.1449"
}
```

GET /api/v1/bookings

Search and list paginated bookings stored in Supabase.

Parameter	Type	Description
page	Integer	Zero-based page index (default: 0)
size	Integer	Page size (default: 20)
guestName	String	Filter by guest name (partial match)
phone	String	Filter by exact phone number
status	Enum	CONFIRMED, CHECKED_IN, CHECKED_OUT, CANCELLED
paymentType	Enum	Filter by payment type: CASH or PREPAID
checkInFrom	Date (YYYY-MM-DD)	Filter check-in date from
checkInTo	Date (YYYY-MM-DD)	Filter check-in date to

3. Category & Filter Endpoints

HTTP Method & Endpoint	Description
GET /api/v1/bookings/upcoming	Returns all future active bookings sorted by check-in date ascending.
GET /api/v1/bookings/current	Returns all guests currently staying in the hotel.
GET /api/v1/bookings/past	Returns completed / past bookings sorted by check-out date descending.
GET /api/v1/bookings/today/check-ins	Returns bookings scheduled for Check-In today.
GET /api/v1/bookings/today/check-outs	Returns bookings scheduled for Check-Out today.
GET /api/v1/bookings/{id}	Returns booking details by ID.

4. Booking Action Endpoints

HTTP Method & Endpoint	Action & State Change	Valid Initial Status
PATCH /api/v1/bookings/{id}/check-in	Changes status to CHECKED_IN	CONFIRMED
PATCH /api/v1/bookings/{id}/check-out	Changes status to CHECKED_OUT	CHECKED_IN
PATCH /api/v1/bookings/{id}/cancel	Changes status to CANCELLED	CONFIRMED
PUT /api/v1/bookings/{id}	Updates booking details (including paymentType)	CONFIRMED / CHECKED_IN

5. Error Handling & Standard Responses

HTTP Status	Error Code	Description
400 Bad Request	VALIDATION_ERROR	Validation failed (e.g. check-out <= check-in, missing required fields)
401 Unauthorized	UNAUTHORIZED	Invalid username/password or missing/expired JWT token
404 Not Found	RESOURCE_NOT_FOUND	Requested booking ID does not exist
409 Conflict	BOOKING_CONFLICT	Illegal state transition (e.g. cancelling already checked out booking)
500 Internal Error	INTERNAL_SERVER_ERROR	Unhandled internal server exception

Standard Error Response JSON Format

```
{
  "timestamp": "2026-08-26T11:45:00.708581",
  "status": 400,
  "code": "VALIDATION_ERROR",
  "message": "Check-out date must be after check-in date"
}
```