

CONSTRUCCIÓN DE TABLAS DE VERDAD

2 VARIABLES

✓ Ejercicio 1: $(p \wedge q) \rightarrow p$

$(p \wedge q) \rightarrow p$

p	q	$p \wedge q$	$(p \wedge q) \rightarrow p$
V	V	V	V
V	F	F	V
F	V	F	V
F	F	F	V

✓ Ejercicio 2: $p \vee q \leftrightarrow \neg p \wedge \neg q$

● ② $p \vee q \leftrightarrow \neg p \wedge \neg q$

p	q	$p \vee q$	$\neg p$	$\neg q$	$\neg p \wedge \neg q$
V	V	V	F	F	F
V	F	V	F	V	F
F	V	V	V	F	F
F	F	F	V	V	V

3 VARIABLES

✓ Ejercicio 3: $(p \vee \neg q) \wedge r$

● ③ 3 variables $\rightarrow (p \vee \neg q) \wedge r$

q	p	$\neg q$	$p \vee \neg q$	r	$(p \vee \neg q) \wedge r$
V	V	F	V	V	V
V	V	F	V	F	F
F	V	V	V	V	V
F	V	V	V	F	F
V	F	V	V	V	V
V	F	V	V	F	F
F	F	V	V	V	V
F	F	V	V	F	F

✓ **Ejercicio 4:** $(p \vee q) \wedge \neg r$

④ $(p \vee q) \wedge \neg r$ $2^3 = 8$ Rows

r	$(p$	$\vee$	$q)$	$\wedge$	$\neg r$
V	V	V	V	F	F
F	V	V	V	V	V
V	V	V	F	F	F
F	V	V	F	V	V
V	F	V	V	F	F
F	F	V	V	V	V
V	F	F	F	F	F
F	F	F	F	F	V

4 VARIABLES

✓ **Ejercicio 5:** $[(p \vee q) \vee r] \wedge s$

• ⑤ 4 variables $[(p \vee q) \vee r] \wedge s$ $2^4 = 16$ filas

p	q	r	s	$[(p \vee q) \vee r] \wedge s$
V	V	V	V	V
V	V	V	F	F
V	V	F	V	V
V	V	F	F	F
V	F	V	V	V
V	F	V	F	F
V	F	F	V	F
V	F	F	F	F
F	V	V	V	V
F	V	V	F	F
F	V	F	V	V
F	V	F	F	F
F	F	V	V	V
F	F	V	F	F
F	F	F	V	F
F	F	F	F	F