



Getting started

Install Meilisearch locally

Copy page

Install Meilisearch locally on Linux, macOS, or Windows using cURL, Docker, Homebrew, APT, or from source.

Supported operating systems

Meilisearch officially supports the following operating systems. Binaries might work on other environments without official support.

OS	Requirements
Linux	amd64/x86_64 or aarch64/arm64 with glibc 2.35+. Check with <code>ldd --version</code> .
macOS	macOS 14 Sonoma or later, amd64 or arm64.
Windows	Windows Server 2022 or later. Windows OS 10+ may work but is not officially supported.



Use [Meilisearch Cloud](#) to integrate Meilisearch with applications hosted in unsupported operating systems.

Meilisearch Cloud

[Meilisearch Cloud](#) simplifies installing, maintaining, and updating Meilisearch. [Get started with a 14-day free trial.](#)

Take a look at the [Meilisearch Cloud tutorial](#) for more information on setting up and using Meilisearch's cloud service.

Local installation

[cURL](#) [Homebrew](#) [Docker](#) [APT](#) [Source](#) [Windows](#) [Direct download](#)

Download the **latest stable release** of Meilisearch with **cURL**.

Launch Meilisearch to start the server.

```
# Install Meilisearch
curl -L https://install.meilisearch.com | sh

# Launch Meilisearch
./meilisearch
```

Installing older versions of Meilisearch

We discourage the use of older Meilisearch versions. Before installing an older version, please [contact support](#) to check if the latest version might work as well.

[cURL](#) [Docker](#) [Source](#) [Direct download](#)

Download the binary of a specific version under "Assets" on our [GitHub changelog](#).

**meilisearch**

```
# Replace {meilisearch_version} and {meilisearch_os} with the specific version
# For example, if you want to download v1.0 on macOS,
# replace {meilisearch_version} and {meilisearch_os} with v1.0 and meilisearch-macos
curl -OL https://github.com/meilisearch/meilisearch/releases/download/{meilisearch_version}/{meilisearch_os}

# Rename binary to meilisearch. Replace {meilisearch_os} with the name of the download
mv {meilisearch_os} meilisearch

# Give the binary execute permission
chmod +x meilisearch

# Launch Meilisearch
./meilisearch
```

Troubleshooting

If the provided [binaries](#) do not work on your operating system, try [building Meilisearch from source](#). If compilation fails, Meilisearch is not compatible with your machine.

Was this page helpful?



Yes



No

[Getting started with self-hosted Meilisearch](#)

[Using Meilisearch with Docker](#)



Product

[Meilisearch Cloud](#)

[AI search](#)

[Pricing](#)

Contact us

[GitHub](#)

[Discord](#)

[Newsletter](#)



Helpdesk

Release notes

Comparisons

Trust center

Company

Blog

Customers

Careers

Code of Conduct

Privacy Policy

Terms of Use

Swag

Powered by **mintlify**

