Barcode4J examples

by Jeremias Märki

Table of contents

The directory `examples/` in the distribution contains some example files that show what **Barcode4J** can do.

1 Example PDF

The directory `examples/xsl-fo/` contains an XML file with barcode instructions (`barcodes.xml`) and an associated stylesheet (`barcodes2xsl-fo.xsl`) that converts the XML file to XSL-FO.

The resulting PDF generated by Apache FOP:

view (around 102KB)

2 Example Web Application

The directory `examples/webapp/` contains an sample web application that provides an interactive demo for barcode generation with the Barcode Servlet. It is written using JSP. The build generates the web application by default. To play with it just drop the `build/barcode4j.war` file in your favourite web container.

3 Preview of all supported barcode symbologies

Barcode type	PNG graphic
Interleaved 2 of 5	0123456789
ITF-14 (new)	1 54 00141 28876 3
Code 39	0123456789
Code 128	0123456789
Codabar	0123456789
UPC-A	0 01234 56789 5

Barcode type	PNG graphic
UPC-E	
EAN-13	
EAN-8	
POSTNET	
Royal Mail Customer Barcode	
USPS Intelligent Mail	
PDF417	
DataMatrix (square)	
DataMatrix (rectangular)	

Table 1: PNG and SVG versions