

Website Estimator → GoHighLevel

Inbound Webhook setup guide · for the GHL automation contractor

What this is. The website has a new **Item-by-Item Estimator** — a 3-step calculator on bigrichhauling.com: the customer picks the items they need hauled, enters their contact details, then sees a priced estimate.

The webhook fires at the end of step 2 — the moment they finish the contact form and press **Continue**, before the price is even shown to them. The whole lead goes as flat JSON to a GoHighLevel **Inbound Webhook**. That is the only place it goes: there is no other integration behind it.

What we need from you. One workflow that (1) creates or updates the contact, (2) emails the booking to `bigrichhauling@att.net`, and optionally (3) creates an opportunity valued at the estimate. Roughly 20–30 minutes. Everything the widget sends is documented in the field reference — no guessing required.

Receives	HTTP POST, Content-Type: application/json, flat snake_case keys (no nested objects)
Trigger type	Inbound Webhook (Workflow trigger)
Notification goes to	bigrichhauling@att.net
Lead source value	Website Estimator (sent in the source field)
Volume	Low — one POST per completed contact form. If the customer goes back, changes their item list and continues again, a second POST is sent with the revised total; pressing Continue twice on unchanged data does not re-send.

Setup steps

1 Create the workflow and copy the webhook URL GH

In GH: **Automation** → **Workflows** → **+ Create Workflow** → **Start from scratch**. Add the trigger **Inbound Webhook**. GH shows a URL shaped like:

```
https://services.leadconnectorhq.com/hooks/<locationId>/webhook-trigger/<uuid>
```

Send that URL back to whoever maintains the website. Nothing else is needed from GH at this stage.

2 Paste the URL into the widget WEBSITE

In the Elementor **HTML** widget holding the estimator, find the `BRH_CONFIG` block near the top of the `<script>` and set:

```
submit: {
  provider      : "ghl",
  ghlWebhookUrl : "https://services.leadconnectorhq.com/hooks/.../webhook-trigger/...",
  ...
}
```

Until that URL is filled in, no bookings reach GHL. The widget falls back to opening the customer's email app with the quote pre-filled — so leads aren't lost, but they don't arrive in the CRM either. The browser console logs a warning while it's empty.

3 Send one test booking before mapping anything WEBSITE

This step is not optional and it trips people up. A GHL Inbound Webhook only learns the field names **after it has actually received a payload**. Until a real POST arrives, the mapping dropdowns in the workflow are empty.

So: on the live page pick any item, fill in the contact form and press **Continue** — that is the POST. Then reopen the trigger and every field in the reference table below will be listed and selectable.

There is no scheduling in this form at all. The website never asks for a pickup date or time and never holds a slot — the office arranges timing when it follows up. So `preferred_date`, `preferred_date_iso` and `preferred_window` always arrive **empty**: don't map them, and don't create a GHL appointment from them. The notification email is the action that matters.

4 Build the workflow actions GHL

4a · Create/Update Contact. Map as follows:

GHL CONTACT FIELD	WEBHOOK FIELD
First Name	<code>first_name</code>
Last Name	<code>last_name</code>
Email	<code>email</code>
Phone	<code>phone</code>
Address	<code>address1</code>
City	<code>city</code>
Postal Code	<code>postal_code</code>
State	<code>state</code> (always CA)
Source	<code>source</code>

Deduplicate on email or phone so a repeat customer updates their existing contact rather than creating a second one. Adding a tag such as `website-estimator` here makes these leads easy to segment and report on later.

4b • Send Internal Notification (Email) → `bigrichhauling@att.net`. This is the part that replaces the old email path, so it matters most. Reference any field with the `{{inboundWebhookRequest.<field>}}` token. Copy-paste ready:

```
Subject:
New estimate — {{inboundWebhookRequest.estimated_total}} — {{inboundWebhookRequest.full_name}}
({{inboundWebhookRequest.city}})

Body:
{{inboundWebhookRequest.quote_summary}}
```

Why one token is enough. `quote_summary` is the entire formatted quote as plain text — name, phone, email, address, pickup date and window, extra-labor notes, every item with its line price, the subtotal, the minimum-charge adjustment, the total, and the estimate disclaimer. If you'd rather build a styled HTML email, every individual field in the reference table below is available as its own token.

4c • Create Opportunity (optional but recommended). Put it in whichever pipeline suits new website bookings and set the monetary value from `estimated_value` — that field is a **bare number** (e.g. `95`) specifically so GHL accepts it as currency. Don't use `estimated_total` there; that one is the formatted string `"$95.00"`, intended for emails and SMS.

4d • Customer-facing follow-up (optional). An SMS or email confirming the request works well here. The widget already shows an on-screen confirmation, so this is additive, not required. A useful line to include:

```
Thanks {{inboundWebhookRequest.first_name}}! We have your request for
{{inboundWebhookRequest.preferred_date}}, {{inboundWebhookRequest.preferred_window}}.
Estimated total {{inboundWebhookRequest.estimated_total}}. We'll call to confirm. — Big Rich
Hauling
```

Every field the widget sends

All keys are top-level and snake_case — deliberately flat, because Inbound Webhook mapping struggles with nested objects. Reference each as `{{inboundWebhookRequest.<field>}}`.

FIELD	TYPE	EXAMPLE / NOTES
<code>source</code>	text	<code>Website Estimator</code> — constant, use as the contact source
<code>full_name</code>	text	<code>Maria De La Cruz</code>
<code>first_name</code>	text	<code>Maria</code>
<code>last_name</code>	text	<code>De La Cruz</code> — split takes the first word as the given name, so multi-word surnames stay intact

FIELD	TYPE	EXAMPLE / NOTES
email	email	maria@example.com — required by the form, always present
phone	text	(916) 555-0177 — as the customer typed it; see troubleshooting if SMS steps reject it
address1	text	2014 Capitol Ave — required in the form
city	text	Sacramento — chosen from a fixed dropdown of service areas
postal_code	text	95811 — optional, can be empty
state	text	CA — constant
preferred_date	text	Always empty — the form has no scheduling step
preferred_date_iso	date	Always empty — as above
preferred_window	text	Always empty — as above
item_count	number	3 — total pieces, quantities included
cubic_yards	number	6.5 — estimated volume; useful for dispatching the right truck
items_subtotal	text	\$120.00 — before the minimum charge is applied
minimum_adjustment	text	\$15.00 , or empty when the load already exceeds the \$95 minimum
estimated_total	text	\$95.00 — formatted, for emails and SMS
estimated_value	number	95 — bare number, for opportunity monetary value
extra_labor	text	Items are upstairs or downstairs; Long carry or tight access — semicolon separated, empty if none flagged
itemized_list	multiline	1 x Sofa - 3 cushion — \$120.00 , one item per line
customer_notes	multiline	Gate codes, access instructions, etc. Often empty.
quote_summary	multiline	The complete formatted quote. Ideal as the whole body of the internal notification email.

How the price is built, in case a workflow needs to reason about it: each item's price is its estimated cubic yards × **\$40/cu yd**, taken from Big Rich Hauling's master household price list (640 items). If the subtotal is under the **\$95 minimum service charge**, the difference appears as `minimum_adjustment` and the total becomes \$95.00. Access conditions (`extra_labor`) are captured for dispatch but deliberately *do not* change the quoted price — the crew confirms any extra on site.

Troubleshooting

The mapping dropdowns are empty

The webhook hasn't received a payload yet. Complete one real booking on the live page, then reopen the trigger. See step 3.

Nothing arrives in GHL at all

The widget posts directly from the visitor's browser, so a cross-origin request is involved. It already handles the common failure: if the POST is refused at the CORS layer, it retries once as a CORS-simple request so the payload still lands, and only falls back to email if that fails too.

If bookings still never appear, the website side can switch to a server-side relay (`provider: "wordpress"`), where WordPress forwards the same JSON to the same webhook URL via `wp_remote_post` . Identical payload, no browser CORS involved. That's a website-side change — the GHL workflow needs no edits at all.

Duplicate contacts appearing

Set the Create/Update Contact step to match on email or phone. Every booking requires both, so either key is reliable.

An SMS or phone-based step rejects the number

Phone arrives formatted as the customer typed it, e.g. `(916) 555-0177` . GHL normally normalises this, but if a step objects, add a small formatting action to strip non-digits and prefix `+1` before the SMS step.

A field renders blank in an email

Two fields are legitimately empty sometimes: `minimum_adjustment` (when the load is already above \$95) and `postal_code` , `customer_notes` , `extra_labor` (all optional inputs). Guard those in templates rather than treating a blank as a bug.

Spam or junk submissions

The widget carries a hidden honeypot field: a bot that fills it sees a normal success screen while nothing is sent anywhere, so junk shouldn't reach GHL. If any does get through, add a filter or condition step on `email` / `phone` before the contact is created.

Security — please don't work around this. The webhook URL sits in client-side code, so it is visible in the page source. That's acceptable because an Inbound Webhook URL is **write-only**: it can start this workflow and nothing else — it cannot read data out of GHL. The worst case is junk contacts, which the honeypot and a filter step handle.

Never place a GHL API key, private-integration token, or location API key in the widget — anyone viewing source could read it and use it against the account. If the URL itself needs to be hidden, use the WordPress relay described above.

Done-when checklist

- ☐ Workflow created with an **Inbound Webhook** trigger, and the URL handed to the website maintainer.
- ☐ URL pasted into the widget's `ghlWebhookUrl` , page updated in Elementor.
- ☐ One test booking submitted from the live page, and it appears in GHL.
- ☐ Contact created with name, email, phone, full address and source `Website Estimator` .
- ☐ Internal notification received at `bigrichhauling@att.net` , containing the full itemized quote.
- ☐ Repeat submission with the same email updates the existing contact instead of duplicating it.
- ☐ *(If used)* Opportunity created with the monetary value matching the quoted total.
- ☐ Workflow published.

One test worth running at the end: book a single cheap item — a small box or a bathroom scale. The subtotal will be a couple of dollars, so the minimum charge should kick in and the notification email should read **\$95.00** with a `minimum_adjustment` line. If that arrives correctly, both the pricing logic and the full mapping chain are proven end to end.