

StudyMate defense questions

Answers in English, with short Russian explanations for rehearsal. Design proposals and current limitations remain explicit.

1. What problem does StudyMate solve?

It helps students arrange an in-person study session by bringing meeting details and join requests into one place. We still need interviews to validate the problem assumption.

Помогаем найти людей и договориться о встрече. Не выдавай гипотезу за проведённое исследование.

2. Why would students use it instead of a group chat?

A group chat is flexible, but meeting details and applications can get scattered. StudyMate gives each group structured details, applications, and visible decisions. We need user testing to confirm that this is useful.

Структура и статусы вместо разрозненных сообщений. Польза пока требует проверки.

3. Is this an AI matching system?

No. Our current rule uses four weighted comparisons. It is deterministic, and the organizer can see the explanation.

Это обычная прозрачная формула, а не машинное обучение.

4. Why does subject have the largest weight?

Studying the same subject is central to the meeting. Forty points is our initial design choice. We have not optimized the weights using user data yet.

40% — решение команды, не научно доказанный оптимум.

5. What happens when optional preferences are missing?

That component contributes zero. We do not award ten points for an empty answer.

Пустой ответ даёт ноль; поэтому максимальный балл без preferences — 90.

6. Can the score be 92 percent?

Under the four binary comparisons in the current SRS, scores are multiples of ten. The 92 percent shown in the old frontend is sample display data and needs replacement.

92, 78 и 71 на сайте — моковые числа, несовместимые с текущей формулой.

7. How do you define time compatibility?

Our proposed rule is full coverage of the meeting interval by the applicant's availability, with timestamps stored consistently and displayed in Asia/Almaty time. The team still needs to confirm this design decision.

Не говори, что точное правило уже согласовано: в текущем SRS оно открыто.

8. Can a high score automatically accept an applicant?

No. Acceptance is an organizer action. A score is only information for that decision.

Баллы не заменяют решение организатора.

9. Why is User to StudyGroup one-to-many?

One student can organize several groups. Each group has exactly one `organizer_id`, which references one user.

Один студент — много групп; у конкретной группы один организатор.

10. Where is the many-to-many relationship?

Students can apply to many groups and groups can receive many students' applications. `JoinRequest` represents this relationship and also stores its answers and status.

Связующая таблица `JoinRequest` хранит дополнительные данные заявки.

11. How do you prove Third Normal Form?

Attributes are atomic. Junction-table attributes depend on their full composite keys. Subject and preference descriptions live in their own tables, so non-key attributes do not describe another non-key attribute in a referencing table.

1NF: атомарность. 2NF: весь ключ. 3NF: нет транзитивных зависимостей неключевых полей.

12. Why keep application answers separate from profiles?

The application records what the student submitted. A later profile change should not alter that application's answers or score.

Это снимок ответов на момент подачи, а не ссылка на изменяемый профиль.

13. Where do you store the compatibility score?

The proposed design derives it from the saved application answers and locked group requirements. We avoid a stored total that could disagree with its components.

Баллы рассчитываются. Правила группы фиксируем после первой заявки либо версионируем.

14. How do you prevent duplicate applications?

A database partial unique index allows at most one Pending request per student and group. The API also checks the condition, and the database protects concurrent submissions.

Одной проверки в React недостаточно; нужна гарантия в БД.

15. What happens when two decisions run at the same time?

The decision updates the row only if it is still Pending. A transaction and the row condition let one decision succeed and prevent a second decision from adding another member.

`UPDATE` с `WHERE status='Pending'`, проверка числа обновлённых строк.

16. Why is there no separate membership table?

In the current scope, an Accepted request means membership. A view derives the members from Accepted requests. We can add a membership table later if leaving groups or invitation history requires a separate lifecycle.

Меньше дублирования. Для выхода и приглашений позднее может понадобиться отдельная сущность.

17. Do guests have access to all pages?

The SRS allows public group browsing. Creating groups and applying require an account. Guest access to complete group details still needs a team decision. The prototype proposes public meeting details.

Разделяй текущее требование и предложенное поведение.

18. Does the current website use real SDU authentication?

The inspected frontend checks the format of the student ID and that the password field is non-empty. It does not verify credentials against a backend. We must not present that preview as an SDU authentication integration.

Логин сейчас визуальный. Настоящий пароль университета не нужен для демонстрации.

19. Does the backend work?

The inspected backend branch contains only a README; no Spring Boot implementation is present. Milestone 1 evaluates the plan, and implementation is scheduled from Week 6.

Честно скажи, что пока backend не реализован.

20. What are your security checks?

We plan server-side authentication, organizer authorization for private requests, and adaptive salted password hashing. We will test unauthenticated and cross-group access attempts.

Проверка роли на сервере, а не только скрытая кнопка.

21. How will you measure performance?

We will run a repeatable load test with 100 concurrent users and 1,000 upcoming groups, then check whether 95 percent of group-list requests complete within two seconds.

Это целевой тест, не уже полученный результат.

22. What is your usability target?

At least four of five new students should find a group and submit a valid application within two minutes without help.

Засаекаем время и успешность на новых пользователях.

23. Why is filtering Should-have?

Students can complete the essential journey using a list and group details. Filtering improves discovery but is not required for the first working journey.

Приоритет объясняется зависимостью основного сценария.

24. Why are there no merged PRs?

The repository audit found none. We need each member to complete a real branch, contribution, review, and merge cycle. A statement in documentation cannot replace that evidence.

Не выдавай чужой PR или прямой commit за вклад всех пяти.

25. Who is the QA member?

Agabek already handles validation and tests in the source documentation. We propose making QA ownership explicit alongside his backend support role. The team needs to confirm that assignment.

QA пока предложено на основе его задач, а не подтверждено командой.

26. Can you finish in 15 weeks?

We propose delivering the eleven Must stories first, integrating early, and leaving chat, ratings, files, and monetization outside the current version. The schedule still depends on each member taking real tasks.

Не обещаю срок без распределения задач и проверки прогресса.

27. Why do some frontend features differ from the SRS?

The preview contains exploratory interface ideas such as ratings, capacity, and sample match values. We documented these gaps. The milestone design follows the current SRS, and extra features need a separate scope decision.

Сайт не является автоматическим доказательством согласованного scope.

28. What if Figma or the network fails during defense?

We keep local wireframe exports, the rendered ERD, and the presentation as backup. We still need to show the interactive native Figma prototype when access works, because the rubric explicitly requires it.

Резервные картинки помогают, но не отменяют требование живой Figma.

29. What does each team member contribute?

Arlan coordinates requirements and priorities. Alisher develops the frontend. Bakdaulet handles design. Yelnar leads backend and database design. Agabek supports validation and tests. Actual contribution should be shown through their own work and repository evidence.

Роли из документов не доказывают завершённый вклад. Каждый объясняет свою реальную работу.

30. What is still unresolved in your design?

The team must confirm exact matching definitions, guest access to full details, explicit QA ownership, and the meeting schedule. We recorded these decisions rather than pretending they were already agreed.

Лучше назвать конкретный открытый вопрос и решение, чем импровизировать факт.