



**FACULTY OF COMPUTER SCIENCE AND MATHEMATICS**

WEB-BASED INTERFACE DESIGN

CSF3133

SEMESTER 1 SESSION 2025/2026


BACHELOR OF COMPUTER SCIENCE (SOFTWARE ENGINEERING) WITH  
HONOURS

**LAB MODULE 8**

NAME	NO. MATRIC
NUR ALIYA FARHANI BINTI MOHD NASRI	S75663


## 8.5.1 Headings

Output:



## 8.5.2 Display Headings

Output:



### 8.5.3 Inline Text Elements

Output:

The screenshot shows a Microsoft Edge browser window with multiple tabs open. The active tab is titled "Bootstrap Inline Text Examples" and displays a page with various inline text styles. The page content includes:

- This is regular text. **This text is bold using the Bootstrap class (.fw-bold).**
- This is **important text (strong tag)**.
- This is regular text. *This text is italic using the Bootstrap class (.fst-italic).*
- This is *emphasized text (em tag)*.
- This is regular text with smaller text (small tag) inside.
- You can also use the font size class (.fs-6) for slightly smaller text.
- This is underlined text (u tag).
- This is ~~strikethrough text (s tag)~~.
- This is `inline code (code tag)`.
- You can also use the monospace font class (.font-monospace).

Below this, there is a section titled "Example of Visually Hidden Text" with the note "This text will be visible. This text will be visible again."

The browser's taskbar at the bottom shows various pinned icons and the system clock indicating 10:01 PM on 16/12/2025.

## 8.5.4 Text Color and Background

Output:

The screenshot shows a browser window with multiple tabs open. The active tab displays "Bootstrap Text Color Examples". The content includes a list of Bootstrap text color classes and their descriptions, followed by several colored horizontal bars. The classes listed are: .text-primary, .text-secondary, .text-success, .text-danger, .text-warning, .text-info, .text-light, .text-dark, .text-body, .text-muted, .text-white, .text-black-50, and .text-white-50.

**Bootstrap Text Color Examples**

- .text-primary: Primary blue colored text.
- .text-secondary: Secondary gray colored text.
- .text-success: Success green colored text.
- .text-danger: Danger red colored text.
- .text-warning: Warning yellow colored text (may be hard to read without a background).
- .text-info: Info cyan colored text.
- .text-light: Light white colored text (placed on a dark background for visibility).
- .text-dark: Dark black colored text.
- .text-body: Default body text color (usually black or near-black).
- .text-muted: Muted gray text color.
- .text-white: Pure white text (requires a dark background).
- .text-black-50: Black text with 50% opacity.
- .text-white-50: White text with 50% opacity (requires a dark background).


The screenshot shows a browser window with multiple tabs open. The active tab displays "Bootstrap Background Color Examples". The content includes a list of Bootstrap background color classes and their descriptions, followed by several colored horizontal bars. The classes listed are: .bg-primary, .bg-secondary, .bg-success, .bg-danger, .bg-warning, .bg-info, .bg-light, .bg-dark, and .bg-body-secondary.

**Bootstrap Background Color Examples**

- .bg-primary: Blue background, white text.
- .bg-secondary: Gray background, white text.
- .bg-success: Green background, white text.
- .bg-danger: Red background, white text.
- .bg-warning: Yellow background, dark text.
- .bg-info: Cyan background, dark text.
- .bg-light: Light background, dark text.
- .bg-dark: Dark background, white text.
- .bg-body-secondary: Body secondary background, dark text.

## 8.5.5 Text Wrapping and Overflow

Output:



## 8.5.6 Font Size

Output:

The screenshot shows a browser window with the URL <file:///C:/Users/User/Desktop/FontSize.html>. The page title is "Bootstrap Font Size Utilities (.fs-\*)". It contains a table with rows for .fs-1 through .fs-6, each with a sample icon and text. Below the table is a section titled "Contrast Example" with a note about default paragraph size.

Font Size Class	Sample Icon	Description
.fs-1	12	Largest Text Size
.fs-2	34	Very Large Text Size
.fs-3	18	Medium-Large Text Size (Similar to H3)
.fs-4	16	Medium Text Size (Similar to H4)
.fs-5	14	Medium-Small Text Size (Similar to H5)
.fs-6	12	Smallest Text Size (Similar to H6 or small tag)

**Contrast Example**  
This is the default paragraph text size.

Default text size in the page scaled up to .fs-1.



## 8.5.7 Font Weight and Style

Output:

The screenshot shows a browser window with the URL <file:///C:/Users/User/Desktop/FontWeight.html>. The page title is "Bootstrap Font Weight Utilities (.fw-\*)". It features a "Font Weight Examples" section with a table of weight classes and their descriptions, and a "Font Style Examples" section with a table of style classes and their descriptions.

Font Weight Class	Description
.fw-bold	This text is rendered in bold weight.
.fw-semibold	This text is rendered in semi-bold weight (A bit lighter than bold).
.fw-normal	This text is rendered in normal weight (Default).
.fw-medium	This text is rendered in medium weight (A bit heavier than normal).
.fw-light	This text is rendered in light weight.
.fw-lighter	This text is rendered in the lightest weight available for the font.
.fw-bolder	This text is rendered bolder than its parent element (if possible).

Font Style Class	Description
.fst-italic	This text is rendered in an italic style.
.fst-normal	This text is rendered in a normal style (useful for resetting italic text inside a parent element that is italic).

**Combined Example**  
.fw-light .fst-italic: This text is both light and italic.



## 8.5.8 Line Height

Output:

The screenshot shows a Microsoft Edge browser window with the title "Bootstrap Line Height Utilities (.lh-\*)". The page content is as follows:

- .lh-1 (No unit/Smallest)**

This text uses the .lh-1 class. It has the smallest line height (1). The lines are very close together, which can be difficult for readability in large blocks of text.  
This is the second line with .lh-1.
- .lh-sm (Small)**

This text uses the .lh-sm class. It has a slightly smaller line height than the default (1.25). This might be suitable for compact layouts.  
This is the second line with .lh-sm.
- .lh-base (Default/Base)**

This text uses the .lh-base class. This is the default line height for Bootstrap (1.5), which is generally considered optimal for reading body text.  
This is the second line with .lh-base.
- .lh-lg (Large)**

This text uses the .lh-lg class. It has a larger line height (2). This can improve readability but uses more vertical screen space.  
This is the second line with .lh-lg.

The browser's taskbar at the bottom shows various pinned icons and the system status bar indicates the date and time as 16/12/2025, 10:10 PM.

## 8.5.9 Lists

Output:

Bootstrap List Utilities

### 1. Default Unordered List

- Item 1 (Has bullets and default padding)
- Item 2
- Item 3

### 2. Unstyled List (.list-unstyled)

This class removes the default `list-style` (bullets/numbers) and left margin/padding from list items.

- Item 1 (No bullets, no left padding)
- Item 2
- Item 3

### 3. Inline List (.list-inline)

To display a list of items horizontally (inline), you must apply two classes:

1. Apply `list-inline` to the parent
  - Apply `list-inline-item` to every child
  - .

- Item 1 (Has bullets and default padding)
- Item 2
- Item 3

### 2. Unstyled List (.list-unstyled)

This class removes the default `list-style` (bullets/numbers) and left margin/padding from list items.

- Item 1 (No bullets, no left padding)
- Item 2
- Item 3

### 3. Inline List (.list-inline)

To display a list of items horizontally (inline), you must apply two classes:

1. Apply `list-inline` to the parent
  - Apply `list-inline-item` to every child
  - .

Item 1 Item 2 Item 3 Item 4



## 8.6.1 Basic Form Structure

Output:

A screenshot of a web browser window. The address bar shows the file path: File C:/Users/User/Desktop/BasicFormm.html. The page content displays a simple form with two input fields and a submit button. The first field is labeled "Email address" and contains the value "name@example.com". The second field is labeled "Password" and contains the value "\*\*\*\*\*". Below the fields is a "Submit" button.

```
<input type="text" value="name@example.com"/>  
<input type="password" value="*****"/>  
<input type="submit" value="Submit"/>
```


A screenshot of a web browser window, identical to the one above. It shows the same basic form with the "Email address" field containing "name@example.com" and the "Password" field containing "\*\*\*\*\*". The "Submit" button is also present.

```
<input type="text" value="name@example.com"/>  
<input type="password" value="*****"/>  
<input type="submit" value="Submit"/>
```



## 8.6.2 Form Layouts

Output:




The screenshot shows a web browser window with the following details:

- Title Bar:** Displays multiple tabs, including "Basic X", "Head X", "Displ. X", "Boot: X", "Boot: X", "Boot: X", "Boot: X", "Boot: X", "Boot: X", "Basic X", and "Form X".
- Address Bar:** Shows the file path "File C:/Users/User/Desktop/FormLayouts.html".
- Content Area:** Contains a form with the following elements:
  - Email:** An input field containing "aliya@gmail.com".
  - Password:** An input field containing "\*\*\*\*\*" with a visible password mask icon.
  - Submit:** A button labeled "Submit".
- System Tray:** Located at the bottom right, it shows the date and time as "16/12/2025 10:16 PM", battery status, signal strength, and other system icons.

### 8.6.3 Inline Forms

Output:



## 8.6.4 Form Controls

Output:


The screenshot shows a web browser window with the title "Easy Form Examples". Inside the browser, there is a form with two fields: "Your Name" and "Your Message". The "Your Name" field is a text input box containing the placeholder "Type here". The "Your Message" field is a larger text area.


The screenshot shows a web browser window with the title "Easy Form Examples". Inside the browser, there is a form with two fields: "Your Name" and "Your Message". The "Your Name" field contains the text "NUR ALIYA FARHANI BINTI MOHD NASRI". The "Your Message" field contains the text "HELLOOO". Both fields have a blue border around them.



## 8.6.5 Select Menus


Output:





## 8.6.6 Form Validation

Output:



## 8.6.7 Checkboxes and Radios

Output:

The screenshot shows a Microsoft Edge browser window with three tabs open: "Simple Select Menu", "Simple Form Validation Example", and "Simple Checkbox and Radio Exam...". The active tab displays a form titled "Checkboxes dan Radio Buttons".  
**Section 1: Checkbox (Choose any)**  
A descriptive text states: "checkbox allow user to choose zero or more than one." Below it are two checkboxes:

- Subscribe news (Newsletter)
- I agree with the terms and conditions. (Have been checked)

---

**Section 2: Radio Buttons (Choose only one)**  
A descriptive text states: "Radio buttons allow user to choose one choice from other choices." Below it is a label "Choose payment method:" followed by three radio buttons:

- Credit Card
- Debit Card
- PayPal

The browser's taskbar at the bottom shows various pinned icons and the system clock indicating 10:31 PM on 17/12/2025.

## 8.6.8 Input Groups

Output:

The screenshot shows a browser window with the title bar "Input Group". The page content includes:

- Input Groups**: A heading with the subtext "Combine icon or texts with input for additional contexts."
- Symbol @ In Front Of Input**: An input field with the placeholder "@ Username".
- Unit Label in the Back of The Input**: An input field with the placeholder "Weight" followed by a unit label "kg".
- Share Button**: An input field with the placeholder "Cari..." followed by a blue button labeled "Cari".

The screenshot shows a browser window with the title bar "Input Group". The page content includes:

- Input Groups**: A heading with the subtext "Combine icon or texts with input for additional contexts."
- Symbol @ In Front Of Input**: An input field with the placeholder "@ aliyafarhani".
- Unit Label in the Back of The Input**: An input field with the value "52" followed by a unit label "kg".
- Share Button**: An input field with the placeholder "10000" followed by a blue button labeled "Cari".

## 8.6.9 Floating Labels

Output:

The screenshot shows a Windows desktop environment with a taskbar at the bottom featuring various application icons. An Internet Explorer window is open, displaying a page titled "Floating Labels". The page contains the text "Label input will be floating when user input information." Below this, there are two form fields: "Input E-mail" and "Textarea (Notes)". The "Input E-mail" field has the placeholder "E-mail Address" and contains the text "aliyafarhani@gmail.com". The "Textarea (Notes)" field has the placeholder "Comment" and contains the text "Hellooooo". The browser's address bar shows the file path "C:/Users/User/Desktop/FloatingLabels.html". The status bar at the bottom of the browser window displays the time as 10:38 PM and the date as 17/12/2025.

This screenshot is identical to the one above it, showing the same "Floating Labels" page in Internet Explorer. The "Input E-mail" field now contains "aliyafarhani@gmail.com" and the "Textarea (Notes)" field now contains "Hellooooo". The browser window, taskbar, and system status bar are all consistent with the first screenshot.

## 8.6.10 Disabled and Randomly Inputs

Output:

The screenshot shows a Microsoft Edge browser window with the title "Disabled and Readonly Input Examples". The page content includes two sections: "Disabled Input" and "Readonly Input".


**Disabled Input**  
The user cannot change this value, and its value will NOT be sent when the form is submitted.  
Username (Disabled)  
This input is disabled

**Readonly Input**  
The user cannot change this value, but its value WILL be sent when the form is submitted.  
Email (Readonly)  
data@readonly.com

The browser's address bar shows the file path: C:/Users/User/Desktop/DisabledReadonlyInputs.html. The taskbar at the bottom of the screen displays various pinned application icons, including File Explorer, Edge, and several productivity tools. The system tray shows the date (16/12/2025), time (10:35 PM), battery level, and language settings (ENG US).


## 8.6.11 Example Forms

Output:



A screenshot of a web browser window displaying a login form. The form consists of the following fields:

- Email address: A text input field containing "name@example.com".
- Password: An empty text input field.
- Remember me: An unchecked checkbox labeled "Remember me".
- Submit: A blue "Submit" button.






A screenshot of a web browser window displaying a login form. The form consists of the following fields:

- Email address: A text input field containing "alisha@gmail.com".
- Password: An empty text input field.
- Remember me: A checked checkbox labeled "Remember me".
- Submit: A blue "Submit" button.

## 8.7 Using Bootstrap Theme

Output:






## 8.8 Lab Exercise 8


Source Code:

lab8.html




```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>FutureTech Solutions | IT Consulting</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;700&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="css/theme.css">
</head>
<body data-bs-spy="scroll" data-bs-target=".navbar">
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark sticky-top">
        <div class="container">
            <a class="navbar-brand fw-bold" href="#">FUTURE<span class="text-primary">TECH</span></a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto">
                    <li class="nav-item"><a class="nav-link" href="#home">Home</a></li>
                    <li class="nav-item"><a class="nav-link" href="#about">About</a></li>
                    <li class="nav-item"><a class="nav-link" href="#services">Services</a></li>
                    <li class="nav-item"><a class="nav-link" href="#contact">Contact</a></li>
                </ul>
            </div>
        </div>
    </nav>
    <header id="home" class="hero-section text-white text-center d-flex align-items-center">
        <div class="container">
            <h1 class="display-2 fw-bold">Innovating the <span class="text-primary">Future</span></h1>
            <p class="lead">Premium IT Consulting Services for Modern Businesses.</p>
            <a href="#services" class="btn btn-primary btn-lg mt-3 px-5 shadow">Our Services</a>
        </div>
    </header>
    <section id="about" class="py-5">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-md-6">

```



```
                    <div class="container">
                        <div class="row align-items-center">
                            <div class="col-md-6">
                                
                            </div>
                            <div class="col-md-6 mt-4 mt-md-0">
                                <h2 class="fw-bold text-primary">About FutureTech</h2>
                                <p>Kami adalah startup yang berdedikasi untuk membawa transformasi digital kepada perniagaan anda. Misi kami adalah untuk menyediakan solusi teknologi terkini dan profesional dalam berbagai bidang. Kami berkomitmen untuk memberikan layanan berkualiti tinggi dan mendukung pertumbuhan bisnes anda di era digital ini.</p>
                                <ul class="list-unstyled">
                                    <li>✓ Profesional & Berpengalaman</li>
                                    <li>✓ Teknologi Terkini (AI & Cloud)</li>
                                    <li>✓ Sokongan 24/7</li>
                                </ul>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <section id="services" class="bg-light py-5">
        <div class="container text-center">
            <h2 class="fw-bold mb-5">Our <span class="text-primary">Services</span></h2>
            <div class="row g-4">
                <div class="col-md-4">
                    <div class="card h-100 border-0 shadow-sm custom-card">
                        <div class="card-body">
                            <h4 class="card-title text-primary">Cloud Solutions</h4>
                            <p>Migrasi data perniagaan anda ke awan dengan selamat.</p>
                        </div>
                    </div>
                </div>
                <div class="col-md-4">
                    <div class="card h-100 border-0 shadow-sm custom-card">
                        <div class="card-body">
                            <h4 class="card-title text-primary">Cyber Security</h4>
                            <p>Melindungi aset digital anda daripada ancaman siber.</p>
                        </div>
                    </div>
                </div>
                <div class="col-md-4">
                    <div class="card h-100 border-0 shadow-sm custom-card">
                        <div class="card-body">
                            <h4 class="card-title text-primary">Software Dev</h4>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>

```



```
Hyper Text Markup Language file
length : 6,026 lines : 121 Ln : 38 Col : 1 Pos : 1,962 Windows (CR LF) UTF-8 INS

```

```
C:\Users\User\Desktop\lab8.html - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
ExampleForms.html CustomBootstrap.html CustomBootstrap.css ThemedEg.html ThemedEg.css lab8.html lab8.css new 1  
79 <div class="card h-100 border-0 shadow-sm custom-card">  
80   <div class="card-body">  
81     <h4 class="card-title text-primary">Software Dev</h4>  
82     <p>Membina aplikasi custom untuk keperluan unik anda.</p>  
83   </div>  
84 </div>  
85 </div>  
86 </section>  
87  
88 <section id="contact" class="py-5 text-white bg-dark">  
89   <div class="container">  
90     <div class="row justify-content-center">  
91       <div class="col-md-6">  
92         <h2 class="text-center mb-4">Contact <span class="text-primary">Us</span></h2>  
93         <form>  
94           <div class="mb-3">  
95             <label class="form-label">Name</label>  
96             <input type="text" class="form-control" placeholder="Your Name">  
97           </div>  
98           <div class="mb-3">  
99             <label class="form-label">Email</label>  
100            <input type="email" class="form-control" placeholder="name@example.com">  
101          </div>  
102          <div class="mb-3">  
103            <label class="form-label">Message</label>  
104            <textarea class="form-control" rows="4"></textarea>  
105          </div>  
106          <button type="submit" class="btn btn-primary w-100">Send Inquiry</button>  
107        </form>  
108      </div>  
109    </div>  
110  </div>  
111 </section>  
112  
113 <footer class="text-center py-3 bg-black text-secondary">  
114   <small>copy; 2024 FutureTech Solutions. Built with Pink Passion.</small>  
115 </footer>  
116 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>  
117 </body>  
118 </html>
```

Hyper Text Markup Language file length : 6,026 lines : 121 Ln : 38 Col : 1 Pos : 1,962 Windows (CR LF) UTF-8 INS


6:14 PM 18/12/2025

```
C:\Users\User\Desktop\lab8.html - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
ExampleForms.html CustomBootstrap.html CustomBootstrap.css ThemedEg.html ThemedEg.css lab8.html lab8.css new 1  
91 <div class="container">  
92   <div class="row justify-content-center">  
93     <div class="col-md-6">  
94       <h2 class="text-center mb-4">Contact <span class="text-primary">Us</span></h2>  
95       <form>  
96         <div class="mb-3">  
97           <label class="form-label">Name</label>  
98           <input type="text" class="form-control" placeholder="Your Name">  
99         </div>  
100        <div class="mb-3">  
101          <label class="form-label">Email</label>  
102          <input type="email" class="form-control" placeholder="name@example.com">  
103        </div>  
104        <div class="mb-3">  
105          <label class="form-label">Message</label>  
106          <textarea class="form-control" rows="4"></textarea>  
107        </div>  
108        <button type="submit" class="btn btn-primary w-100">Send Inquiry</button>  
109      </form>  
110    </div>  
111  </div>  
112 </div>  
113 </section>  
114  
115 <footer class="text-center py-3 bg-black text-secondary">  
116   <small>copy; 2024 FutureTech Solutions. Built with Pink Passion.</small>  
117 </footer>  
118 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>  
119 </body>  
120 </html>
```

Hyper Text Markup Language file length : 6,026 lines : 121 Ln : 38 Col : 1 Pos : 1,962 Windows (CR LF) UTF-8 INS

6:14 PM 18/12/2025

## lab8.css



The screenshot shows the Notepad++ interface with the file 'lab8.css' open. The code is a cascading style sheet (CSS) file containing various rules for a web page. It includes rules for the root element, body, hero-section, text-primary, btn-primary, and custom-card classes, as well as rules for the :hover pseudo-class of these elements. The code uses Bootstrap variables and functions like var(--bs-primary) and smooth scroll-behavior. A background image is set for the hero-section with a URL from unsplash.com.

```
* Custom Variables */
:root {
    --bs-primary: #ff3385;
    --bs-primary-rgb: 255, 51, 133;
    --dark-bg: #1a1a1a;
}

body {
    font-family: 'Poppins', sans-serif;
    scroll-behavior: smooth;
}

.hero-section {
    height: 100vh;
    background: linear-gradient(rgba(0,0,0,0.6), rgba(0,0,0,0.6)),
        url('https://images.unsplash.com/photo-1451187580459-43490279c0fa?q=80&w=1200');
    background-size: cover;
    background-position: center;
}

/* Color Overrides */
.text-primary {
    color: var(--bs-primary) !important;
}


.btn-primary {
    background-color: var(--bs-primary) !important;
    border-color: var(--bs-primary) !important;
    transition: 0.3s;
}

.btn-primary:hover {
    background-color: #e62e77 !important;
    transform: translateY(-3px);
}

/* Card Hover Animation */
.custom-card {
    transition: 0.3s;
    border-bottom: 4px solid transparent !important;
}

.custom-card:hover {
    border-bottom: 4px solid transparent !important;
    transform: translateY(-10px);
}

/* Smooth Navigation highlight */
.nav-link:hover {
    color: var(--bs-primary) !important;
}
```



This screenshot is identical to the first one, showing the same version of the lab8.css file in Notepad++.



This screenshot is identical to the previous ones, showing the same version of the lab8.css file in Notepad++.

Output:

The screenshot shows a browser window with the title bar "File C:/Users/User/Desktop/lab8.html#services". The webpage has a dark header with "FUTURE TECH" and a navigation menu with links to Home, About, Services, and Contact. The main content features a large blue "Future" heading, a "Our Services" button, and a top-down photograph of a wooden desk with multiple laptops, notebooks, and other office supplies. To the right of the image is a section titled "About FutureTech" with descriptive text and a bulleted list of services.

**About FutureTech**

Kami adalah startup yang berdedikasi untuk membawa transformasi digital kepada perniagaan anda. Misi kami adalah untuk menyediakan solusi IT yang kreatif, pantas, dan efisien.

- ✓ Profesional & Berpengalaman
- ✓ Teknologi Terkini (AI & Cloud)
- ✓ Sokongan 24/7

The screenshot shows a browser window with the title bar "File C:/Users/User/Desktop/lab8.html#about". The webpage has a dark header with "FUTURE TECH" and a navigation menu with links to Home, About, Services, and Contact. The main content features a top-down photograph of a wooden desk with multiple laptops, notebooks, and other office supplies. To the right of the image is a section titled "About FutureTech" with descriptive text and a bulleted list of services.

**About FutureTech**

Kami adalah startup yang berdedikasi untuk membawa transformasi digital kepada perniagaan anda. Misi kami adalah untuk menyediakan solusi IT yang kreatif, pantas, dan efisien.

- ✓ Profesional & Berpengalaman
- ✓ Teknologi Terkini (AI & Cloud)
- ✓ Sokongan 24/7

The screenshot shows a browser window with the title bar "file:///C:/Users/User/Desktop/lab8.html#about". The webpage has a dark header with "FUTURE TECH" and a navigation menu with links to Home, About, Services, and Contact. The main content features a section titled "Our Services" with three boxes: "Cloud Solutions" (Migrasi data perniagaan anda ke awan dengan selamat.), "Cyber Security" (Melindungi aset digital anda daripada ancaman siber.), and "Software Dev" (Membina aplikasi custom untuk keperluan unik anda.).

**Our Services**

**Cloud Solutions**

Migrasi data perniagaan anda ke awan dengan selamat.

**Cyber Security**

Melindungi aset digital anda daripada ancaman siber.


**Software Dev**

Membina aplikasi custom untuk keperluan unik anda.

The screenshot shows the 'Our Services' section of the FutureTech website. The page has a dark header with the 'FUTURETECH' logo and navigation links for Home, About, Services, and Contact. Below the header, there are three service boxes: 'Cloud Solutions' (Migrasi data perniagaan anda ke awan dengan selamat), 'Cyber Security' (Melindungi aset digital anda daripada ancaman siber), and 'Software Dev' (Membina aplikasi custom untuk keperluan unik anda). The background of the main content area is light gray.



The screenshot shows the 'Contact Us' section of the FutureTech website. The page has a dark header with the 'FUTURETECH' logo and navigation links for Home, About, Services, and Contact. The main content area features a form with fields for Name, Email, and Message, followed by a large 'Send Inquiry' button. The background of the main content area is light gray.



The screenshot shows the 'Contact Us' section of the FutureTech website with a blue-themed design. The page has a dark header with the 'FUTURETECH' logo and navigation links for Home, About, Services, and Contact. The main content area features a form with fields for Name, Email, and Message, followed by a large 'Send Inquiry' button. The background of the main content area is white. At the bottom of the page, there is a footer with the text '© 2024 FutureTech Solutions. Built with Pink Passion.'



The screenshot shows a web browser window with the following details:

- Address Bar:** C:/Users/User/Desktop/lab8.html#contact
- Page Title:** FUTURETECH
- Page Content:**
  - Contact Us**
  - Name:** NUR ALIYA FARHANI BINTI MOHD NASRI
  - Email:** aliyafarhani@gmail.com
  - Message:** hello
  - Send Inquiry** button
- Page Footer:** © 2024 FutureTech Solutions. Built with Pink Passion.
- System Tray:** Shows various icons including a file with '2' notifications, a search icon, a folder icon, a file icon, a mail icon, a calendar icon, a WhatsApp icon, a Microsoft Edge icon, a Spotify icon, a Google Chrome icon, a file icon, and a battery icon. It also displays system information: ENG US, 11:06 PM, 17/12/2025.

