Assignment No 9

Programming Fundamentals

Submitted To:- Mam Reema Chaudhry

Submitted By:- Muhammad Aliyan

Roll No:- 25021598-245

Course Code:- SE-101

Topic:- Loops

Date:- 24th October, 2025

Institute:- University of Gujrat

Department:- Software Engineering

Program 1:- Mini Grocery Store (Shopping Cart System)

```
#include <iostream>
using namespace std;
int main() {
    char choice = 'y';
    int quant;
    int bill = 0;
    while(choice == 'y') {

        cout << "------ Welcome to My Grocery Store ------" << endl;
        cout << "Press 1 for Tomatoes Rs. 100" << endl;
        cout << "Press 2 for Potatoes Rs. 80" << endl;
        cout << "Press 3 for Onions Rs. 120 << endl;
        cout << "Press 4 for Bill" << endl;
        cout << "Press 5 for Exit" << endl;
        int shopchoice;
        cin>> shopchoice
        if(shopchoice == 1) {
          cout << "Enter quantity" << endl;
          cin >> quant;
          bill = bill + (quant * 100);
        } else if (shopchoice == 2) {
          cout << "Enter quantity" << endl;
          cin >> quant;
          bill = bill + (quant * 80);
        } else if (shopchoice == 3) {
          cout << "Enter quantity" << endl;
          cin >> quant;
          bill = bill + (quant * 120);
        } else if (shopchoice == 4) {
          cout << "Bill :" << bill << endl;
        } else if (shopchoice == 5) {
          choice = 'n';
        } else {
          cout << "Invalid choice" << endl;
        }
    }
    return 0;
}
```

am 2:- Fast Food Ordering System

```
ude <iostream>
sing namespace std;
t main() {
    char choice;
    int bill = 0;
    int shopchoice;
    for (int i = 1; i <= 5; i++) {
      cout << "---- Fast Food Menu ----" << endl;
      cout << " Press 1 for Borgers Rs.250" << endl;
      cout << " Press 2 for Fries Rs.150" << endl;
      cout << " Press 3 for Drink Rs. 100" << endl;
      cout << " Press 4 for checkout" << endl;
      cout << " Press 5 to end" << endl;
      cin >> shopchoice;
      if (shopchoice == 1) {
        bill = bill + 250;
      } else if (shopchoice == 2) {
        bill = bill + 150;
      } else if (shopchoice == 3) {
        bill = bill + 100;
      } else if (shopchoice == 4) {
        i--;
        cout << " Bill: " << bill << endl;
        cout << " Do you want to continue" << endl;
        cin >> choice;
        if (choice == 'n') {
          break;
        }
      } else if (shopchoice == 5) {
          break;
        } else {
          i--;
          cout << "invalid" << endl;
        }
      }
      cout << " Your total bill is: " << bill << endl;
      return 0;
}
```

Program 3: Bookstore Purchase System

```
#include <iostream>
using namespace std;
int main() {
    char choice = 'y';
    int quant;
    int bill = 0;
    while (choice == 'y') {
     cout << "---- City Bookstore ----" << endl;
     cout << "Press 1 for Novel Rs.500" << endl;
     cout << Press 2 for Magazine Rs.200" << endl;
     cout << Press 3 for Notebook Rs.100" << endl;
     cout << Press 4 for Bill" << endl;
     cout << Press 5 for Exit" << endl;
     int shopchoice;
     cin >> shopchoice;
     if (shopchoice == 1){
        cout << "Enter quantity" << endl;
        cin >> quant;
          bill = bill + (quant * 500);
     } else if (shopchoice == 2) {
        cout << " Enter quantity" << endl;
        cin >> quant;
        bill = bill + (quant * 200);
     } else if (shopchoice == 3){
        cout << " Enter quantity" << endl;
       cin >> quant;
       bill = bill + (quant * 100);
     } else if (shopchoice == 4){
          cout << Bill: " << bill << endl;
     } else if (shopchoice == 5) {
          choice = 'n';
     } else{
          cout << "Invalid choice" << endl;
     }
    }
    return 0;
}
```