a) Read carefully and write a C++ Program for the following scenario. An online shopping store wants to calculate the final price of a customer's order after applying discounts based on the following rules:

1. If the purchase amount is less than Rs. 5000, no discount is applied.
2. If the purchase amount is between Rs. 5000 and Rs. 10,000, a 10% discount is applied.
3. If the purchase amount is more than Rs. 10,000, a 15% discount is applied.
4. Additionally, if the customer is a member, they get an extra 5% discount on the discounted total.
5. Display the final price after discount and a message:
   - "Thank you for shopping!" if total price after discount is greater than Rs. 3000
   - "Buy more to save more!" otherwise

b) Test your program for the following input

Purchase Amount	Member (Y/N)
4000	N
6000	Y
12000	N
15000	Y

using namespace std;

int main(){

DATE: DAY:

Name: Muhammad Aliyan Bin Adil
Roll No.: 25021598-245
Section: AB

15

```
#include <iostream>
using namespace std;
int main(){
    int purPrice;
    int finPrice;
    int disPrice;
    char isMember;
    cin >> purPrice;
    if(purPrice<5000){
        finPrice=purPrice;
    }
    else if(purPrice>5000 && purPrice<10000){
        disPrice=purPrice/10;
        finPrice= purPrice-disPrice;
    }
    else{
        disPrice = purPrice /15;
        finPrice= purPrice-disPrice;
    }
    cin >> isMember;
    if (isMember=='Y'){
        finPrice = finPrice-(finPrice/5);
    }
    cout << finPrice <<endl;
    if (finPrice>3000){
        cout << "thank you for shopping";
    }else{
        cout << "buy more to save more";
    }
    return 0;
}
```

DATE: _____ DAY: _____

1) purchase amount = 4000 , member = N
Output: 4000
Thank you for shopping

2) purchase amount = 6000 , member = Y
Output:
Thank you for shopping

3) Out put: ~~12000~~
Thank you for shopping

4) Output:
Thank you for shopping