Date: 11/1/26

[12, -5, 0, 8, -15, 20, -3, 0, 7]

Step Str	current num	highest num	lowest num
1	12	12	12
2	-5	12	-5
3	0	12	-5
4	8	12	-5
5	-15	12	-15
6	20	20	-15
7	-3	20	-15
8	0	20	-15
9	7	20	-15

Highest num = 20

lowest num = -15

loop	number	Total sum	Highest	lowest	positive	Negative	Zero	Total count
1	14	14	14	14	1	0	0	1
2	-8	6	14	-8	1	1	0	2
3	0	6	14	-8	1	1	0	3
4	25	31	25	-8	2	1	1	4
5	-3	28	25	-8	2	2	1	5
6	10	38	25	-8	3	2	1	6
7	0	38	25	-8	3	2	2	7
8	-12	26	25	-12	3	3	2	8
9	6	32	25	-12	4	3	2	9
10	18	50	25	-12	5	3	2	10

Final Answer

Total sum = 50

highest num = 25


lowest num = -12

positive num = 5

negative num = 3

zero values = 2

Total element = 10


4/19
Task 3:
loop, number, Sum, highest, lowest, positive, Negative, zero, Total
1 16 16 16 16 1 0 0 1
2 -4 12 16 -4 1 1 0 2
3 22 34 22 -4 2 1 0 3
4 0 34 22 -4 2 1 1 4
5 9 43 22 -4 3 1 1 5
6 -11 32 22 -11 3 2 1 6
7 5 37 22 -11 4 2 1 7
8 0 37 22 -11 4 2 2 8
9 30 67 30 -11 5 2 2 9
10 -7 60 30 -11 5 3 2 10

list of answer

Total Sum = 60
Highest num = 30
lowest num = -11
Positive count = 5
Negative count = 3
Zero count = 2
Total element = 10

LAY

Task 1

Date: 22-11-26

Scores

[45, 82, 67, 30, 95, 50, 73, 18, 88, 60]

Highest

loop	score	Highest	lowest	Running Total	passing	failing	I
1	45	45	45	45	0	1	1
2	82	82	45	127	1	1	2
3	67	82	45	194	2	1	3
4	30	82	30	224	2	2	4
5	95	95	30	319	3	2	5
6	50	95	30	369	4	2	6
7	73	95	30	442	5	2	7
8	18	95	18	~~548~~ 460	5	3	8
9	88	95	18	548	6	3	9
10	60	95	18	608	7	3	10

Highest = 95

lowest = 18

Runing = 608

passing = 7

failing = 3

Total count = 10

Average = 60.8

Task: 2

num = [8, -6, 14, 0, 21, -9, 5, 0, 17, -3]

loop str	Number	Running Sum	Highest	lowest	Positive	Negative	zero	Total
1	8	8	8	8	1	0	0	1
2	-6	2	8	-6	1	1	0	2
3	14	16	14	-6	2	1	0	3
4	0	16	14	-6	2	1	1	4
5	21	37	21	-6	3	1	1	5
6	-9	28	21	-9	3	2	1	6
7	5	33	21	-9	4	2	1	7
8	0	33	21	-9	4	2	2	8
9	17	50	21	-9	5	2	2	9
10	-3	47	21	-9	5	3	2	10

Total Sum : 47
Highest num: 21
lowest num : -9
positive count : 5
Negative count : 3
Zero count : 2
Total element: 10

Task: 3

loop	Distance	category	very close	close	safe	Total
1	2	vclose	1	0	0	1
2	6	close	1	1	0	2
3	11	close	1	2	0	3
4	18	safe	1	2	1	4
5	4	vclose	2	2	1	5
6	25	safe	2	2	2	6
7	9	close	2	3	2	7
8	15	close	2	4	2	8
9	3	vclose	3	4	2	9
10	30	safe	3	4	3	10
11	7	close	3	5	3	11
12	20	safe	3	5	4	12

2A9

Task: 1

Date: 11-3-26

loop start	Number	Highest	lowest
1	-12	-12	-12
2	-5	-5	-12
3	-28	-5	-28
4	-3	-3	-28
5	-19	-3	-28
6	-7	-3	-28


Highest -3

lowest -28

Total 6

logic Task

- first take -12 & put inside highest & lowest
- use a for loop to check every number
- if number greater than highest change highest.
- same thing applyise to lowest
- after [redacted] cheking all numbers print the output


Task 2
loop start, Score, Runing Total, Highest, lowest, Passing, Failing, Total count
1 35 35 35 35 0 1 1
2 50 85 50 35 1 1 2
3 72 157 72 35 2 1 3
4 48 205 72 35 2 2 4
5 90 295 90 35 3 2 5
6 55 350 90 35 4 2 6
7 30 380 90 30 4 3 7
8 80 460 90 30 5 3 8
Running Total: 460
Highest: 90
lowest: 30
Passing: 5
Failing: 3
Total count: 8

Task 2

bogic


- fiirst we take 35 & put ins
highest & lowest
- create a function analyze(nu
- use for loop


updat highest & lowest
valuers.

calculat running total

inscrease passing faibing co

Return all six results
- print output.


Task 3
loop
distances
very close
close
safe
1 4 1 0 0
2 8 1 1 0
3 15 1 2 0
4 20 1 2 1
5 3 2 2 1
6 12 2 3 1
7 25 2 3 2
8 5 3 3 2
Prediction:
very close = 3
close = 3
Total Distances = 8



Date: 11-4-26 Task: 1

Round Str	points	Total points	Rounds played	Rounds with Point
1	4	4	1	1
2	0	4	2	1
3	7	11	3	2
4	4	15	4	3
5	0	15	4/5	3
6	3	18	6	4

Total points: 18

Rounds played: 6

Rounds That earned points: 4

Task: 1 logic

Start total_points, rounds_played & rounds_with_points. at 0

loop through each value

Add each value to total_points.

Increase rounds_played by 1 every round

use len(points) to get the total rounds

loop through each points

↳ Add points to total_points
↳ increase rounds played by 1

Zero points do not increase rounds_with_points

Group: 2

Group A [48, 60, 75, 60]

Score Start	Highest	lowest	passing
48	48	48	0
60	60	48	1
75	75	48	2
60	75	48	3

Group B = [50, 82, 45, 82, 55]

Score Start	Highest	lowest	passing
50	50	50	1
82	82	50	2
45	82	45	2
82	82	45	3
55	82	45	4

Group A

Highest = 75

lowest = 48

Passing = 3

Group B

Highest = 82

lowest = 45

Passing = 4

---

if [redacted]score > highest
replace highest score

lowest ~~E~~ happends the
same thing

Date: 11-5-2026 Task 1:

category: close: above 5 through 15
very close: 5 or less
safe: Above 15

Start loop	distance	vclose	close	safe
1	15	0	1	0
2	4	1	1	0
3	20	1	1	1
4	5	2	1	1
5	9	2	2	1
6	16	2	2	2
7	3	3	2	2
8	15	3	3	2

len(distances) =

close = 3 distances

vclose = 3 distances

safe = 2 distances

- first we will take 3 counter and set them too 0
- use analyze distance
- use for loop
- use if, elif, else
- use return to store the results
- & print the output.

Date: 11-6-2026 Task 1

Session A

[0, 5, 0, 5]

loop Start	Total points	points	Rounds played	Rounds with points
1	0	0	1	0
2	5	5	2	1
3	2	7	3	2
4	0	7	4	2
5	5	12	5	3

Total points = 12

Rounds played = 5

Rounds with points = 3

-> Task 1

Session B

[3, 0, 4, 1]

loop start	points	Total points	Rounds played	Rounds po
1	3	3	1	1
2	0	3	2	1
3	4	7	3	2
4	1	8	4	3

Total points = 8

Rounds played = 4

Rounds with points = 3

Task 1 logic

- Set all three variables too zero
- add 1 each time in Rounds playe
- calculate Total points
- count Rounds with points. 0 is not a point
- use for loop
- use if, elif, else
- Do it seprately for session A & B. they will both return Seperates results For example: For Total points Rounds played, Rounds with points
- also we will use len().

Task: 2

Distances

16, 5, 12, 4, 15, 21, 5, 8, 3, 18, 6, 25, 15, 2, 10, 30

Reading, Distances, vclose, close, safe, shortest

str					
1	16	0	0	1	16
2	5	1	0	1	5
3	12	1	1	1	5
4	4	2	1	1	4
5	15	2	2	1	4
6	21	2	2	2	4
7	5	3	2	2	4
8	8	3	3	2	4
9	3	4	3	2	3
10	18	4	3	3	3
11	6	4	4	3	3
12	25	4	4	4	3
13	15	4	5	4	3
14	2	5	5	4	2
15	10	6	6	4	2
16	30	5	6	5	2

Reqairments of drawing tracing table

- vclose distance $\angle = 5$
- Close distance $\angle = 15$ after the very close coundition fails
- otherwise safe

Shortest update whenever distance $\angle$ shortest

Total readings len(distances)

---

prediction

very close: 5

Close : 6

Safe : 5

shortest distances : 2 meter

Total Readings : 16

∠∧4

Test: Date: 11-8-2026

Session A = [4, 0, 2, 4, 0]

Round start	Points	Total Points	Rounds with Points
1	4	4	1
2	0	4	1
3	2	6	2
4	4	10	3
5	0	10	3

Total points = 10
Rounds with points = 3
Total Rounds = 5

Session B = [0, 6, 1, 0]

Rounds played	points	Total points	Round with Points
1	0	0	0
2	6	6	1
3	1	7	2
4	0	7	2

Rounds played = 4
Total points = 7
Round with points = 2

---

logic

1 intialize total_points & Round_with point at 0

2 use one for loop to check every poi

3 Add each point to total_points if point > 0 increase rounds_with_ points by 1

4 use ben(points) to cabculat
the total rounds Return all
three results.

Task 2:
Readings = [14, 9, 22, 6, 17, 6]

Loop Start	current Reading	Highest	lowest
1	14	14	14
2	9	14	9
3	22	22	9
4	6	22	6
5	17	22	6
6	6	22	6

logic

1 ~~Reading != Highest[6]~~ Highest = Reading[0]
2 ~~Readings < lowest[6]~~ lowest = Reading[0]
3 use len to calculate the ~~loop start~~ Total Realings
4 use for loop

Results

Total Readings = 6

Highest = 22

Lowest = 6

we used ben To calculate Total Readings.

Highest will change only when Highest > reading

lowest will change only when lowest > reading

vclose ≤ 5
close > 5
safe > 15

efu LIFE

Task 3:

Distances = [15, 3, 18, 6, 5, 22, 10, 4, 16, 15, 8, 2]

loop start	Distance	vclose	close	safe
			1	
1	15	0	~~1~~	1
2	3	1	1	0
3	18	1	1	1
4	6	1	2	1
5	5	2	2	1
6	22	2	2	2
7	10	2	3	2
8	4	3	3	2
9	16	3	3	3
10	15	3	4	3
11	8	3	5	3
12	2	4	5	3

Results

very close = 4
Close = 5
Safe = 3

shortest distance = 2

1 use ben For Total readings
2 intialize 0 in very close, close, safe
3 use For loop

4 use return statment

5 prin the results

Find out shortest distance