
Nama: Aliya Zakira

NIM: 12030123140252

Mata Kuliah : Pengkodean dan Pemograman

Kelas: D

1. Tampilan W3schools



2. Kode

```
<!DOCTYPE html>
<html lang="id">
<head>
 <meta charset="UTF-8">
 <title>Sistem Persediaan dan Penjualan</title>
 <style>
  body {
   font-family: Arial, sans-serif;
   margin: 30px;
   background-color: #fdf4f7;
   color: #333;
  h2 {
   color: #d63384;
  input, button {
   padding: 8px;
   margin: 5px;
```

```
border-radius: 5px;
   border: 1px solid #ccc;
  table {
   border-collapse: collapse;
   width: 100%;
   margin-top: 15px;
  table, th, td {
   border: 1px solid #aaa;
  th, td {
   padding: 10px;
   text-align: center;
  .section {
   margin-bottom: 40px;
   background: #fff0f5;
   padding: 20px;
   border-radius: 10px;
   box-shadow: 0 2px 8px rgba(0,0,0,0.1);
  .highlight {
   font-weight: bold;
   color: #c2185b;
  }
 </style>
</head>
<body>
 <h1>Sistem Persediaan dan Penjualan</h1>
 <div class="section">
  <h2>Tambah Item Persediaan</h2>
  <input type="text" id="itemName" placeholder="Nama Barang">
  <input type="number" id="itemQty" placeholder="Jumlah">
  <input type="number" id="itemPrice" placeholder="Harga (Rp)">
  <button onclick="addItem()">Tambah</button>
 </div>
 <div class="section">
  <h2>Daftar Persediaan</h2>
```

```
<thead>
   <th>No</th>
   Nama Barang
   Jumlah
   Harga (Rp)
   Aksi
   </thead>
  </div>
<div class="section">
 <h2>Penjualan</h2>
 <select id="sellItemSelect"></select>
 <input type="number" id="sellQty" placeholder="Jumlah Jual">
 <button onclick="sellItem()">Jual</button>
 Total Penjualan: Rp <span id="totalSales">0</span>
</div>
<script>
 let inventory = [];
 let totalSales = 0;
 function updateInventoryTable() {
  const tableBody = document.querySelector("#inventoryTable tbody");
  const selectList = document.getElementById("sellItemSelect");
  tableBody.innerHTML = "";
  selectList.innerHTML = "";
  inventory.forEach((item, index) => {
   const row = document.createElement("tr");
   row.innerHTML = `
   {index + 1}
    ${item.name}
   ${item.qty}
   ${item.price.toLocaleString()}
    <button onclick="deleteItem(${index})">Hapus</button>
   tableBody.appendChild(row);
   const option = document.createElement("option");
```

```
option.value = index;
    option.text = item.name;
    selectList.appendChild(option);
   });
  }
  function addItem() {
   const name = document.getElementById("itemName").value;
   const qty = parseInt(document.getElementById("itemQty").value);
   const price = parseInt(document.getElementById("itemPrice").value);
   if (!name || isNaN(qty) || isNaN(price)) return alert("Isi semua data dengan
benar!");
   inventory.push({ name, qty, price });
   updateInventoryTable();
   document.getElementById("itemName").value = "";
   document.getElementById("itemQty").value = "";
   document.getElementById("itemPrice").value = "";
  }
  function deleteItem(index) {
   inventory.splice(index, 1);
   updateInventoryTable();
  }
  function sellItem() {
   const index = parseInt(document.getElementById("sellItemSelect").value);
   const qtyToSell = parseInt(document.getElementById("sellQty").value);
   if (isNaN(qtyToSell) || qtyToSell <= 0) return alert("Jumlah tidak valid!");
   if (inventory[index].qty < qtyToSell) return alert("Stok tidak cukup!");
   inventory[index].qty -= qtyToSell;
   const income = qtyToSell * inventory[index].price;
   totalSales += income;
   document.getElementById("totalSales").innerText = totalSales.toLocaleString();
   updateInventoryTable();
   document.getElementById("sellQty").value = "";
  updateInventoryTable();
 </script>
```

</body>

</html>