

# **KEEP IT CONTAINED**

## **PROTOCOL MANUAL**

**This protocol manual accompanies the game Keep It Contained  
and is required for proper operation.**

## **CRITICAL BIOLOGICAL SAFETY PROTOCOLS**

**This guide will be your sole source of support for keeping unknown life forms under control when they attempt to cross the quarantine line.**

**You are the operator; the applicable protocols for every scenario you may encounter can be found here.**

## **GENERAL INFORMATION ABOUT MODULES**

Modules are located at the top of the control panel. The main objectives you must solve in order to contain the organisms are the modules.

The modules you encounter may vary at each level and are generally random.

Detailed information about the modules is provided on pages 4-9.

## **GENERAL INFORMATION ABOUT THE ENVIRONMENT**


The details you see in your environment may affect the solution of the modules or make solving them more difficult.

Detailed information about the environment is provided on pages 10-13.

It is recommended to read it in advance in order to be prepared.

Instructions On Wire Connections

- The module contains four wires and four input slots.
- Each input slot is marked with a symbol.
- Symbols are ordered from left to right and must be described in this order.
- The columns below indicate the priority order of the symbols.
- If the described symbol is at the highest position in any column, it must be connected to the wire of the color specified in that column. If any wire is already connected to a symbol, that column should be ignored.



Green:

Yellow:

Blue:

Red:

|     |
|-----|
| Ⓢ   |
| 4♀  |
| Ⅱ   |
| ☉   |
| ⋅Ⅰ⋅ |
| ☉   |
| ⧻   |
| 4♀  |

|     |
|-----|
| ☉   |
| ☉   |
| ⋅Ⅰ⋅ |
| 4♀  |
| ⧻   |
| 4♀  |
| Ⓢ   |
| Ⅱ   |

|     |
|-----|
| 4♀  |
| Ⅱ   |
| ☉   |
| ⧻   |
| ☉   |
| Ⓢ   |
| ⋅Ⅰ⋅ |
| 4♀  |


|     |
|-----|
| ☉   |
| 4♀  |
| ☉   |
| 4♀  |
| Ⓢ   |
| ⋅Ⅰ⋅ |
| Ⅱ   |
| ⧻   |



## Instructions On Gas Release

- The module contains three colored gas canisters, each controlled by a switch.

- The screen in the upper left shows the color of the blood. The one in the upper right shows the purity level.



- To select the gases to be released, the switches located below each gas canister must be lowered.

- Press the red button to release the selected gases.


- Read the rules in order and execute the earliest valid instruction.

1. If the blood color is green and the purity level is medium, release the left and middle gases.
2. If the control panel is powered by more than two power supplies and the purity level is pure, release all gases.
3. If the blood color is red and at least three RAD indicators are lit, release no gases.
4. If there is only one power supply on the panel and there are no BIO indicators that are on, release only the middle gas.
5. If the blood color is yellow or the purity level is low, release the left and right gases.
6. If the purity level is zero and only two Rad indicators are lit, release only the left gas.
7. If the blood color is blue and the purity level is high, release the middle and right gases.
8. If none of the above conditions apply, release only the right gas.

## Instructions On Anomalies


1. Look at the symbol appearing on the screen and follow the instructions from Step 1.

2. Using the information you've gathered, follow the instructions from Step 2 to determine which anomaly it is.



### Step 1:

- The symbol on the screen represents the column it is located in.
- From the four symbols shown to the technician, press the button with the symbol that does not belong to that column.
- Repeat this process as many times as necessary, then proceed to Step 2.



## Step 2:

- Identify the anomaly based on the group that contains all three of the pressed symbols, then enter it on the module's display and submit it.

### Anomaly Types:

Leach



Mycrotide



Crack



Loop



Phase




Skin



Breach



Worm



Stink



Glitch



Time




Unknown






## Instructions On Force Fields

- Follow the instructions below based on the color of the cable.
- If there's no cable to cut, cut the bottom-most cable.




### Red Cable:






## Blue Cable:



## Yellow Cable:



**Information on Indicators**


**RAD and BIO indicators are located on the control panel and provide information about the subject and the environment in which the subject is kept.**

RAD

BIO

## **Information on Power Supplies**

**Power supplies provide power to the control panel, and their number may vary depending on the containment conditions of the subject. They are located at the bottom of the control panel.**





## **Information on the Sealing Code**

The Sealing Code is a subject-specific identifier assigned to each subject, serving as a unique reference that provides information about them. It is located at the top of the observation window.

**BZ3-D6X**

## **Information on the Self-Destruct Mechanism**

The Self-Destruct button is used to destroy both the subject and the observation chamber to prevent the subject from escaping. It should only be used as a last resort.

