

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

```
1 BEGIN;
2
3 UPDATE booking
4 SET ticket_price = ticket_price * 1.15;
5
6 SELECT * FROM booking;
7
8
```

Data Output

Messages

Notifications

Showing rows: 1 to 20									Page No: 1 of 1	
	booking_id [PK] integer	flight_id integer	passenger_id integer	status character varying (30)	booking_platform character varying (50)	ticket_price numeric (10,2)	created_at timestamp without time zone	updated_at timestamp without time zone		
1	1	1	1	Confirmed	Website	17250.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
2	2	2	2	Confirmed	Mobile App	9775.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
3	3	3	3	Pending	Agency	13800.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
4	4	4	4	Confirmed	Website	6900.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
5	5	5	5	Cancelled	Mobile App	28750.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
6	6	6	6	Confirmed	Website	20700.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
7	7	7	7	Confirmed	Agency	10925.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
8	8	8	8	Confirmed	Mobile App	34500.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
9	9	9	9	Pending	Website	8625.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		
10	10	10	10	Confirmed	Mobile App	25300.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788		

Total rows: 20

Query complete 00:00:00.156

CRLF

Ln 8, Col 1

pgAdmin 4

FileObjectTools>EditViewWindowHelp

Object Explorer

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

airline

Columns (6)

airline_id integer

airline_code character varying(10)

name character varying(100)

country character varying(100)

created_at timestamp without time

updated_at timestamp without time

Constraints

Indexes

RLS Policies

Rules

Triggers

airport

baggage

baggage_check

boarding_pass

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

QueryQuery History

1

2

3UPDATE airline

4SET airline_code = 'UNK'

5WHERE airline_code = '' OR airline_code IS NULL;

6

7SELECT * FROM airline WHERE airline_code = 'UNK';

8

9

Data OutputMessagesNotifications

Showing rows: 1 to 1Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (10)	name character varying (100)	country character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	20	UNK	Unknown Carrier	Unknown	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788

Successfully run. Total query runtime: 190 msec. 1 rows affected.

Total rows: 1Query complete 00:00:00.190CRLF Ln 1, Col 1

17°C
Sunny

Search

11:05 AM
9/29/2026

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2
3 UPDATE airline
4 SET country = UPPER(country);
5
6 SELECT * FROM airline;
7
8
```

Data Output Messages Notifications

Showing rows: 1 to 20 Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (10)	name character varying (100)	country character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	SU	Aeroflot	RUSSIA	2026-09-22 11:44:04.603312	2026-09-22 11:44:04.603312
2	2	KC	Air Astana	KAZAKHSTAN	2026-09-22 11:44:04.603312	2026-09-22 11:44:04.603312
3	3	LH	Lufthansa	GERMANY	2026-09-22 11:44:04.603312	2026-09-22 11:44:04.603312
4	4	TK	Turkish Airlines	TURKEY	2026-09-22 11:44:04.603312	2026-09-22 11:44:04.603312
5	5	EK	Emirates	UAE	2026-09-22 11:44:04.603312	2026-09-22 11:44:04.603312
6	6	DV	SCAT Airlines	KAZAKHSTAN	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
7	7	IQ	Qazaq Air	KAZAKHSTAN	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
8	8	AF	Air France	FRANCE	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
9	9	BA	British Airways	UNITED KINGDOM	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
10	10	QR	Qatar Airways	QATAR	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
11	11	MS	EgyptAir	EGYPT		

Total rows: 20

Query complete 00:00:00.158

✓ Successfully run. Total query runtime: 158 msec. 20 rows affected. ✕

CRLF Ln 1, Col 1

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* x

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2
3 UPDATE airline
4 SET name = 'Global Airways',
5     country = 'United Kingdom',
6     updated_at = CURRENT_TIMESTAMP
7 WHERE airline id = 5;
8
9 SELECT * FROM airline WHERE airline_id = 5;
10
11
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1						
	airline_id [PK] integer	airline_code character varying (10)	name character varying (100)	country character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	5	EK	Global Airways	United Kingdom	2026-09-22 11:44:04.603312	2026-09-29 11:05:11.765413

✓ Successfully run. Total query runtime: 150 msec. 1 rows affected. ✕

Total rows: 1 Query complete 00:00:00.150

CRLF Ln 1, Col 1

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* x

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2
3 UPDATE airport
4 SET state = 'Capital District'
5 WHERE city IN ('Astana', 'London', 'Tokyo');
6
7 SELECT * FROM airport WHERE city IN ('Astana', 'London', 'Tokyo');
8
9
```

Data Output Messages Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	airport_id [PK] integer	airport_name character varying (100)	country character varying (100)	state character varying (100)	city character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	1	Nursultan Nazarbayev Internatio...	Kazakhstan	Capital District	Astana	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
2	2	Heathrow Airport	United Kingdom	Capital District	London	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
3	3	Haneda Airport	Japan	Capital District	Tokyo	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788

✓ Successfully run. Total query runtime: 181 msec. 3 rows affected. ✕

Total rows: 3 Query complete 00:00:00.181

CRLF Ln 1, Col 1

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* x

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

```
1  
2 UPDATE baggage_check  
3 SET check_result = 'Checked'  
4 WHERE check_result = 'Not checked'  
5     AND EXTRACT(YEAR FROM created_at) = 2024  
6     AND EXTRACT(MONTH FROM created_at) = 3;  
7  
8 SELECT * FROM baggage_check  
9 WHERE EXTRACT(YEAR FROM created_at) = 2024  
10     AND EXTRACT(MONTH FROM created_at) = 3;  
11  
12
```

Data Output

Messages

Notifications

	baggage_check_id [PK] integer	booking_id integer	passenger_id integer	check_result character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
1	6	6	6	Checked	2024-03-10 11:00:00	2026-09-27 17:50:55.296788
2	4	4	4	Checked	2024-03-12 14:00:00	2026-09-27 17:50:55.296788
3	5	5	5	Checked	2024-03-25 16:30:00	2026-09-27 17:50:55.296788

Total rows: 3

Query complete 00:00:00.134

CRLF Ln 1, Col 1

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

```
22
23 DELETE FROM booking_change
24 WHERE booking_id IN (
25     SELECT booking_id FROM booking
26     WHERE flight_id IN (SELECT flight_id FROM flight WHERE EXTRACT(YEAR FROM actual_arrival_time) = 2024)
27 );
28
29
30
31 DELETE FROM booking
32 WHERE flight_id IN (SELECT flight_id FROM flight WHERE EXTRACT(YEAR FROM actual_arrival_time) = 2024);
33
34
35 DELETE FROM flight
36 WHERE EXTRACT(YEAR FROM actual_arrival_time) = 2024
37 RETURNING *;
38
```

Data Output

Messages

Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	flight_id [PK] integer	airline_id integer	departure_airport_id integer	arrival_airport_id integer	departing_gate character varying (10)	arriving_gate character varying (10)	scheduled_departure_time timestamp without time zone	scheduled_arrival_time timestamp without time zone
1	1	1	1	2	A1	B2	2024-03-10 10:00:00	2024-03-10 14:00:00
2	2	2	2	3	C3	D4	2024-05-12 12:00:00	2024-05-12 20:00:00
3	3	3	3	4	E5	F6	2024-07-20 15:00:00	2024-07-20 22:00:00
4	4	4	4	1	G7	H8	2024-09-01 08:00:00	2024-09-01 11:00:00
5	5	5	5	5	A2	B3	2024-11-15 09:00:00	2024-11-15 13:00:00

✓ Successfully run. Total query runtime: 161 msec. 5 rows affected. ✕

Total rows: 5 Query complete 00:00:00.161

CRLF Ln 38, Col 1



Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* x

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

```
1
2 DELETE FROM baggage_check WHERE booking_id IN (SELECT booking_id FROM booking WHERE ticket_price < 10000);
3 DELETE FROM boarding_pass WHERE booking_id IN (SELECT booking_id FROM booking WHERE ticket_price < 10000);
4 DELETE FROM baggage WHERE booking_id IN (SELECT booking_id FROM booking WHERE ticket_price < 10000);
5 DELETE FROM booking_change WHERE booking_id IN (SELECT booking_id FROM booking WHERE ticket_price < 10000);
6
7
8 DELETE FROM booking
9 WHERE ticket_price < 10000;
10
11
12 SELECT * FROM booking WHERE ticket_price < 10000;
13
14
```

Data Output

Messages

Notifications

SQL

booking_id [PK] integer	flight_id integer	passenger_id integer	status character varying (30)	booking_platform character varying (50)	ticket_price numeric (10,2)	created_at timestamp without time zone	updated_at timestamp without time zone
----------------------------	----------------------	-------------------------	----------------------------------	--	--------------------------------	---	---

✓ Successfully run. Total query runtime: 158 msec. 0 rows affected. ✕

Total rows: 0

Query complete 00:00:00.158

CRLF Ln 14, Col 1



Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

Execute script

FS

```
1
2 DELETE FROM baggage_check
3 WHERE booking_id IN (
4     SELECT booking_id FROM booking
5     WHERE flight_id IN (
6         SELECT flight_id FROM flight
7         WHERE departure_airport_id IN (SELECT airport_id FROM airport WHERE city IN ('Mlawe', 'Kepuh') AND (state IS NULL OR
8             OR arrival_airport_id IN (SELECT airport_id FROM airport WHERE city IN ('Mlawe', 'Kepuh') AND (state IS NULL OR
9     )
10 );
11
12
13 DELETE FROM boarding_pass
14 WHERE booking_id IN (
15     SELECT booking_id FROM booking
16     WHERE flight_id IN (
```

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 2

Page No: 1 of 1

	airport_id [PK] integer	airport_name character varying (100)	country character varying (100)	state character varying (100)	city character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	5	Mlawe Local Airport	Poland	[null]	Mlawe	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
2	6	Kepuh Airfield	Indonesia	[null]	Kepuh	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788

✓ Successfully run. Total query runtime: 168 msec. 2 rows affected. ✕

Total rows: 2 Query complete 00:00:00.168

CRLF Ln 1, Col 1

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* x

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

```
1 BEGIN;
2
3 INSERT INTO airline (airline_id, airline_code, name, country)
4 VALUES (21, 'KA', 'KazAir', 'Kazakhstan');
5
6
7 SELECT * FROM airline WHERE name = 'KazAir';
8
9
```

Data Output

Messages

Notifications

Showing rows: 1 to 1 Page No: 1 of 1						
	airline_id [PK] integer	airline_code character varying (10)	name character varying (100)	country character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	21	KA	KazAir	Kazakhstan	2026-09-29 11:12:24.531317	2026-09-29 11:12:24.531317

✓ Successfully run. Total query runtime: 116 msec. 1 rows affected. ✕

Total rows: 1 Query complete 00:00:00.116

CRLF Ln 6, Col 1

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Publications

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

1.3 Sequences

Tables (10)

airline

Columns (6)

airline_id integer

airline_code character varying(10)

name character varying(100)

country character varying(100)

created_at timestamp without time

updated_at timestamp without time

Constraints

Indexes

RLS Policies

Rules

Triggers

airport

baggage

baggage_check

boarding_pass

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Execute script

F5

Query

Query History

1

2

3UPDATE airline

4SET country = 'Turkey'

5WHERE name = 'KazAir';

6

7

8SELECT * FROM airline WHERE name = 'KazAir';

9

10

Data Output

Messages

Notifications

Showing rows: 1 to 1

Page No: 1 of 1

	airline_id [PK] integer	airline_code character varying (10)	name character varying (100)	country character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	21	KA	KazAir	Turkey	2026-09-29 11:12:51.930263	2026-09-29 11:12:51.930263

Successfully run. Total query runtime: 154 msec. 1 rows affected.

Total rows: 1

Query complete 00:00:00.154

CRLF

Ln 7, Col 1

17°C
Sunny

Search

11:13 AM
9/29/2026

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* x

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

```
1
2
3  INSERT INTO airline (airline_id, airline_code, name, country) VALUES
4  (22, 'AF', 'AirEasy', 'France'),
5  (23, 'FH', 'FlyHigh', 'Brazil'),
6  (24, 'FF', 'FlyFly', 'Poland');
7
8
9  SELECT * FROM airline WHERE airline_id IN (22, 23, 24);
10
11
```

Data Output

Messages

Notifications

	airline_id [PK] integer	airline_code character varying (10)	name character varying (100)	country character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	22	AE	AirEasy	France	2026-09-29 11:12:51.930263	2026-09-29 11:12:51.930263
2	23	FH	FlyHigh	Brazil	2026-09-29 11:12:51.930263	2026-09-29 11:12:51.930263
3	24	FF	FlyFly	Poland	2026-09-29 11:12:51.930263	2026-09-29 11:12:51.930263

✓ Successfully run. Total query runtime: 170 msec. 3 rows affected. ✕

Total rows: 3

Query complete 00:00:00.170

CRLF Ln 1, Col 1

Object Explorer

- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - Columns (6)
 - airline_id integer
 - airline_code character varying(10)
 - name character varying(100)
 - country character varying(100)
 - created_at timestamp without time zone
 - updated_at timestamp without time zone
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass

international_airport_db/postgres@PostgreSQL 18* x

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

```
33
34 DELETE FROM booking
35 WHERE flight_id IN (
36     SELECT flight_id FROM flight WHERE scheduled_arrival_time >= '2024-01-01' AND scheduled_arrival_time < '2025-01-01'
37 );
38
39
40 DELETE FROM flight
41 WHERE scheduled_arrival_time >= '2024-01-01'
42     AND scheduled_arrival_time < '2025-01-01';
43
44
45 SELECT * FROM flight
46 WHERE scheduled_arrival_time >= '2024-01-01'
47     AND scheduled_arrival_time < '2025-01-01';
48
```

Data Output

Messages

Notifications

SQL

flight_id [PK] integer	airline_id integer	departure_airport_id integer	arrival_airport_id integer	departing_gate character varying (10)	arriving_gate character varying (10)	scheduled_departure_time timestamp without time zone	scheduled_arrival_time timestamp without time zone
---------------------------	-----------------------	---------------------------------	-------------------------------	--	---	---	---

✓ Successfully run. Total query runtime: 138 msec. 0 rows affected. ✕

Total rows: 0

Query complete 00:00:00.138

CRLF Ln 48, Col 1

