pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2   CREATE UNIQUE INDEX idx_airline_code_unique ON airline(airline_code);
```

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 83 msec.
```

Query returned successfully in 83 msec.

Total rows: Query complete 00:00:00.083 CRLF Ln 1, Col 1

16°C Mostly cloudy

Search

ENG 8:30 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE INDEX idx_booking_covering ON booking(passenger_id) INCLUDE (ticket_price);
2
3
4  EXPLAIN ANALYZE
5  SELECT ticket_price FROM booking WHERE passenger_id = 10;
```

Data Output Messages Notifications

Showing rows: 1 to 8 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on booking (cost=0.00..1.26 rows=1 width=16) (actual time=0.024..0.026 rows=1.00 loop... |
| 2 | Filter: (passenger_id = 10) |
| 3 | Rows Removed by Filter: 20 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning: |
| 6 | Buffers: shared hit=19 read=1 |
| 7 | Planning Time: 2.900 ms |
| 8 | Execution Time: 0.045 ms |

Successfully run. Total query runtime: 73 msec. 8 rows affected.

Total rows: 8 Query complete 00:00:00.073 CRLF Ln 3, Col 1

16°C Mostly cloudy

Search

ENG 8:29 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  EXPLAIN ANALYZE SELECT * FROM passenger WHERE LOWER(last_name) = 'amanzhol';
2
3
4  EXPLAIN ANALYZE SELECT * FROM passenger WHERE last_name = 'Amanzhol';
```

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on passenger (cost=0.00..1.26 rows=1 width=1072) (actual time=0.010..0.013 rows=1.00 loop... |
| 2 | Filter: ((last_name)::text = 'Amanzhol'::text) |
| 3 | Rows Removed by Filter: 20 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning Time: 0.077 ms |
| 6 | Execution Time: 0.022 ms |

Successfully run. Total query runtime: 86 msec. 6 rows affected.

Total rows: 6 Query complete 00:00:00.086 CRLF Ln 3, Col 1

16°C Mostly cloudy

Search

ENG 8:28 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1   CREATE INDEX idx_passenger_lower_lastname ON passenger(LOWER(last_name));
```

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 107 msec.
```

Query returned successfully in 107 msec.

Total rows: Query complete 00:00:00.107 CRLF Ln 1, Col 74

16°C Mostly cloudy

Search

ENG 8:27 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE INDEX idx_airport_country_city ON airport(country, city);
2
3  EXPLAIN ANALYZE SELECT * FROM airport WHERE country = 'Kazakhstan';
4
5  EXPLAIN ANALYZE SELECT * FROM airport WHERE city = 'Almaty';
6
7  EXPLAIN ANALYZE SELECT * FROM airport WHERE country = 'Kazakhstan' AND city = 'Almaty';
```

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on airport (cost=0.00..1.30 rows=1 width=892) (actual time=0.008..0.010 rows=1.00 loop... |
| 2 | Filter: (((country)::text = 'Kazakhstan'::text) AND ((city)::text = 'Almaty'::text)) |
| 3 | Rows Removed by Filter: 19 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning Time: 0.051 ms |
| 6 | Execution Time: 0.015 ms |

Successfully run. Total query runtime: 84 msec. 6 rows affected.

Total rows: 6 Query complete 00:00:00.084 CRLF Ln 6, Col 1

16°C Mostly cloudy

Search

ENG 8:21 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE INDEX idx_airport_name ON airport(airport_name);
2
3  EXPLAIN ANALYZE SELECT * FROM airport WHERE airport_name LIKE 'A%';
4
5
6  EXPLAIN ANALYZE SELECT * FROM airport WHERE airport_name LIKE '%Airport';
```

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on airport (cost=0.00..1.25 rows=1 width=892) (actual time=0.009..0.014 rows=11.00 loop... |
| 2 | Filter: ((airport_name)::text ~~ '%Airport'::text) |
| 3 | Rows Removed by Filter: 9 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning Time: 0.076 ms |
| 6 | Execution Time: 0.023 ms |

Successfully run. Total query runtime: 87 msec. 6 rows affected.

Total rows: 6 Query complete 00:00:00.087 CRLF Ln 5, Col 1

16°C Mostly cloudy

Search

ENG 8:20 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE INDEX idx_baggage_weight ON baggage(weight_kg);
2
3  EXPLAIN ANALYZE SELECT * FROM baggage WHERE weight_kg > 22;
4
5
6  EXPLAIN ANALYZE SELECT * FROM baggage WHERE weight_kg > 1;
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on baggage (cost=0.00..1.25 rows=7 width=36) (actual time=0.008..0.012 rows=20.00 loop... |
| 2 | Filter: (weight_kg > '1'::numeric) |
| 3 | Buffers: shared hit=1 |
| 4 | Planning Time: 0.060 ms |
| 5 | Execution Time: 0.019 ms |

Successfully run. Total query runtime: 108 msec. 5 rows affected.

Total rows: 5 Query complete 00:00:00.108 CRLF Ln 5, Col 1

16°C Mostly cloudy

Search

ENG 8:19 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE INDEX idx_booking_status ON booking(status);
2
3  EXPLAIN ANALYZE SELECT * FROM booking WHERE status = 'Confirmed';
4
5
6  EXPLAIN ANALYZE SELECT * FROM booking WHERE status = 'Pending';
```

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on booking (cost=0.00..1.26 rows=1 width=256) (actual time=0.009..0.012 rows=3.00 loop... |
| 2 | Filter: ((status)::text = 'Pending'::text) |
| 3 | Rows Removed by Filter: 18 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning Time: 0.077 ms |
| 6 | Execution Time: 0.020 ms |

Successfully run. Total query runtime: 83 msec. 6 rows affected.

Total rows: 6 Query complete 00:00:00.083 CRLF Ln 5, Col 1

16°C Mostly cloudy

Search

ENG 8:18 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1   CREATE INDEX idx_booking_status ON booking(status);
```

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 103 msec.
```

Query returned successfully in 103 msec.

Total rows: Query complete 00:00:00.103

CRLF Ln 1, Col 52

16°C Mostly cloudy

Search

ENG

8:18 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1   CREATE INDEX idx_booking_comp ON booking(booking_id, flight_id);
```

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 87 msec.
```

Query returned successfully in 87 msec.

Total rows: Query complete 00:00:00.087

CRLF Ln 1, Col 65

16°C Mostly cloudy

Search

ENG

8:17 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --EXPLAIN ANALYZE
2  --SELECT * FROM booking WHERE passenger_id = 10;
3
4  --CREATE INDEX idx_booking_passenger ON booking(passenger_id);
5
6  EXPLAIN ANALYZE
7  SELECT * FROM booking WHERE passenger_id = 10;
```

Data Output Messages Notifications

Showing rows: 1 to 8 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on booking (cost=0.00..1.26 rows=1 width=256) (actual time=0.023..0.025 rows=1.00 loop... |
| 2 | Filter: (passenger_id = 10) |
| 3 | Rows Removed by Filter: 20 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning: |
| 6 | Buffers: shared hit=16 read=1 |
| 7 | Planning Time: 3.474 ms |
| 8 | Execution Time: 0.044 ms |

Successfully run. Total query runtime: 83 msec. 8 rows affected.

Total rows: 8 Query complete 00:00:00.083 CRLF Ln 7, Col 47

16°C Mostly cloudy

Search

ENG 8:16 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --SELECT indexname, indexdef
2  --FROM pg_indexes
3  --WHERE tablename = 'passenger';
4
5  DROP INDEX IF EXISTS idx_passenger_passport;
6  DROP INDEX IF EXISTS idx_passenger_composite;
```

Data Output Messages Notifications

```
DROP INDEX

Query returned successfully in 84 msec.
```

Query returned successfully in 84 msec.

Total rows: Query complete 00:00:00.084

CRLF Ln 6, Col 46

16°C Mostly cloudy

Search

ENG

8:15 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE INDEX idx_passenger_composite
2  --ON passenger(first_name, last_name, date_of_birth, country_of_citizenship);
3
4  EXPLAIN ANALYZE
5  SELECT *
6  FROM passenger
7  WHERE country_of_citizenship = 'Philippines'
8    AND EXTRACT(YEAR FROM date_of_birth) = 1984;
```

Data Output Messages Notifications

Showing rows: 1 to 8 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on passenger (cost=0.00..1.37 rows=1 width=1072) (actual time=0.040..0.040 rows=0.00 loops=1) |
| 2 | Filter: (((country_of_citizenship)::text = 'Philippines'::text) AND (EXTRACT(year FROM date_of_birth) = '1984'::num... |
| 3 | Rows Removed by Filter: 21 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning: |
| 6 | Buffers: shared hit=50 read=3 |
| 7 | Planning Time: 8.698 ms |
| 8 | Execution Time: 0.072 ms |

Successfully run. Total query runtime: 89 msec. 8 rows affected.

Total rows: 8 Query complete 00:00:00.089 CRLF Ln 8, Col 47

16°C Mostly cloudy

Search

ENG 8:14 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Execute script F5

Query Query History

```
1  --CREATE UNIQUE INDEX idx_passenger                ON passenger(passport_number);
2  --SELECT indexname, indexdef
3  --FROM pg_indexes
4  --WHERE tablename = 'passenger';
5
6  --INSERT INTO passenger (first_name, last_name, gender, date_of_birth, country_of_citizenship, country_of_residence, passpo
7  --VALUES ('Aruzhan', 'Kassymova', 'Female', '2001-05-12', 'Kazakhstan', 'Kazakhstan', 'N88811122');
8
9  INSERT INTO passenger (first_name, last_name, gender, date_of_birth, country_of_citizenship, country_of_residence, passport
10 VALUES ('Dias', 'Sarsenov', 'Male', '1999-11-20', 'Kazakhstan', 'Kazakhstan', 'N88811122');
```

Data Output Messages Notifications

```
ERROR:  повторяющееся значение ключа нарушает ограничение уникальности "passenger_passport_number_key"
Ключ "(passport_number)=(N88811122)" уже существует.

ОШИБКА:  повторяющееся значение ключа нарушает ограничение уникальности "passenger_passport_number_key"
SQL state: 23505
Detail: Ключ "(passport_number)=(N88811122)" уже существует.
```

Total rows: Query complete 00:00:00.065

CRLF Ln 10, Col 92

16°C Mostly cloudy

Search

ENG

8:13 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Execute script F5

Query Query History

```
1  --CREATE UNIQUE INDEX idx_passenger                ON passenger(passport_number);
2  --SELECT indexname, indexdef
3  --FROM pg_indexes
4  --WHERE tablename = 'passenger';
5
6  INSERT INTO passenger (first_name, last_name, gender, date_of_birth, country_of_citizenship, country_of_residence, passport
7  VALUES ('Aruzhan', 'Kassymova', 'Female', '2001-05-12', 'Kazakhstan', 'Kazakhstan', 'N88811122');
```

Data Output Messages Notifications

```
INSERT 0 1

Query returned successfully in 108 msec.
```

Query returned successfully in 108 msec.

Total rows: Query complete 00:00:00.108

CRLF Ln 7, Col 98

16°C Mostly cloudy

Search

ENG

8:13 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE UNIQUE INDEX idx_passenger_passport ON passenger(passport_number);
2  SELECT indexname, indexdef
3  FROM pg_indexes
4  WHERE tablename = 'passenger';
```

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

| | indexname name | indexdef text |
|---|---|---|
| 1 | passenger_pkey | CREATE UNIQUE INDEX passenger_pkey ON public.passenger USING btree (passenger_id) |
| 2 | passenger_passport_number_k... | CREATE UNIQUE INDEX passenger_passport_number_key ON public.passenger USING btree (passport_nu... |
| 3 | uk_passenger_passport | CREATE UNIQUE INDEX uk_passenger_passport ON public.passenger USING btree (passport_number) |
| 4 | idx_passenger_passport | CREATE UNIQUE INDEX idx_passenger_passport ON public.passenger USING btree (passport_number) |

Successfully run. Total query runtime: 300 msec. 4 rows affected.

Total rows: 4 Query complete 00:00:00.300 CRLF Ln 4, Col 31

16°C Mostly cloudy

Search

ENG 8:12 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1
2   EXPLAIN ANALYZE
3   SELECT *
4   FROM flight
5   WHERE departure_airport_id = 1 AND arrival_airport_id = 2;
```

Data Output Messages Notifications

Showing rows: 1 to 8 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Seq Scan on flight (cost=0.00..1.30 rows=1 width=140) (actual time=0.024..0.027 rows=1.00 loop... |
| 2 | Filter: ((departure_airport_id = 1) AND (arrival_airport_id = 2)) |
| 3 | Rows Removed by Filter: 19 |
| 4 | Buffers: shared hit=1 |
| 5 | Planning: |
| 6 | Buffers: shared hit=95 read=3 dirtied=2 |
| 7 | Planning Time: 14.470 ms |
| 8 | Execution Time: 0.053 ms |

Total rows: 8 Query complete 00:00:00.133 CRLF Ln 1, Col 1

16°C Mostly cloudy

Search

ENG 8:09 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  CREATE INDEX idx_flight_dep_arr_airport
2  ON flight(departure_airport_id, arrival_airport_id);
3
```

Data Output Messages Notifications

```
ERROR:  отношение "idx_flight_dep_arr_airport" уже существует

ОШИБКА:  отношение "idx_flight_dep_arr_airport" уже существует
SQL state: 42P07
```

Total rows: Query complete 00:00:00.067 CRLF Ln 3, Col 1

16°C Mostly cloudy

Search

ENG 8:08 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  CREATE UNIQUE INDEX idx_uniq_flight_sch_dep
2  ON flight(flight_id, scheduled_departure_time);
```

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 71 msec.
```

Query returned successfully in 71 msec.

Total rows: Query complete 00:00:00.071

CRLF Ln 2, Col 48

16°C Mostly cloudy

Search

PYC 8:05 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  CREATE INDEX idx_flight_actual_departure
2  ON flight(actual_departure_time);
```

Maximise

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 231 msec.
```

Total rows: Query complete 00:00:00.231 CRLF Ln 2, Col 34

16°C Mostly cloudy

Search

РУС 8:04 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1   CREATE INDEX idx_airport_name ON airport(airport_name);
```

Data Output Messages Notifications

```
CREATE INDEX

Query returned successfully in 124 msec.
```

Query returned successfully in 124 msec.

Total rows: Query complete 00:00:00.124

CRLF Ln 1, Col 56

16°C Mostly cloudy

Search

ENG

8:19 PM 11/9/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Schemas (1)
  - public
    - Aggregates
    - Collations
    - Domains
    - FTS Configurations
    - FTS Dictionaries
    - FTS Parsers
    - FTS Templates
    - Foreign Tables
    - Functions
    - Materialized Views
    - Operators
    - Procedures
    - Sequences
    - Tables (10)
      - airline
      - airport
      - baggage
      - baggage_check
      - boarding_pass
      - booking
      - booking_change
      - flight
      - passenger
      - security_check
    - Trigger Functions
    - Types
    - Views
  - Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  --CREATE INDEX idx_booking_comp ON booking(booking_id, flight_id);
2
3  EXPLAIN ANALYZE
4  SELECT f.flight_id, b.ticket_price
5  FROM booking b
6  JOIN flight f ON b.flight_id = f.flight_id
7  WHERE b.ticket_price > 9000;
```

Data Output Messages Notifications

Showing rows: 1 to 16 Page No: 1 of 1

| | QUERY PLAN text |
|---|---|
| 1 | Hash Join (cost=1.35..2.69 rows=7 width=20) (actual time=0.096..0.105 rows=16.00 loops=1) |
| 2 | Hash Cond: (f.flight_id = b.flight_id) |
| 3 | Buffers: shared hit=2 |
| 4 | -> Seq Scan on flight f (cost=0.00..1.20 rows=20 width=4) (actual time=0.033..0.034 rows=20.00 loops=1) |
| 5 | Buffers: shared hit=1 |
| 6 | -> Hash (cost=1.26..1.26 rows=7 width=20) (actual time=0.053..0.053 rows=16.00 loops=1) |
| 7 | Buckets: 1024 Batches: 1 Memory Usage: 9kB |
| 8 | Buffers: shared hit=1 |
| 9 | -> Seq Scan on booking b (cost=0.00..1.26 rows=7 width=20) (actual time=0.038..0.046 rows=16.00 loo... |
| 10 | Filter: (ticket_price > '9000'::numeric) |
| 11 | Rows Removed by Filter: 5 |

Successfully run. Total query runtime: 112 msec. 16 rows affected.

Total rows: 16 Query complete 00:00:00.112 CRLF Ln 7, Col 29

16°C Mostly cloudy

Search

ENG 8:17 PM 11/9/2026