

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1

SELECT UPPER(name) AS airline_name_uppercase

2

FROM airline;

Data Output

Messages

Notifications

Showing rows: 1 to 20

Page No: 1

of 1

	airline_name_uppercase
1	AEROFLOT
2	AIR ASTANA
3	LUFTHANSA
4	TURKISH AIRLINES
5	EMIRATES
6	SCAT AIRLINES
7	QAZAQ AIR
8	AIR FRANCE
9	BRITISH AIRWAYS
10	QATAR AIRWAYS
11	EGYPTAIR

Total rows: 20Query complete 00:00:00.128

CRLF

Ln 2, Col 14

20°C

Mostly cloudy

Search

7:27 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1

SELECT REPLACE(name, 'Air', 'Aero') AS modified_airline_name

2

FROM airline;

Data Output

Messages

Notifications

Showing rows: 1 to 20

Page No: 1

of 1

	modified_airline_name
1	Aeroflot
2	Aero Astana
3	Lufthansa
4	Turkish Airlines
5	Emirates
6	SCAT Airlines
7	Qazaq Aero
8	Aero France
9	British Aeroways
10	Qatar Aeroways
11	FountAero

Total rows: 20Query complete 00:00:00.105

20°C

Mostly cloudy

Search

7:27 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1SELECT flight_id

2FROM flight

3WHERE airline_id IN (1, 2);

Execute script

F5

Data Output

Messages

Notifications

Showing rows: 1 to 2

Page No: 1

of 1

flight_id

[PK] integer

11

22

Total rows: 2

Query complete 00:00:00.185

Successfully run. Total query runtime: 183 msec. 2 rows affected.

CRLF

Ln 3, Col 28

20°C

Mostly cloudy

Search

7:27 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1

2

3

4

SELECT *

FROM airport

WHERE airport_name ILIKE '%Regional%'

AND airport_name ILIKE '%Air%';

Data Output

Messages

Notifications

SQL

airport_id	airport_name	country	state	city	created_at	updated_at
------------	--------------	---------	-------	------	------------	------------

Total rows: 0

Query complete 00:00:00.155

CRLF

Ln 4, Col 34

20°C

Mostly cloudy

Search

7:28 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1

2

3

4

SELECT

CONCAT(first_name, ' ', last_name) AS full_name,

TO_CHAR(date_of_birth, 'FMonth DD, YYYY') AS formatted_birth_date

FROM passenger;

Data Output

Messages

Notifications

Showing rows: 1 to 20

Page No: 1

of 1

SQL

	full_name text	formatted_birth_date text
1	Alizhan Amanzhol	May 15, 2004
2	John Doe	January 01, 1990
3	Jane Smith	March 12, 1992
4	Ali Khan	July 20, 1985
5	Maria Garcia	November 05, 1998
6	Kenji Sato	February 28, 1988
7	Anna Muller	September 14, 1995
8	Pierre Dubois	December 01, 1991
9	Elena Popova	April 18, 1993
10	Mehmet Yilmaz	August 30, 1987
11	Lin Wei	June 22, 1996

Total rows: 20

Query complete 00:00:00.159

Successfully run. Total query runtime: 159 msec. 20 rows affected.

CRLF

Ln 4, Col 16

20°C

Mostly cloudy

Search

7:28 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

Query

Query History

1

SELECT flight_id, scheduled_arrival_time, actual_arrival_time

2

FROM flight

3

WHERE actual_arrival_time > scheduled_arrival_time;

Data Output

Messages

Notifications

Showing rows: 1 to 4

Page No: 1

of 1

	flight_id [PK] integer	scheduled_arrival_time timestamp without time zone	actual_arrival_time timestamp without time zone
1	1	2024-03-10 14:00:00	2024-03-10 14:05:00
2	3	2024-07-20 22:00:00	2024-07-20 22:10:00
3	5	2024-11-15 13:00:00	2024-11-15 13:20:00
4	8	2025-03-20 21:00:00	2025-03-20 21:05:00

Successfully run. Total query runtime: 179 msec. 4 rows affected.

CRLF Ln 3, Col 52

Total rows: 4

Query complete 00:00:00.182

20°C
Mostly cloudy

Search

7:29 PM
10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1SELECT flight_id, scheduled_arrival_time, actual_arrival_time,

2(actual_arrival_time - scheduled_arrival_time) AS delay_duration

3FROM flight

4WHERE actual_arrival_time > scheduled_arrival_time;

Data Output

Messages

Notifications

Showing rows: 1 to 4

Page No: 1

of 1

	flight_id [PK] integer	scheduled_arrival_time timestamp without time zone	actual_arrival_time timestamp without time zone	delay_duration interval
1	1	2024-03-10 14:00:00	2024-03-10 14:05:00	00:05:00
2	3	2024-07-20 22:00:00	2024-07-20 22:10:00	00:10:00
3	5	2024-11-15 13:00:00	2024-11-15 13:20:00	00:20:00
4	8	2025-03-20 21:00:00	2025-03-20 21:05:00	00:05:00

Successfully run. Total query runtime: 112 msec. 4 rows affected.

Total rows: 4

Query complete 00:00:00.112

CRLF Ln 4, Col 52

20°C

Mostly cloudy

7:29 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1SELECT *

2FROM airline

3WHERE country IN ('France', 'Portugal', 'Poland')

4AND created_at BETWEEN '2023-11-01' AND '2024-03-31';

Execute script

F5

Data Output

Messages

Notifications

SQL

airline_id	airline_code	name	country	created_at	updated_at
------------	--------------	------	---------	------------	------------

Total rows: 0

Query complete 00:00:00.134

Successfully run. Total query runtime: 134 msec. 0 rows affected.

CRLF

Ln 4, Col 56

20°C

Mostly cloudy

Search

7:30 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

Execute script

F5

1

SELECT *

2

FROM baggage

3

WHERE weight_kg > 25

4

ORDER BY weight_kg DESC

5

LIMIT 3;

Data Output

Messages

Notifications

Showing rows: 1 to 3

Page No: 1

of 1

	baggage_id [PK] integer	booking_id integer	weight_kg numeric (5,2)	created_at timestamp without time zone	updated_at timestamp without time zone
1	5	5	30.00	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
2	15	15	29.40	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
3	19	19	28.10	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788

Total rows: 3

Query complete 00:00:00.146

Successfully run. Total query runtime: 146 msec. 3 rows affected.

CRLF Ln 5, Col 9

20°C

Mostly cloudy

Search

7:30 PM

10/3/2026

Object Explorer

- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_change
 - flight
 - passenger
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - phonebook
 - postgres
 - snake_db
 - Login/Group Roles
 - Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

Query History

No limit

Execute script

F5

Query

```
1 SELECT CONCAT(first_name, ' ', last_name) AS full_name, date_of_birth
2 FROM passenger
3 ORDER BY date_of_birth DESC
4 LIMIT 1;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 1

Page No: 1

of 1

	full_name text	date_of_birth date
1	Alizhan Amanz...	2004-05-15

Total rows: 1 Query complete 00:00:00.185

✓ Successfully run. Total query runtime: 185 msec. 1 rows affected. ✕

CRLF Ln 4, Col 9

Object Explorer

- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_change
 - flight
 - passenger
 - security_check
 - Trigger Functions
 - Types
 - Views
 - Subscriptions
 - phonebook
 - postgres
 - snake_db
 - Login/Group Roles
 - Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

Query History

No limit

Execute script F5

Query

```
1 SELECT booking_platform, MIN(ticket_price) AS min_ticket_price
2 FROM booking
3 GROUP BY booking_platform;
```

Data Output Messages Notifications

Showing rows: 1 to 3

Page No: 1 of 1

	booking_platform character varying (50)	min_ticket_price numeric
1	Website	5000.00
2	Mobile App	8500.00
3	Agency	9500.00

Total rows: 3 Query complete 00:00:00.127

✓ Successfully run. Total query runtime: 127 msec. 3 rows affected. ✕

CRLF Ln 3, Col 27

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1

SELECT *

2

FROM airline

3

WHERE airline_code ~ '[0-9]';

Data Output

Messages

Notifications

SQL

airline_id	airline_code	name	country	created_at	updated_at
------------	--------------	------	---------	------------	------------

✓ Successfully run. Total query runtime: 148 msec. 0 rows affected. ✕

Total rows: 0

Query complete 00:00:00.148

CRLF

Ln 3, Col 30

20°C

Mostly cloudy

Search

7:31 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1

2

3

4

SELECT

*

FROM

airline

ORDER BY

created_at

DESC

LIMIT

5;

Data Output

Messages

Notifications

Showing rows: 1 to 5

Page No: 1

of 1

	airline_id [PK] integer	airline_code character varying (10)	name character varying (100)	country character varying (100)	created_at timestamp without time zone	updated_at timestamp without time zone
1	8	AF	Air France	France	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
2	9	BA	British Airways	United Kingdom	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
3	6	DV	SCAT Airlines	Kazakhstan	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
4	7	IQ	Qazaq Air	Kazakhstan	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788
5	10	QR	Qatar Airways	Qatar	2026-09-27 17:50:55.296788	2026-09-27 17:50:55.296788

Successfully run. Total query runtime: 134 msec. 5 rows affected.

Total rows: 5

Query complete 00:00:00.134

CRLF

Ln 4, Col 9

20°C

Mostly cloudy

Search

7:31 PM

10/3/2026

pgAdmin 4

FileObjectToolsEditViewWindowHelp

Object Explorer

Schemas (1)

public

Aggregates

Collations

Domains

FTS Configurations

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (10)

airline

airport

baggage

baggage_check

boarding_pass

booking

booking_change

flight

passenger

security_check

Trigger Functions

Types

Views

Subscriptions

phonebook

postgres

snake_db

Login/Group Roles

Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

No limit

Query

Query History

1

2

3

4

SELECT *

FROM baggage_check

WHERE booking_id BETWEEN 200 AND 300

AND check_result <> 'Checked';

Data Output

Messages

Notifications

SQL

baggage_check_id [PK] integer

booking_id integer

passenger_id integer

check_result character varying (50)

created_at timestamp without time zone

updated_at timestamp without time zone

Successfully run. Total query runtime: 132 msec. 0 rows affected.

Total rows: 0

Query complete 00:00:00.132

CRLF

Ln 4, Col 33

20°C

Mostly cloudy

Search

7:31 PM

10/3/2026

Object Explorer

Schemas (1)

- public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (10)**
 - airline
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_change
 - flight
 - passenger
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- phonebook
- postgres
- snake_db
- Login/Group Roles
- Tablespaces

international_airport_db/postgres@PostgreSQL 18* X

international_airport_db/postgres@PostgreSQL 18

Query History

No limit

Query

```
1 SELECT *
2 FROM baggage_check
3 WHERE EXTRACT(MONTH FROM updated_at) = EXTRACT(MONTH FROM created_at)
4 AND EXTRACT(YEAR FROM updated_at) = EXTRACT(YEAR FROM created_at)
5 AND updated_at < created_at;
```

Data Output Messages Notifications

SQL

baggage_check_id [PK] integer	booking_id integer	passenger_id integer	check_result character varying (50)	created_at timestamp without time zone	updated_at timestamp without time zone
----------------------------------	-----------------------	-------------------------	--	---	---

Total rows: 0 Query complete 00:00:00.191

✓ Successfully run. Total query runtime: 191 msec. 0 rows affected. ✕

CRLF Ln 5, Col 31