pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT f.*, a.name AS airline_name
2  FROM flight f
3  JOIN airline a ON f.airline_id = a.airline_id
4  WHERE a.airline_code = 'KC';
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	flight_id integer	airline_id integer	departure_airport_id integer	arrival_airport_id integer	departing_gate character varying (10)	arriving_gate character varying (10)	scheduled_departure_time timestamp without time zone	scheduled_arrival_time timestamp without time zone
1	2	2	2	3	C3	D4	2024-05-12 12:00:00	2024-05-12 20:00:00

Total rows: 1 Query complete 00:00:00.109 CRLF Ln 4, Col 29

11°C Partly cloudy

Search

РУС

9:08 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT f.flight_id, ap.airport_name AS departure_airport, f.scheduled_departure_time
2  FROM flight f
3  JOIN airport ap ON f.departure_airport_id = ap.airport_id;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 20 Page No: 1 of 1

	flight_id integer	departure_airport character varying (100)	scheduled_departure_time timestamp without time zone
1	1	Nursultan Nazarbayev Internatio...	2024-03-10 10:00:00
2	2	Heathrow Airport	2024-05-12 12:00:00
3	3	Haneda Airport	2024-07-20 15:00:00
4	4	Almaty International Airport	2024-09-01 08:00:00
5	5	Mlawe Local Airport	2024-11-15 09:00:00
6	6	Long Airport Name	2025-01-10 11:00:00
7	7	Charles de Gaulle	2025-02-15 14:00:00
8	8	Frankfurt Airport	2025-03-20 16:00:00
9	9	Istanbul Airport	2025-04-05 06:00:00
10	10	Dubai International	2025-05-12 18:00:00
11	11	JFK International	2025-06-01 07:00:00

Successfully run. Total query runtime: 80 msec. 20 rows affected.

Total rows: 20 Query complete 00:00:00.080 CRLF Ln 3, Col 59

11°C Partly cloudy

Search

РУС

9:09 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT a.airline_id, a.name AS airline_name
2  FROM airline a
3  WHERE a.airline_id NOT IN (
4      SELECT DISTINCT airline_id
5      FROM flight
6      WHERE scheduled_departure_time >= DATE_TRUNC('month', CURRENT_DATE + INTERVAL '1 month')
7        AND scheduled_departure_time < DATE_TRUNC('month', CURRENT_DATE + INTERVAL '2 month')
8  );
```

Data Output Messages Notifications

SQL Showing rows: 1 to 20 Page No: 1 of 1

	airline_id [PK] integer	airline_name character varying (100)
1	1	Aeroflot
2	2	Air Astana
3	3	Lufthansa
4	4	Turkish Airlines
5	5	Emirates
6	6	SCAT Airlines
7	7	Qazaq Air
8	8	Air France
9	9	British Airways
10	10	Qatar Airways
11	11	EgyptAir

Successfully run. Total query runtime: 385 msec. 20 rows affected.

Total rows: 20 Query complete 00:00:00.385 CRLF Ln 8, Col 3

11°C Partly cloudy

Search

РУС 9:09 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT p.passenger_id, p.first_name, p.last_name, b.booking_id
2  FROM passenger p
3  JOIN booking b ON p.passenger_id = b.passenger_id
4  WHERE b.flight_id = 1;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 2 Page No: 1 of 1

	passenger_id integer	first_name character varying (100)	last_name character varying (100)	booking_id integer
1	1	Alizhan	Amanzhol	1
2	2	John	Doe	22

Successfully run. Total query runtime: 93 msec. 2 rows affected.

Total rows: 2 Query complete 00:00:00.093 CRLF Ln 4, Col 23

11°C Partly cloudy

Search

РУС

9:10 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT
2      flight_id,
3      AVG(ticket_price) AS avg_price,
4      SUM(ticket_price) AS total_price,
5      MAX(ticket_price) AS max_price,
6      MIN(ticket_price) AS min_price
7  FROM booking
8  GROUP BY flight_id;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 20 Page No: 1 of 1

	flight_id integer	avg_price numeric	total_price numeric	max_price numeric	min_price numeric
1	11	14000.0000000000000000	14000.00	14000.00	14000.00
2	8	30000.000000000000	30000.00	30000.00	30000.00
3	19	21000.000000000000	21000.00	21000.00	21000.00
4	4	6000.0000000000000000	6000.00	6000.00	6000.00
5	14	16500.0000000000000000	16500.00	16500.00	16500.00
6	3	12000.0000000000000000	12000.00	12000.00	12000.00
7	17	9000.0000000000000000	9000.00	9000.00	9000.00
8	20	17500.0000000000000000	17500.00	17500.00	17500.00
9	13	5000.0000000000000000	5000.00	5000.00	5000.00
10	10	22000.000000000000	22000.00	22000.00	22000.00
11	9	7500.0000000000000000	7500.00	7500.00	7500.00

Successfully run. Total query runtime: 111 msec. 20 rows affected.

Total rows: 20 Query complete 00:00:00.111 CRLF Ln 8, Col 20

11°C Partly cloudy

Search

РУС

9:10 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT f.flight_id, al.name AS airline_name, dep.airport_name AS departure_airport, arr.airport_name AS arrival_airport, arr.
2  FROM flight f
3  JOIN airline al ON f.airline_id = al.airline_id
4  JOIN airport dep ON f.departure_airport_id = dep.airport_id
5  JOIN airport arr ON f.arrival_airport_id = arr.airport_id
6  WHERE arr.country = 'Germany';
```

Data Output Messages Notifications

SQL Showing rows: 1 to 1 Page No: 1 of 1

	flight_id integer	airline_name character varying (100)	departure_airport character varying (100)	arrival_airport character varying (100)	destination_country character varying (100)
1	7	Qazaq Air	Charles de Gaulle	Frankfurt Airport	Germany

Successfully run. Total query runtime: 98 msec. 1 rows affected.

Total rows: 1 Query complete 00:00:00.098 CRLF Ln 6, Col 31

11°C Partly cloudy

Search

РУС

9:11 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```sql
SELECT
    p.passenger_id,
    p.first_name,
    p.last_name,
    EXTRACT(YEAR FROM AGE(p.date_of_birth)) AS age,
    arr.airport_name AS arrival_destination,
    arr.city AS arrival_city
FROM passenger p
JOIN booking b ON p.passenger_id = b.passenger_id
JOIN flight f ON b.flight_id = f.flight_id
JOIN airport arr ON f.arrival_airport_id = arr.airport_id
WHERE p.date_of_birth > CURRENT_DATE - INTERVAL '18 years';
```

Data Output Messages Notifications

SQL

	passenger_id integer	first_name character varying (100)	last_name character varying (100)	age numeric	arrival_destination character varying (100)	arrival_city character varying (100)

Successfully run. Total query runtime: 86 msec. 0 rows affected.

Total rows: 0 Query complete 00:00:00.086

CRLF Ln 12, Col 60

11°C Partly cloudy

Search

РУС

9:11 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT
2      p.first_name || ' ' || p.last_name AS full_name,
3      p.passport_number,
4      f.actual_arrival_time
5  FROM passenger p
6  JOIN booking b ON p.passenger_id = b.passenger_id
7  JOIN flight f ON b.flight_id = f.flight_id
8  WHERE f.actual_arrival_time IS NOT NULL;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 21 Page No: 1 of 1

	full_name text	passport_number character varying (50)	actual_arrival_time timestamp without time zone
1	Alizhan Amanzhol	N12345678	2024-03-10 14:05:00
2	John Doe	N87654321	2024-05-12 19:55:00
3	Jane Smith	N11223344	2024-07-20 22:10:00
4	Ali Khan	N44332211	2024-09-01 11:00:00
5	Maria Garcia	N55667788	2024-11-15 13:20:00
6	Kenji Sato	N99887766	2025-01-10 15:00:00
7	Anna Muller	N66778899	2025-02-15 18:00:00
8	Pierre Dubois	N33445566	2025-03-20 21:05:00
9	Elena Popova	N22334455	2025-04-05 10:00:00
10	Mehmet Yilmaz	N77889900	2025-05-13 02:00:00
11	Liu Wei	N11002299	2025-06-01 12:00:00

Total rows: 21 Query complete 00:00:00.116 CRLF Ln 8, Col 41

11°C Partly cloudy

Search

PYC

9:12 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT
2      dep.country AS airport_country,
3      COUNT(f.flight_id) AS total_flights,
4      STRING_agg(f.flight_id::text, ', ') AS flight_ids
5  FROM flight f
6  JOIN airline al ON f.airline_id = al.airline_id
7  JOIN airport dep ON f.departure_airport_id = dep.airport_id
8  WHERE al.country = dep.country
9  GROUP BY dep.country;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 3 Page No: 1 of 1

	airport_country character varying (100)	total_flights bigint	flight_ids text
1	Italy	1	18
2	Japan	1	15
3	Spain	1	19

Successfully run. Total query runtime: 107 msec. 3 rows affected.

Total rows: 3 Query complete 00:00:00.107

CRLF Ln 9, Col 22

11°C Partly cloudy

Search

PYC

9:12 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT
2      f.flight_id,
3      al.name AS airline_name,
4      dep.airport_name AS departure_airport,
5      arr.airport_name AS arrival_airport
6  FROM flight f
7  JOIN airline al ON f.airline_id = al.airline_id
8  JOIN airport dep ON f.departure_airport_id = dep.airport_id
9  JOIN airport arr ON f.arrival_airport_id = arr.airport_id;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 20 Page No: 1 of 1

	flight_id integer	airline_name character varying (100)	departure_airport character varying (100)	arrival_airport character varying (100)
1	1	Aeroflot	Nursultan Nazarbayev Internatio...	Heathrow Airport
2	2	Air Astana	Heathrow Airport	Haneda Airport
3	3	Lufthansa	Haneda Airport	Almaty International Airport
4	4	Turkish Airlines	Almaty International Airport	Nursultan Nazarbayev Internatio...
5	5	Emirates	Mlawe Local Airport	Long Airport Name
6	6	SCAT Airlines	Long Airport Name	Charles de Gaulle
7	7	Qazaq Air	Charles de Gaulle	Frankfurt Airport
8	8	Air France	Frankfurt Airport	Istanbul Airport
9	9	British Airways	Istanbul Airport	Dubai International
10	10	Qatar Airways	Dubai International	JFK International
11	11	EgyptAir	JFK International	LAX Airport

Successfully run. Total query runtime: 93 msec. 20 rows affected.

Total rows: 20 Query complete 00:00:00.093 CRLF Ln 9, Col 59

11°C Partly cloudy

Search

РУС 9:12 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT DISTINCT
2      p.passenger_id,
3      p.first_name,
4      p.last_name,
5      f.flight_id
6  FROM passenger p
7  JOIN booking b ON p.passenger_id = b.passenger_id
8  JOIN flight f ON b.flight_id = f.flight_id
9  JOIN airline al ON f.airline_id = al.airline_id
10 WHERE al.name = 'Air Astana';
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 1 Page No: 1 of 1

	passenger_id integer	first_name character varying (100)	last_name character varying (100)	flight_id integer
1	2	John	Doe	2

Successfully run. Total query runtime: 91 msec. 1 rows affected.

Total rows: 1 Query complete 00:00:00.091

CRLF Ln 10, Col 30

11°C Partly cloudy

Search

РУС

9:12 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT
2      f.flight_id,
3      arr.country AS destination_country,
4      COUNT(b.booking_id) AS passenger_count
5  FROM flight f
6  JOIN airport arr ON f.arrival_airport_id = arr.airport_id
7  LEFT JOIN booking b ON f.flight_id = b.flight_id
8  GROUP BY f.flight_id, arr.country;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 20 Page No: 1 of 1

	flight_id integer	destination_country character varying (100)	passenger_count bigint
1	6	France	1
2	3	Kazakhstan	1
3	11	USA	1
4	15	South Korea	1
5	12	Canada	1
6	18	Spain	1
7	7	Germany	1
8	14	Japan	1
9	10	USA	1
10	16	Singapore	1
11	8	Turkey	1

Total rows: 20 Query complete 00:00:00.079

Successfully run. Total query runtime: 79 msec. 20 rows affected.

CRLF Ln 8, Col 35

11°C Partly cloudy

Search

РУС 9:13 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT p.passenger_id, p.first_name, p.last_name
2  FROM passenger p
3  LEFT JOIN booking b ON p.passenger_id = b.passenger_id
4  WHERE b.booking_id IS NULL;
```

Data Output Messages Notifications

SQL

	passenger_id [PK] integer	first_name character varying (100)	last_name character varying (100)

✓ Successfully run. Total query runtime: 104 msec. 0 rows affected.

Total rows: 0 Query complete 00:00:00.104

CRLF Ln 4, Col 28

11°C Partly cloudy

Search

РУС

9:13 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT
2      al.airline_id,
3      al.name AS airline_name,
4      COUNT(f.flight_id) AS total_flights
5  FROM airline al
6  LEFT JOIN flight f ON al.airline_id = f.airline_id
7  GROUP BY al.airline_id, al.name;
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 20 Page No: 1 of 1

	airline_id [PK] integer	airline_name character varying (100)	total_flights bigint
1	11	EgyptAir	1
2	8	Air France	1
3	19	Iberia	1
4	4	Turkish Airlines	1
5	14	Japan Airlines	1
6	3	Lufthansa	1
7	17	Swiss Air	1
8	20	Unknown Carrier	1
9	13	Cathay Pacific	1
10	10	Qatar Airways	1
11	9	British Airways	1

Successfully run. Total query runtime: 108 msec. 20 rows affected.

Total rows: 20 Query complete 00:00:00.108

CRLF Ln 7, Col 33

11°C Partly cloudy

Search

РУС 9:13 PM 11/2/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers

international_airport_db/postgres@PostgreSQL 18*

international_airport_db/postgres@PostgreSQL 18

No limit

Query Query History

```
1  SELECT
2      al.name AS airline_name,
3      f.flight_id,
4      dep.city AS departure_city
5  FROM flight f
6  JOIN airline al ON f.airline_id = al.airline_id
7  JOIN airport dep ON f.departure_airport_id = dep.airport_id
8  WHERE dep.country = 'Kazakhstan';
```

Data Output Messages Notifications

Showing rows: 1 to 2 Page No: 1 of 1

	airline_name character varying (100)	flight_id integer	departure_city character varying (100)
1	Aeroflot	1	Astana
2	Turkish Airlines	4	Almaty

Successfully run. Total query runtime: 111 msec. 2 rows affected.

Total rows: 2 Query complete 00:00:00.111

CRLF Ln 8, Col 34

11°C Partly cloudy

Search

РУС

9:14 PM 11/2/2026