Table 1: Full fine-tuning results on Qwen2.5-3B with SGD.

Dataset	LR	Epochs	Batch	Accum	Momentum	Scheduler	Warmup	Acc (norm)
ARC-Easy	1e-4	4	4	4	0.9	cosine	0.2	80.5
ARC-Challenge	1e-4	4	4	4	0.9	cosine	0.2	50.0
BoolQ	1e-3	4	4	4	0.9	cosine	0.2	86.5



Figure 1: SVD of ΔW (Full FT − Base) — BoolQ (lr=1e-3), Q projection.



Figure 2: SVD of ΔW (Full FT − Base) — BoolQ (lr=1e-3), K projection.



Figure 3: SVD of ΔW (Full FT − Base) — BoolQ (lr=1e-3), V projection.



Figure 4: SVD of ΔW (Full FT − Base) — ARC-Easy (lr=1e-4), Q projection.



Figure 5: SVD of ΔW (Full FT − Base) — ARC-Easy (lr=1e-4), K projection.



Figure 6: SVD of ΔW (Full FT − Base) — ARC-Easy (lr=1e-4), V projection.



Figure 7: SVD of ΔW (Full FT − Base) — ARC-Challenge (lr=1e-4), Q projection.



Figure 8: SVD of ΔW (Full FT − Base) — ARC-Challenge (lr=1e-4), K projection.



Figure 9: SVD of ΔW (Full FT − Base) — ARC-Challenge (lr=1e-4), V projection.