



Segunda Entrega – Curso de Desarrollo Frontend

Nombre: Aliz Mejía

Código del Curso: 1F(-2024291)



The screenshot shows the 'Create a new repository' page on GitHub. The page is in dark mode. At the top, there's a search bar and navigation icons. The main heading is 'Create a new repository'. Below it, a subheading says 'A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)'. There's a note: 'Required fields are marked with an asterisk (*)'. The 'Owner' is 'aliz3' and the 'Repository name' is 'Segunda-Entrega', with a green checkmark indicating it's available. A description is provided: 'Desarrollo de la Segunda Entrega - Curso de Desarrollo Frontend 1F(-2024291)'. The visibility is set to 'Public'. Under 'Initialize this repository with:', the 'Add a README file' checkbox is checked. The 'Add .gitignore' section shows 'None' selected. The 'Choose a license' section also shows 'None' selected. At the bottom, a green 'Create repository' button is visible.



The screenshot shows the main page of the 'Segunda-Entrega' repository on GitHub. The repository is public. At the top, there are tabs for 'Code', 'Issues', 'Pull requests', 'Actions', 'Projects', 'Wiki', 'Security', 'Insights', and 'Settings'. Below the repository name, there are buttons for 'Pin', 'Unwatch', 'Fork', and 'Star'. The page is divided into several sections. The first section is 'Set up GitHub Copilot' with a button 'Get started with GitHub Copilot'. The second section is 'Add collaborators to this repository' with a button 'Invite collaborators'. The third section is 'Quick setup — if you've done this kind of thing before' with a button 'Set up in Desktop' and a text box containing the repository URL 'https://github.com/aliz3/Segunda-Entrega.git'. Below this, there's a note: 'Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).' The fourth section is '...or create a new repository on the command line' with a code block containing the following commands:



```
echo "# Segunda-Entrega" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/aliz3/Segunda-Entrega.git
git push -u origin main
```

 The fifth section is '...or push an existing repository from the command line' with a code block containing the following commands:


```
git remote add origin https://github.com/aliz3/Segunda-Entrega.git
git branch -M main
git push -u origin main
```

 At the bottom, there's a 'ProTip!' icon and text: 'Use the URL for this page when adding GitHub as a remote.'

Aliz Mejia



Aliz Mejia




EXPLORADOR

EDITORES ABIERTOS

- index.html
- SEGUNDA-ENTREGA
- index.html

index.html

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8 </head>
9
10 <body>
11
12 </body>
13
14 </html>
```



EXPLORADOR

EDITORES ABIERTOS

- index.html
- SEGUNDA-ENTREGA
- index.html

index.html

```
1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="UTF-8">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8 </head>
9
10 <body>
11
12 </body>
13
14 </html>
```

PROBLEMAS SALIDA CONSOLA DE DEPURACIÓN TERMINAL PUERTOS SEARCH ERROR GITLENS COMENTARIOS GITLENS

```
andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega
$ git init
Initialized empty Git repository in C:/Users/andre/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega/.git/

andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (master)
$ git add .

andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (master)
$ git commit -m "Primer commit con archivos"
[master (root-commit) c7b466] Primer commit con archivos
1 file changed, 14 insertions(+)
create mode 100644 index.html

andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (master)
$ git remote add origin https://github.com/aliz3/Segunda-Entrega.git

andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (master)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/aliz3/Segunda-Entrega.git'



andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (master)
$ ^C

andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (master)
$ git branch -m main

andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 372 bytes | 324.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
to https://github.com/aliz3/Segunda-Entrega.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.

andreg@AlizMejia MINGW64 ~/OneDrive/Documents/Aliz Documentos Andre/Curso de Desarrollo Frontend/Segunda-entrega (main)
$
```

Aliz Mejia



Aliz Mejia