```
index.html ×
   !DOCTYPE html
     <meta charset="UTF-8" />
      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
      <title>Niko blog</title>
      <link rel="stylesheet" href="css/bootstrap.min.css" />
      <link rel="stylesheet" href="css/styles.css" />
      <link href="https://fonts.googleapis.com/css2?family=Montserrat:wght@300&display=swap" rel="stylesheet" />
                                                                                                          Button to
    <a href="Login.html"><button type='button' class='btn btn-outline-primary'>Admin Login</button></a>
                                                                                                          redirect to the
                                                                                                          login
          <div class='row justify-content-center align-items-center'>
            <div class='col-md-5
             <h2><b>Welcome to Niko Blog </b></h2>
              <b>Our cat blog lets you dig your claws into the latest news, information, tips and products that are breaking in t
                                                                                    Blog header
                                                                                    design and text
         ∠/div>
        <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1440 320">
          <path fill="#fff" fill-opacity="1"</pre>
                                  Wave design
      </header>
                                   under header
```

Home page

```
Login.html ×
Login.html > ...
    DOCTYPE html
     <html lang="en">
            <meta charset="UTF-8" />
            <meta name="viewport" content="width=device-width, initial-scale=1.0" />
            <title>Admin Login</title>
             <link rel="stylesheet" href="css/bootstrap.min.css" />
            <link rel="stylesheet" href="css/styles.css" />
            <link href="https://fonts.googleapis.com/css2?family=Montserrat:wght@300&display=swap" rel="stylesheet" />
             <script src="js/login.js"></script>
             <div class="page-header gradient">
             <div class='container'>
             <div class='row justify-content-center align-items-center'>
             <div class='col-md-5'>
             <h2>Admin Login</h2>
             ∠br>
                                                                               Form for admin
             <form id="form_id" method="post" name="myform">
             <label>User Name :</label>
                                                                               login info and in
             <input type="text" name="username" id="username"/>
                                                                               submit it will call
                                                                               javascript validate
             <label>Password :</label>
                                                                               function
             <input type="password" name="password" id="password"/>
              <input type="button" class='btn btn-outline-success btn-lg center'value="Login" id="submit" onclick="validate()"/>
             </form>
             <div class='col-md-5'>
               <img src="img/Authentication_Two Color.svg" alt="cat">
```

Admin login page

```
JS login.js X

js > JS login.js > ② validate

1    function validate(){
2      var username = document.getElementById("username").value;
3      var password = document.getElementById("password").value;
4      if ( username == "Admin" && password == "Admin123"){
5       alert ("Login successfully");
6      window.location = "Article.html";
7      return false;
8      }else{
9       alert("The entered username or password is incorrect")
10    }}
```

The validate function receive the admin input by each input id (username, password) then checks that it match the correct admin info if true then it will show alert and redirect to page where he can write article other wise it will show unsuccessful alert.

```
Article.html ×
<> Article.html > ...
              <script type="text/javascript">
                var x= [];
                                                                                   Call the form input
              function add(){
                                                                                   by id then saves it
                 var name = document.getElementById('name').value;
                 var des = document.getElementById('description').value;
                                                                                   to local storge so
                 localStorage.setItem("name", name);
                                                                                   the other page can
                 localStorage.setItem("description", des);
                 window.location = "Article2.html";
                                                                                   access it and
                                                                                   redirect to article
              <div class="page-header gradient">
<div class='container'>
                                                                                    page
              <div class='row justify-content-center align-items-center'>
              <div class='col-md-5'>
              <h2>Let's Write new article</h2>
              <form id="form_id" method="post" name="myform2">
                                                                                     Form for the admin
              <input type="text" name="name" id="name"/>
                                                                                     to submit the article
                                                                                     title and description
              <label>Article Description:</label>
                                                                                     then it will call add
              <input type="text" name="description" id="description"/>
                                                                                     function
              <input type="button" class='btn btn-outline-success btn-lg center'value="Submit" id="submit" onclick="add()"/>
              <div class='col-md-5'>
                <img src="img/Report analysis _Flatline.svg" alt="article">
```

Adding article page

```
    Article2.html ×

 1 DOCTYPE html
     <html lang="en">
       <meta charset="UTF-8" />
                                                                                           Button to redirect
       <meta name="viewport" content="width=device-width, initial-scale=1.0" />
                                                                                           to add article page
       <title>Niko blog</title>
       <link rel="stylesheet" href="css/bootstrap.min.css" />
       <link rel="stylesheet" href="css/styles.css" />
       k href="https://fonts.googleapis.com/css2?family=Montserrat:wght@300&display=swap" rel="stylesheet" />
       <a href="Article.html"><button type='button' class='btn btn-outline-primary'>Add new Article</button></a>
       <header class='page-header gradient'>
        <div class='container'>
            <div class='col-md-5'>
         <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1440 320">
          <script type="text/javascript">
                                                            Call the article info
         var title = localStorage.getItem("name");
         var desc = localStorage.getItem("description");
                                                            from the local
                                                            storge and then
         document.write('' + title + '');
document.write('' + desc + '');
                                                            print it
```

Article page after adding new article