


This report is designed as a support tool to facilitate decision-making and does not replace the professional judgment of industry experts. Interpretations drawn from the report should be integrated with other information related to the specific evaluation context.

GROUP 1 - DEMO

RANK SCORES


A. Who would you like in your ideal work group?



NN 8, NE 14, ND 25%, NC 38%, NT 57%, NR 29%

ID	CHOICES	IC	PR	BT	CL	HU	ND
A	F, H	1	1	3	1	4	
B	F, H	5	7	7	6	4	←
C	-	5	7	7	6	5	⇌
D	A, G	3	4	2	3	3	
E	A, D	4	6	5	5	1	
F	A, D	2	2	1	2	1	
G	A, E	4	5	4	4	3	
H	A, F	3	3	6	3	2	

B. Who would you not want in your ideal work group?




NN 8, NE 16, ND 29%, NC 38%, NT 44%, NR 50%

ID	CHOICES	IC	PR	BT	CL	HU	ND
A	B, D	6	7	5	7	2	←
B	D, G	1	1	1	1	7	
C	B, E	2	3	2	2	3	
D	B, H	3	2	2	3	5	
E	B, C	4	5	4	5	1	
F	C, E	6	7	5	7	6	←
G	B, C	5	4	3	4	1	
H	D, C	5	6	3	6	4	

This report is designed as a support tool to facilitate decision-making and does not replace the professional judgment of industry experts. Interpretations drawn from the report should be integrated with other information related to the specific evaluation context.


A. Who would you like in your ideal work group?



NN 8, NE 14, ND 25%, NC 38%, NT 57%, NR 29%

ID	CHOICES	IC	PR	BT	CL	HU	ND
A	F, H	0.71	0.30	0.17	0.73	0.07	
B	F, H	0.00	0.02	0.00	0.00	0.07	←
C	-	0.00	0.02	0.00	0.00	0.00	⇌
D	A, G	0.29	0.14	0.21	0.51	0.15	
E	A, D	0.14	0.06	0.02	0.29	0.19	
F	A, D	0.43	0.22	0.23	0.57	0.19	
G	A, E	0.14	0.08	0.12	0.37	0.15	
H	A, F	0.29	0.16	0.01	0.51	0.18	

B. Who would you not want in your ideal work group?



NN 8, NE 16, ND 29%, NC 38%, NT 44%, NR 50%





ID	CHOICES	IC	PR	BT	CL	HU	ND
A	B, D	0.00	0.02	0.00	0.00	0.14	←
B	D, G	0.71	0.28	0.36	0.78	0.05	
C	B, E	0.57	0.17	0.19	0.64	0.13	
D	B, H	0.43	0.19	0.19	0.58	0.11	
E	B, C	0.29	0.10	0.05	0.44	0.17	
F	C, E	0.00	0.02	0.00	0.00	0.11	←
G	B, C	0.14	0.14	0.07	0.47	0.17	
H	D, C	0.14	0.10	0.07	0.39	0.12	

This report is designed as a support tool to facilitate decision-making and does not replace the professional judgment of industry experts. Interpretations drawn from the report should be integrated with other information related to the specific evaluation context.

GROUP 1 - DEMO

SOCIOGRAM

ID	RP	RJ	GP	GJ	MP	MR	BL	OR	IM	AI	II	ST
A	5	0	2	2	2	0	5	0	5	114	119	popular
B	0	5	2	2	0	2	-5	0	5	87	90	rejected
C	0	4	0	2	0	1	-4	-2	4	85	90	rejected
D	2	3	2	2	0	2	-1	0	5	98	98	controversial
E	1	2	2	2	0	1	-1	0	3	98	94	underrated
F	3	0	2	2	1	0	3	0	3	109	107	underrated
G	1	1	2	2	0	1	0	0	2	101	94	neglected
H	2	1	2	2	1	1	1	0	3	104	103	underrated

**RP** Received preferences **RJ** Received rejections **GP** Given preferences **GJ** Given rejections **MP** Mutual preferences **MJ** Mutual rejections **OR** Orientation **IM** Impact **MP** Balance **AI** Affiliation coefficient **II** Influence coefficient **ST** Status in the group  Very low  Low  High  Very high

This report is designed as a support tool to facilitate decision-making and does not replace the professional judgment of industry experts. Interpretations drawn from the report should be integrated with other information related to the specific evaluation context.

GROUP 1 - DEMO

SOCIOGRAM

Type I cohesion index : 28.57% , Type II cohesion index : 0.25  
Type I conflict index : 50.00% , Type II conflict index : 0.50

ID	Count	Median	Mean	Std	Min	P25	P50	P75	Max
Received preferences	8	1	1.75	1.67	0	0	1	2	5
Received rejections	8	1	2.00	1.85	0	0	1	3	5
Given Preferences	8	2	1.75	0.71	0	2	2	2	2
Given rejections	8	2	2.00	0.00	2	2	2	2	2
Mutual preferences	8	0	0.50	0.76	0	0	0	1	2
Mutual rejections	8	1	1.00	0.76	0	0	1	1	2
Balance	8	0	-0.25	3.33	-5	-1	0	1	5
Orientation	8	0	-0.25	0.71	-2	0	0	0	0
Impact	8	3	3.75	1.16	2	3	3	5	5
Affiliation coeff. raw	8	0	-0.50	3.70	-6	-2	0	1	5
Influence coeff. raw	8	1	2.25	2.38	0	0	1	3	7
Affiliation coeff.	8	100	100.00	10.00	85	95	100	105	114
Influence coeff.	8	96	100.00	10.00	90	93	96	104	119

Std Standard Deviation Min Minimum value P25 25° percentile P50 50° percentile P75 75° percentile Max Maximum value