

HUMAN ARCHITECT · OWL

CLIENT GO-LIVE RUNBOOK

Pre-launch checklist, smoke tests, isolation checks, latency benchmarks, and sign-off criteria. Built from operational audit, 2026-07-29.

If it isn't tested, it isn't live.

Internal operations · VERIFIED

~~Live:~~ <https://alkalinear architect.github.io/ai-employee/>

Call: <https://beacons.ai/humanarchitect>

No go-live without passing this

This runbook is the quality gate between 'built' and 'live.' No client sees a live agent unless every check below passes.■■: none.

Operator rule: you do not ship what you have not witnessed. If you did not see it pass, it failed.

“Fast is fine, but verified is final.”

SCOPE

What this covers

- • **Identity:** agent name, Slack/Telegram channel, avatar/bio, owner-visible alias.
 - • **Knowledge:** context.md loaded, facts reviewed by T, protected tier sealed.
 - • **Tools:** only scoped skills/tools are enabled; no debug/admin tools exposed.
 - • **Comms:** client-facing channel distinct from T oversight channel.
 - • **Health:** cron/ping test, Telegram alert confirmed, restart benchmark noted.
 - • **Backup:** profile + token + config archived before go-live.
-

Before you build

1 · Confirm intake

Client signed agreement + intake form returned. Discovery call notes filed under clients//.

2 · Confirm isolation

New profile created. No shared tokens with other clients. Run: token-isolation-check.sh .

3 · Confirm knowledge base

clients//context.md is complete and reviewed: Business / Facts / Standing instructions / Failure points.

4 · Confirm billing

Invoice sent, payment confirmed, client chat/channel provisioned.

Do not build for a client who has not paid. No exceptions.

Functional checks

5 · Agent boots

Start the agent. Verify process uptime >60s, no crash loops, memory within quota.

6 · Channel handshake

Send 'ping' from client channel. Agent replies within latency threshold. If no reply in 90s, fail.

7 · Tone + scope

Send a scoped-task prompt from the client brief. Agent replies using client brand voice, does not invent capabilities.

8 · Fallback behaviour

Send an out-of-scope question. Agent declines cleanly and offers the correct path. No hallucinated promises.

9 · Tool boundary

Verify only scoped tools respond. Admin/debug endpoints are not reachable from the client channel.

10 · Health alert

Trigger a test alert. T receives Telegram confirmation within threshold. Fix before proceeding if missing.

Hard gates

11 · Token isolation check

Run token-isolation-check.sh clients/. Confirmed: no token overlap with other profiles.

12 · Memory/disk quota

Record baseline memory and disk. Set max-memory guard. Alert if breached by >20%.

13 · Latency benchmark

Measure round-trip for 5 consecutive client prompts. Median must be under threshold. If any exceeds 2x median, investigate before go-live.

14 · Backup created

tar archive of profile + token + config + context.md. Stored in backup store with date and client name.

Client-facing go-live

15 · Owner intro message

Send the branded intro message in the client channel: agent name, one-line purpose, one example prompt.

16 · First win

Within 24 hours, the agent must complete one visible, useful task in the client channel.

17 · Health channel

Confirm T oversight Telegram thread is receiving alerts. Confirm client knows who to contact.

18 · Sign-off

Record go-live timestamp, baseline metrics, and client confirmation in `clients//log.md`.

FAIL CRITERIA

When to halt

Check	Fail condition	Action
Boot	Crash loop or OOM within 5 minutes	Fix before go-live; escalate to T.
Channel handshake	No reply within 90s on 'ping'	Check gateway/auth; do not ship.
Tone + scope	Hallucinated capability or wrong voice	Re-load context.md; re-test.
Fallback	Agent tries to answer out-of-scope	Add deny list; re-test.
Tool boundary	Admin endpoint reachable from client	Remove exposure; verify isolation.
Health alert	No Telegram alert within threshold	Fix cron/chat ID; do not ship.
Token isolation	Shared token found	Regenerate; rebuild; re-test.
Latency	Median exceeds threshold or any >2x median	Profile/trace before go-live.
Backup	Archive missing or corrupt	Create backup; proceed only after verified.

ROLLBACK

If go-live breaks

If the agent fails after client notification, execute rollback in this order:

- • **1 · Stop:** halt agent process immediately.
- • **2 · Restore:** revert to last known-good backup.
- • **3 · Verify:** rerun smoke test on restored snapshot.
- • **4 · Communicate:** tell the client the status and next ETA within 1 hour.
- • **5 · Post-mortem:** log root cause, fix, and prevention to clients//log.md.

Never claim live again until the full smoke test passes after rollback.

CHECKLIST

One-page sign-off

- • Intake complete and payment confirmed.
 - • Profile created with isolated token.
 - • context.md reviewed by T.
 - • Agent boots and stays up >60s.
 - • Client channel 'ping' replies within 90s.
 - • Scoped prompt returns correct tone and scope.
 - • Out-of-scope prompt declines cleanly.
 - • Admin tools not reachable from client channel.
 - • Telegram health alert confirmed.
 - • Token isolation check passed.
 - • Memory/disk baseline recorded.
 - • Latency benchmark within threshold.
 - • Backup archive created and verified.
 - • Owner intro message sent.
 - • First win scheduled within 24h.
-
- • Sign-off recorded in log.md.