


1.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
SELECT UPPER(airline_name) FROM airline;
772 ms
Services
Output
airport.public.booking
Result 42
UPPER(airline_name):text
204 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]


2.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
SELECT REPLACE(airline_name, 'Air', 'Aero') FROM airline;
391 ms
Services
Output
REPLACE(airline_name..., 'Air', 'Aero'):text
Result 42
UPPER(airline_name):text
replace
Global Aeroways
KazAero
204 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]


3.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
SELECT flight_id FROM flights WHERE airline_id IN (1, 2);
337 ms
postgres@localhost
airport
norm
Services
Output
REPLACE(airline_name..., 'Air', 'Aero'):text
airport.public.flights
UPPER(airline_name):text
flight_id
1
2
2 rows
Database Consoles
postgres@localhost
console_1 [postgres@localhost]
Non-commercial use


4.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
SELECT * FROM airport
303 ms
WHERE airport_name LIKE '%Reginal%' AND airport_name LIKE '%Air%';
postgres@localhost
airport
norm
public
tables
airline
columns
Services
Output
REPLACE(airline_name..., 'Air', 'Aero'):text
airport.public.flights
airport.public.airport
0 rows
Database Consoles
postgres@localhost
console_1 [postgres@localhost]
Non-commercial use


5.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
SELECT first_name, last_name, TO_CHAR(date_of_birth, 'Month DD, YYYY') AS formatted_dob 364 ms
FROM passengers;
Services
Output
Result 57
airport.public.flights
airport.public.airport
first_name | last_name | formatted_dob
1 Name1 | Surname1 | January 31, 1980
2 Name2 | Surname2 | March 01, 1980
3 Name3 | Surname3 | March 31, 1980
4 Name4 | Surname4 | April 30, 1980
5 Name5 | Surname5 | May 30, 1980
6 Name6 | Surname6 | June 29, 1980
7 Name7 | Surname7 | July 29, 1980
8 Name8 | Surname8 | August 28, 1980
9 Name9 | Surname9 | September 27, 1980
10 Name10 | Surname10 | October 27, 1980
11 Name11 | Surname11 | November 26, 1980
12 Name12 | Surname12 | December 26, 1980
13 Name13 | Surname13 | January 25, 1981
14 Name14 | Surname14 | February 24, 1981
15 Name15 | Surname15 | March 26, 1981
16 Name16 | Surname16 | 25, 1981
17 Name17 | Surname17 | May 25, 1981
200 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]
SUM: Not enough values
Non-commercial use


6.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
SELECT flight_id FROM flights 330 ms
WHERE act_arrival_time > sch_arrival_time;
Services
Output
Result 57
airport.public.flights
airport.public.airport
flight_id
0 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]
Non-commercial use


7.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
SELECT * FROM flights 329 ms
WHERE act_arrival_time > sch_arrival_time;
postgres@localhost 2 of 5
airport 2 of 4
norm
public
tables 10
airline
columns 6
Services
Output
Result 57
airport.public.flights
airport.public.airport
Database
postgres@localhost
console_1 329 ms
console 403 ms
0 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]
3:1 LF UTF-8 4 spaces
Non-commercial use


8.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
WHERE airline_country IN ('France', 'Portugal', 'Poland')
AND crated_at BETWEEN '2023-11-01' AND '2024-03-31';
postgres@localhost 2 of 5
airport 2 of 4
norm
public
tables 10
airline
columns 6
Services
Output
airport.public.airline
Database
postgres@localhost
console_1 345 ms
console 403 ms
0 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]
4:1 LF UTF-8 4 spaces
Non-commercial use


9.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
ORDER BY weight_in_kg DESC
LIMIT 3;
Services
Output
airport.public.baggage
3 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]


10.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
ORDER BY date_of_birth DESC
LIMIT 1;
Services
Output
airport.public.passengers
first_name
last_name
Name200
Surname200
1 row
Database Consoles > postgres@localhost > console_1 [postgres@localhost]


11.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
postgres@localhost 2 of 5
airport 2 of 4
norm
public
tables 10
airline
columns 6
SELECT booking_platform, MIN(ticket_price) AS cheapest_price 336 ms
FROM booking
GROUP BY booking_platform;
Services
Output
Result 63
booking_platform
cheapest_price
Website
10093.55
1 row
Database Consoles > postgres@localhost > console_1 [postgres@localhost]
Non-commercial use


12.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
postgres@localhost 2 of 5
airport 2 of 4
norm
public
tables 10
airline
columns 6
SELECT * FROM airline 382 ms
WHERE airline_code ~ '[0-9]';
Services
Output
airport.public.airline
180 rows
Database Consoles > postgres@localhost > console_1 [postgres@localhost]
Non-commercial use


13.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
Tx: Auto
Playground
airport.public
ORDER BY crated_at DESC
LIMIT 5;
postgres@localhost 2 of 5
airport 2 of 4
norm
public
tables 10
airline
columns 6
Services
Output
airport.public.airline
Database
postgres@localhost
console_1 334 ms
console 403 ms
DDL
CSV
5 rows
Database Consoles
postgres@localhost
console_1 [postgres@localhost]
4:1
LF
UTF-8
4 spaces
Non-commercial use

14.


default
Version Control
Database Explorer
console_1 [postgres@localhost]
Tx: Auto
Playground
airport.public
SELECT * FROM baggage_check 342 ms
WHERE booking_id BETWEEN 200 AND 300
AND check_result <> 'Checked';
postgres@localhost 2 of 5
airport 2 of 4
norm
public
tables 10
airline
columns 6
Services
Output
airport.public.baggage_check
Database
postgres@localhost
console_1 342 ms
console 403 ms
DDL
CSV
0 rows
Database Consoles
postgres@localhost
console_1 [postgres@localhost]
4:1
LF
UTF-8
4 spaces
Non-commercial use

15.


default
Version Control
Database Explorer
DDL
postgres@localhost 2 of 5
airport 2 of 4
norm
public
tables 10
airline
columns 6
console_1 [postgres@localhost]
Tx: Auto
Playground
airport.public
SELECT * FROM baggage_check 334 ms
WHERE DATE_TRUNC('month', updated_at) = DATE_TRUNC('month', created_at)
AND updated_at < created_at;
Services
Database
postgres@localhost
console_1 334 ms
console 403 ms
Output
airport.public.baggage_check
CSV
baggage_check_id
check_result
created_at
updated_at
booking_id
passenger_id
0 rows
Database Consoles
postgres@localhost
console_1 [postgres@localhost]
4:1
LF
UTF-8
4 spaces
Non-commercial use