

Lab 3:


Step 1:




Step 2:




Step 3:


Object Explorer
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
Lab_2/postgres@PostgreSQL 18*
Lab_2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
UPDATE Airline
SET airline_country = 'Turkey',
updated_at = CURRENT_TIMESTAMP
WHERE airline_name = 'KazAir';
Data Output
Messages
Notifications
UPDATE 1
Query returned successfully in 45 msec.
Total rows:
Query complete 00:00:00.045
LF
Ln 4, Col 31


Step 4:


Object Explorer
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
Lab_2/postgres@PostgreSQL 18*
Lab_2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
INSERT INTO Airline (airline_id, airline_code, airline_name, airline_country, created_at,
VALUES
(301, 'AEY', 'AirEasy', 'France', CURRENT_TIMESTAMP, CURRENT_TIMESTAMP),
(302, 'FGH', 'FlyHigh', 'Brazil', CURRENT_TIMESTAMP, CURRENT_TIMESTAMP),
(303, 'FFY', 'FlyFly', 'Poland', CURRENT_TIMESTAMP, CURRENT_TIMESTAMP);
Data Output
Messages
Notifications
INSERT 0 3
Query returned successfully in 47 msec.
Total rows:
Query complete 00:00:00.047
LF
Ln 5, Col 72


Step 5:


Object Explorer
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
Lab_2/postgres@PostgreSQL 18*
Lab_2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
DELETE FROM Booking_flight WHERE flight_id IN (SELECT flight_id FROM Flights WHERE EXTRACT
DELETE FROM Booking WHERE flight_id IN (SELECT flight_id FROM Flights WHERE EXTRACT(YEAR F
DELETE FROM Flights
WHERE EXTRACT(YEAR FROM sch_arrival_time) = 2024;
Data Output
Messages
Notifications
DELETE 0
Query returned successfully in 42 msec.
Query returned successfully in 42 msec.
Total rows:
Query complete 00:00:00.042
LF
Ln 1, Col 1


Step 6:


Object Explorer
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
Lab_2/postgres@PostgreSQL 18*
Lab_2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
UPDATE Booking
SET ticket_price = ticket_price * 1.15,
updated_at = CURRENT_TIMESTAMP;
Data Output
Messages
Notifications
UPDATE 135
Query returned successfully in 45 msec.
Total rows:
Query complete 00:00:00.045
LF
Ln 3, Col 36


Step 7:


Object Explorer
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
Lab_2/postgres@PostgreSQL 18*
Lab_2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
DELETE FROM Baggage WHERE booking_id IN (SELECT booking_id FROM Booking WHERE ticket_price
DELETE FROM Boarding_pass WHERE booking_id IN (SELECT booking_id FROM Booking WHERE ticket
DELETE FROM Baggage_check WHERE booking_id IN (SELECT booking_id FROM Booking WHERE ticket
DELETE FROM Booking_flight WHERE booking_id IN (SELECT booking_id FROM Booking WHERE ticke
DELETE FROM Booking
WHERE ticket_price < 10000;
Data Output
Messages
Notifications
DELETE 65
Query returned successfully in 43 msec.
Total rows:
Query complete 00:00:00.043
LF
Ln 1, Col 1


Step 8:


Object Explorer
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
Lab_2/postgres@PostgreSQL 18*
Lab_2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
UPDATE Airline
SET airline_code = 'UNK',
updated_at = CURRENT_TIMESTAMP
WHERE airline_code IS NULL;
Data Output
Messages
Notifications
UPDATE 0
Query returned successfully in 41 msec.
Query returned successfully in 41 msec.
Total rows:
Query complete 00:00:00.041
LF
Ln 4, Col 28


Step 9:




Step 10:




Step 11:




Step 12:




Step 13:




Step 14:



Step 15:


Object Explorer
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (16)
airline
airline_3nf
airport
airport_3nf
baggage
baggage_check
boarding_pass
booking
booking_3nf
booking_flight
booking_passenger_seat_3n
flight_3nf
flights
passenger_3nf
passengers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
Lab_2/postgres@PostgreSQL 18*
Lab_2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
1 UPDATE Baggage_check
2 SET check_result = 'Checked',
3 updated_at = CURRENT_TIMESTAMP
4 WHERE check_result = 'Not checked'
5 AND created_at >= '2024-03-01'
6 AND created_at < '2024-04-01';
Data Output
Messages
Notifications
UPDATE 5
Query returned successfully in 38 msec.
Query returned successfully in 38 msec.
Total rows:
Query complete 00:00:00.038
LF
Ln 6, Col 33


public
passengers
passenger_id integer
first_name character varying (50)
last_name character varying (50)
date_of_birth date
gender character varying(50)
country_of_citizenship character varying(50)
country_of_residence character varying(50)
passport_number character varying(20)
created_at timestamp without time zone
updated_at timestamp without time zone
public
airport
airport_id integer
airport_name character varying(50)
country character varying(50)
state character varying(50)
city character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone
public
airline
airline_id integer
airline_code character varying(30)
airline_name character varying(50)
airline_country character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone
public
airport_3nf
airport_code character varying(10)
airport_name character varying(50)
city character varying(50)
public
airline_3nf
airline_id integer
airline_name character varying(50)
public
booking
booking_id integer
flight_id integer
passenger_id integer
booking_platform character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone
status character varying(50)
ticket_price numeric(7,2)
public
flights
flight_id integer
sch_departure_time timestamp without time zone
sch_arrival_time timestamp without time zone
departing_airport_id integer
arriving_airport_id integer
departing_gate text
arriving_gate character varying(50)
airline_id integer
act_departure_time timestamp without time zone
act_arrival_time timestamp without time zone
created_at timestamp without time zone
updated_at timestamp without time zone
public
security_check
security_check_id integer
check_result character varying(20)
created_at timestamp without time zone
updated_at timestamp without time zone
passenger_id integer
public
flight_3nf
flight_number character varying(20)
departure_airport_code character varying(10)
arrival_airport_code character varying(10)
airline_id integer
public
baggage
baggage_id integer
weight_in_kg numeric(4,2)
created_at timestamp without time zone
updated_at timestamp without time zone
booking_id integer
public
baggage_check
baggage_check_id integer
check_result character varying(50)
created_at timestamp without time zone
updated_at timestamp without time zone
booking_id integer
passenger_id integer
public
boarding_pass
boarding_pass_id integer
booking_id integer
seat character varying(50)
boarding_time timestamp without time zone
created_at timestamp without time zone
updated_at timestamp without time zone
public
passenger_3nf
passport_number character varying(20)
passenger_full_name character varying(100)
public
booking_flight
booking_flight_id integer
booking_id integer
flight_id integer
created_at timestamp without time zone
updated_at timestamp without time zone
public
booking_3nf
booking_id integer
flight_number character varying(20)
ticket_price numeric(7,2)
public
booking_passenger_seat_3nf
booking_id integer
passport_number character varying(20)
seat_number character varying(10)