59 وضع الـ ٧:٠٨ م | ٢,١ك.ب/ث
ole.alibabacloud.com

Batch operations and export have been performed through asynchronous tasks. Click View Details to view the task details.

waleedalkhulaqi.website

Free Edition

Settings | Traffic Analysis | Query Logs | Operation Logs | Custom ACLs

The DNS settings of the domain name are correct. View DNS Servers

Add Record | Quick Add | Batch Import | All Records

Hostname | Exact Search | Enter a hostname

Record Value	Load Balancing Po	Actions
zoho-verification=zb50901103.zmverify.zoho.com	Round Robin	Edit Disable Delete
0a8d78e44b1b1bbb53bc	Round Robin	Edit Disable Delete
f4ed5582da624fe481e9	Round Robin	Edit Disable Delete
qiye.aliyun.com	Ratio	Edit Disable Delete
smtp.qiye.aliyun.com	Ratio	Edit Disable Delete
pop.qiye.aliyun.com	Ratio	Edit Disable Delete
imap.qiye.aliyun.com	Ratio	Edit Disable Delete
waleedalkhulaqi.github.io	Ratio	Edit Disable Delete
185.199.111.153	Round Robin	Edit Disable Delete
185.199.110.153	Round Robin	Edit Disable Delete

Batch Enable | Batch Disable | Change Group | Modify TTL | Modify Weight | Modify Record Value | Batch Delete

Total Items: 22

Previous 1 2 3 Next

59 وضع الـ ٧:٠٨ م | ٩,١ك.ب/ث
ole.alibabacloud.com

Batch operations and export have been performed through asynchronous tasks. Click View Details to view the task details.

waleedalkhulaqi.website

Free Edition

Settings | Traffic Analysis | Query Logs | Operation Logs | Custom ACLs

The DNS settings of the domain name are correct. View DNS Servers

Add Record | Quick Add | Batch Import | All Records

Hostname | Exact Search | Enter a hostname

Hostname	Record Type	Quer	Actions
@	TXT	Defau	Edit Disable Delete
aliyundm	TXT	Defau	Edit Disable Delete
aliyundm	TXT	Defau	Edit Disable Delete
mail	CNAME	Defau	Edit Disable Delete
smtp	CNAME	Defau	Edit Disable Delete
pop3	CNAME	Defau	Edit Disable Delete
imap	CNAME	Defau	Edit Disable Delete
www	CNAME	Defau	Edit Disable Delete
@	A	Defau	Edit Disable Delete
@	A	Defau	Edit Disable Delete

Batch Enable | Batch Disable | Change Group | Modify TTL | Modify Weight | Modify Record Value | Batch Delete

Total Items: 22

Previous 1 2 3 Next

ole.alibabacloud.com

Alibaba Cloud | Workbench | Global | Expenses | ICP | Enterprise | Support | Tickets | EN | kas2*****@g... Main Account

Alibaba Cloud DNS

- Overview
- Dashboard
- Instance

Configurations
- Public Zone
- Private Zone
- Global Traffic Manager
- HTTPDNS

Security
- DNS Firewall NEW

Operations
- Logs
- Alert Settings
- Backup and Restore
- Custom ACLs

Batch operations and export have been performed through asynchronous tasks. Click View Details to view the task details.

Alibaba Cloud DNS | Authoritative DNS Resolution | Settings | Asynchronous Task | Documentation

waleedalkhulaqi.website

Free Edition

Settings | Traffic Analysis | Query Logs | Operation Logs | Custom ACLs

The DNS settings of the domain name are correct. View DNS Servers

Add Record | Quick Add | Batch Import | All Records

Hostname | Exact Search | Enter a hostname

Query Source	Record Value	Actions
Default	185.199.109.153	Edit Disable Delete
Default	185.199.108.153	Edit Disable Delete

Batch Enable | Batch Disable | Change Group | Modify TTL | Modify Weight | Modify Record Value | Batch Delete

Total Items: 22

Previous 1 2 3 Next

59
وضع الـ ٧:٠٧ م | ٩١,٨ك.ب/ث

ole.alibabacloud.com

Alibaba Cloud | Workbench | Global | Expenses | ICP | Enterprise | Support | Tickets | EN | kas2*****@g... Main Account

Alibaba Cloud DNS

- Overview
- Dashboard
- Instance
- Configurations
  - Public Zone
  - Private Zone
  - Global Traffic Manager
  - HTTPDNS
- Security
  - DNS Firewall NEW
- Operations
  - Logs
  - Alert Settings
  - Backup and Restore
  - Custom ACLs

Batch operations and export have been performed through asynchronous tasks. Click View Details to view the task details.

Alibaba Cloud DNS / Authoritative DNS Resolution / Settings

Asynchronous Task Documentation

waleedalkhulaqi.website

Free Edition

Settings | Traffic Analysis | Query Logs | Operation Logs | Custom ACLs

The DNS settings of the domain name are correct. View DNS Servers

Add Record | Quick Add | Batch Import | All Records

Hostname | Exact Search | Enter a hostname

Hostname	Record Type	Quer	Actions
@	A	Defau	Edit Disable Delete
@	A	Defau	Edit Disable Delete

Batch Enable | Batch Disable | Change Group | Total Items: 22

Modify TTL | Modify Weight | Modify Record Value | Previous

Batch Delete | 1 2 3 Next

59
وضع الـ ٧:٠٧ م | ٣٩٢ك.ب/ث

Batch operations and export have been performed through asynchronous tasks. Click View Details to view the task details.

waleedalkhulaqi.website

Free Edition

Settings | Traffic Analysis | Query Logs | Operation Logs | Custom ACLs

The DNS settings of the domain name are correct. View DNS Servers

Add Record | Quick Add | Batch Import | All Records

Hostname | Exact Search | Enter a hostname

Source	Record Value	Load Balan	Actions
	myaiagent1262.web.dappier.com	Ratio	Edit Disable Delete
	v=DMARC1; p=none; rua=mailto:postmaster@waleedalkhulaqi.website	Round Robi	Edit Disable Delete
	v=DKIM1; k=RSA; p=MII...	Round Robi	Edit Disable Delete
	v=DMARC1; p=quarantine; rua=mailto:dmarc@waleedalkhulaqi.website; ruf=mailto:dmarc@waleedalkhulaqi.website; fo=1	Round Robi	Edit Disable Delete
	v=DKIM1; k=rsa; p=MIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAhUeR6Mk8jD3FohavF41Modc0bDpyszqnqLRlXEzzUW13Ois0DkdnH1ZklYOFkNmTzgpFO96ovgXwLdBHXSsOvZPXlDjtFcxebGqUNIEwphL/h6AVUiwnYXbhI1IEOgcCt9419fWEqmQlBs/xAddmrTk0TGyhdtuyY8T1kygUQY1LCrUYxTVwzMOTaopuUxiqHYDUrxHsq0DsLiMxrXw51wb+pjjDOaEJTCEAgflFQRhUIMbb76XLJS+FRlc3FEdU/1MUbfVf95uyk0yAkPloJD6qYuFQgIcDvNHIlw1EoMW2R1DtiQq8HHuh0RW/uku0J4pjEh4BNDuZin5xCnhnQIsQIDAQAB	Round Robi	Edit Disable Delete
	mx3.zoho.com | 50	Round Robi	Edit Disable Delete
	mx2.zoho.com | 20	Round Robi	Edit Disable Delete
	v=DKIM1; k=rsa; p=...	Round Robi	Edit Disable Delete
	v=spf1 include:zohomail.com ~all	Round Robi	Edit Disable Delete
	mx.zoho.com | 10	Round Robi	Edit Disable Delete

Batch Enable | Batch Disable | Change Group | Total Items: 22

Modify TTL | Modify Weight | Modify Record Value

Batch Delete

وضع الـ ٧:٠٧ م | ٣٨١ك.ب/ث
59
ole.alibabacloud.com

Batch operations and export have been performed through asynchronous tasks. Click View Details to view the task details.

waleedalkhulaqi.website

Free Edition

Settings | Traffic Analysis | Query Logs | Operation Logs | Custom ACLs

The DNS settings of the domain name are correct. View DNS Servers

Add Record | Quick Add | Batch Import | All Records

Hostname | Exact Search | Enter a hostname

Hostname	Record Type	Query	Actions
chat	CNAME	Defau	Edit Disable Delete
_dmarc	TXT	Defau	Edit Disable Delete
sendify-ap-southeast-1.mail.sendify.com	TXT	Defau	Edit Disable Delete
_dmarc	TXT	Defau	Edit Disable Delete
selector._domainkey	TXT	Defau	Edit Disable Delete
@	MX	Defau	Edit Disable Delete
@	MX	Defau	Edit Disable Delete
@	TXT	Defau	Edit Disable Delete
@	TXT	Defau	Edit Disable Delete
@	MX	Defau	Edit Disable Delete

Batch Enable | Batch Disable | Change Group | Modify TTL | Modify Weight | Modify Record Value | Batch Delete

Total Items: 22

Previous 1 2 3 Next

59 وضع الـ ٧:٠٦ م | ١٢,١ك.ب/ث
github.com/alkhulaqiw

General

Access
- Collaborators
- Moderation options

Code and automation
- Branches
- Tags
- Rules
- Actions
- Models Preview
- Webhooks
- Copilot
- Environments
- Codespaces
- Pages

Security
- Advanced Security
- Deploy keys
- Secrets and variables

Integrations
- GitHub Apps
- Email notifications

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Your site is live at http://waleedalkhulaqi.website/
Last deployed by alkhulaqiw 30 minutes ago

Visit site | Unpublish site

Build and deployment

Source

Deploy from a branch

Branch

Your GitHub Pages site is currently being built from the `main` branch. Learn more about configuring the publishing source for your site.

main | / (root) | Save

Learn how to add a Jekyll theme to your site.

Your site was last deployed to the github-pages environment by the pages build and deployment workflow. Learn more about deploying to GitHub Pages using custom workflows

Custom domain

Custom domains allow you to serve your site from a domain other than `waleed.dev`. Learn more about configuring custom domains.

waleedalkhulaqi.website | Save | Remove

● DNS Check in Progress

☐ **Enforce HTTPS**

HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site. When HTTPS is enforced, your site will only be served over HTTPS. Learn more about securing your GitHub Pages site with HTTPS.

Visibility GitHub Enterprise

With a GitHub Enterprise account, you can restrict access to your GitHub Pages site by publishing it privately. You can use privately published sites to share your internal documentation or knowledge base with members of your enterprise. You can try GitHub Enterprise risk-free for 30 days. Learn more about the visibility of your GitHub Pages site.

Start free for 30 days

© 2025 GitHub, Inc.

وضع الـ ٧:٠٦ م | ٥,١ك.ب/ث
60
github.com/alkhulaqiv

alkhulaqiw / waleedalkhulaqi-website

Code | Issues 1 | Pull requests | Actions | Projects 2 | Wiki | Security | Insights

waleedalkhulaqi-website Public

Unpin | Watch 0 | Fork 0 | Star 0

index.html had recent pushes 9 minutes ago — Compare & pull request

cd-/path/to/your/folder had recent pushes 8 minutes ago — Compare & pull request

main | Go to file | + | Code

alkhulaqiw Create CNAME ✓ — 0de6d60 · 30 minutes ago

CNAME	Create CNAME	30 minutes ago
README.md	Add files via upload	31 minutes ago
index.js	Add files via upload	31 minutes ago
template.yml	Add files via upload	31 minutes ago

README

AI Proxy for Alibaba Cloud Function Compute

كيفية النشر

1. افتح Function Compute Console
2. أنشئ خدمة باسم `ai-proxy-service`
3. أنشئ دالة باسم `ai-proxy-function` باستخدام Runtime: Node.js 18
4. ارفع هذا المجلد كـ ZIP
5. في Environment Variables، أضف:
   - Key: `OPENROUTER_API_KEY`
   - Value: `ak_01k22rc3x1e148dcgbk3d3jaj3`
6. أضف HTTP Trigger (POST, OPTIONS)
7. استخدم الرابط في موقع React الخاص بك

About

waleedalkhulaqi.website/

Readme
Activity
0 stars
0 watching
0 forks

Releases

No releases published
Create a new release

Packages

No packages published
Publish your first package

Deployments 91

- github-pages 29 minutes ago
- Production 30 minutes ago
- Preview 32 minutes ago

+ 88 deployments

Languages

JavaScript 100.0%

Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

© 2025 GitHub, Inc.

وضع الـ ٧:٠٦ م | ٩,٤ك.ب/ث
leedalkhulaqi.website

waleedalkhulaqi-website

AI Proxy for Alibaba Cloud Function Compute

كيفية النشر

1. افتح Function Compute Console
2. أنشئ خدمة باسم `ai-proxy-service`
3. أنشئ دالة باسم `ai-proxy-function` باستخدام Runtime: Node.js 18
4. ارفع هذا المجلد كـ ZIP
5. في Environment Variables، أضف:
   - Key: `OPENROUTER_API_KEY`
   - Value: `ak_01k22rc3x1e148dcgbk3d3jaj3`
6. أضف HTTP Trigger (POST, OPTIONS)
7. استخدم الرابط في موقع React الخاص بك

وضع الـ ٧:٠٦ م | ٩,١ك.ب/ث
60
xt.console.aliyun.com

← Create Web Function

Web Function

Basic Configurations

Region: China (Shanghai) cn-shanghai

* Function Name: ai-proxy-alibaba (16/64)

It must be 1 to 64 charters in length and can contain letters, digits, underscores (_), and hyphens (-). It cannot start with a digit or a hyphen (-).

Scaling configuration

Instance Type: Elastic Example

* Specifications: vCPU 0.35 | Memory | MB | Disk 512 MB

* Minimum Instances Recommendation: 1 Number

For latency-sensitive applications, we recommend that you keep at least one instance (minimum instances ≥ 1). This avoids scaling to zero and provides the following benefits: 1. Warm starts: Ensures uninterrupted service with millisecond-level response times. 2. Guaranteed capacity: Reserves elastic resources to ensure they are always available for your function. 3. Smart idle-time billing: Reduces costs by automatically switching to a lower idle rate (CPU is free; memory is billed at 67% the active rate; GPU is billed at 10–20% the active rate, depending on the GPU type) when there are no requests or background tasks. Learn more here and here.

* Instance Concurrency: 20

Impacts

Code

* Runtime: Custom Runtime / Node.js / Node.js 18 Custom Runtime Debian 10

You need to write a program according to the interface defined by the framework, implement an HTTP server through the framework, and configure the corresponding startup command and listening port. Function Compute passes the context information and forwards requests to the function. Learn more.

Code Upload Method: ○ Use Sample Code ○ Upload ZIP ◉ Upload Folder ○ OSS

* Folder

Select or Drag a Folder

ai-proxy-alibaba (4.38 KB)

How to upload code in folder?
Select the folder that contains your function code, including the node_modules folder. Note: You can also use layers to install dependencies. After the upload, configure **Listening Port** and **Startup Command** based on your code.

* Startup Command: The command to start your program. Examples: python3 app.py, python app.py, and java

You must specify Startup Command.

* Listening Port: The port that is listened on in your code

You must specify Listening Port.

* Execution Timeout Period: 60 Seconds

Advanced Settings

> **Permissions** Function Role

> **Network** Access to VPC | Allow Default NIC to Access Internet

> **Storage** Mount a NAS File System | Mount OSS

Create | Cancel