
Synthetic composition probes: BranchWeightMLP routing
Rows grouped by generated composition motif; [S] = synthetic, training domain unknown
Generated formula (composition carrier)
C12H88 [S]
C16H84 [S]
C17H49N2O32 [S]
C19H61N13O7 [S]
C11H47N8O29P3S2 [S]
C14H53N2O27P3S [S]
Cr48O52 [S]
Cr54O46 [S]
Co11Fe20O69 [S]
Co17Mn22O61 [S]
Al10Li4O74Si12 [S]
Al2Mg35O34Si29 [S]
Mo11Nb9Se80 [S]
Mo11Se38W51 [S]
Cr28Zr72 [S]
Cr31Nb69 [S]
Hf16Mo37W47 [S]
Hf27W34Zr39 [S]
Al14Cr35Fe30Mn21 [S]
Al19Co11Mn13Mo24Nb33 [S]
As14Si65Sn21 [S]
As21Si47Sn32 [S]
Al14F34Na45O7 [S]
Al21Br40Ca27O12 [S]
Ce19Gd11O70 [S]
Ce26O74 [S]
branch-0 Alexandria
branch-1 ANI1x
branch-2 MPTrj
branch-3 OC2020
branch-4 OC2022
branch-5 OC25
branch-6 ODAC23
branch-7 OMat24
branch-8 OMol25
branch-9 OMol25-neutral
branch-10 OMol25-non-neutral
branch-11 OPoly2026
branch-12 Nabla2DFT
branch-13 QCML
branch-14 QM7X
branch-15 transition1x
Dataset-specific branch
Softmax weight
1.0
0.8
0.6
0.4
0.2
0.0